Author index

ABDULLAH, A. see TOMSON, N.
ABENI, D. see SAMPOGNA, F.
ABERER, W., ZIDARN, M. & KRANKE, B. IgE antibodies to penicillin are indicative for but not conclusive proof of penicillin allergy, 1209
ABRAHAM, S., JONES, A., TOUTOUS-TRELLU, L., KERL-BULLANI, K., CHAVAZ, P., SAURAT, J-H. & PIGUET, V. Linear Darier disease with herpes zoster superinfection treated successfully by brivudine, 365
ABURATANI, H. see LIU, H.J.
ADAMINI, N. see OJI, V.
ADDISS, D. see MCPHERSON, T.
ADLY, M.A., ASSAF, H.A. & HUSSEIN, M.R. Expression of bone morphogenetic protein-7 in human scalp skin and hair follicles, 551
AGARWAL, S. see BIRCH, M.P.
ÅGREN, M.S. see MIRASTSCHIJSKI, U.
AGUIAR, T.S. see AUADA, M.P.
AHN, J.H. see KANG, H.Y.
AL-AJMI, H.S. A comparison of minimal erythema doses for narrow-band vs. broadband ultraviolet B irradiation in darkly pigmented healthy subjects and in psoriatic patients in Kuwait, 795
ALBERT, S. see OYAMA, N.
ALESSI, E. see GHISLANZONI, M.
ALEXANDRINO, F. see AUADA, M.P.
ALEXANDROFF, A. see WAHIE, S.
ALEXOPOULOS, E.C. see GAITANIS, G.
AL-FARES, S. see RUDOLPH, C.M.
ALFARO, A. see BOTELLA-ESTRADA, R.
ALHAMBRA, A. see CUÉTARA, M.S.
ALLEN, J.W. see MOSELEY, H.
ALLEN, M.H. see CAMPALANI, E.
ALLGROVE, J. see FEWTRELL, M.S.
ALOMAR, A. see DALMAU, J.
AMAGAI, M. see HENG, A.
AMBRETTI, S. see LA PLACA, M.
AMEEN, M. see HOQUE, S.R.
AMOAH, A.S. see HOGEWONING, A.A.
AN, S. see LEE, Y.S.
ANDO, K. see NAKAMURA, Y.
ANG, P. see EE, H.L.
ANGELOVA-FISCHER, I., HIPLER, U.C., BAUER, A., FLUHR, J.W., TSANKOV, N., FISCHER, T.W. & ELSNER, P. Significance of interleukin-16, macrophage-derived chemokine, eosinophil cationic protein and soluble E-selectin in reflecting disease activity of atopic dermatitis—from laboratory parameters to clinical scores, 1112
ANNESI-MAESANO, I., BEYER, A., MARMOUZ, F., MATHELIER-FUSADE, P., VERVLOET, D. & BAUCHAU, V. Do patients with skin allergies have higher levels of anxiety than patients with allergic respiratory diseases? Results of a large-scale cross-sectional study in a French population, 1128
ANNESSI, G. see CIANFARANI, F.
ANSTEY, A.V. see OTMAN, S.G.H.
ANTIGA, E. see CAPRONI, M.
ANTONIOU, C. see STEFANAKI, C.
ANYFANTAKIS, V. see PANAGIOTOPOULOS, A.
AO, Y. see LIU, Q.
APARO, U. see SAMPOGNA, F.
ARA, M. see ZABALLOS, P.
ARACTINGI, S. see BACHMEYER, C.
ARAI, I. see HASHIMOTO, Y.
ARAI, I. see TAKANO, N.
ARDUINO, P. see CONROTTO, D.
ARGENZIANO, G. see ZALAUDEK, I.
ARGYRAKOS, T. see STEFANAKI, C.
ARKWRIGHT, P.D. see MOORE, K.
ASADA, H. see INUI, S.
ASADA, Y. see KASHIMA, A.
ASAGOE, K., TORIGOE, R., OFUJI, R. & IWATSUKI, K. Reactive intravascular histiocytosis associated with tonsillitis, 560
ASAHINA, A. see TADA, Y.
ASHTON, G.H.S. see FASSIHI, H.
ASSAF, H.A. see ADLY, M.A.
ATHERTON, D. see FEWTRELL, M.S.
AUADA, M.P., PUZZI, M.B., CINTRA, M.L., STEINER, C.E., ALEXANDRINO, F., SARTORATO, E.L., AGUIAR, T.S., AZULAY, R.D., CARNEY, G. & RIZZO, W.B. Sjögren–Larsson syndrome in Brazil is caused by a common c.1108-1G→C splice-site mutation in the *ALDH3A2* gene, 770
AUBIN, F. see GUERRINI, J.S.
AUFENVENNE, K. see OJI, V.
AUSTAD, J. see KRAGBALLE, K.
AXTELIUS, B. see SAMPOGNA, F.
AZAM, N.A. see ORPIN, S.D.
AZUKIZAWA, H. see INUI, S.
AZULAY, R.D. see AUADA, M.P.
AZZI, L., EL-ALFY, M. & LABRIE, F. Gender differences and effects of sex steroids and dehydroepiandrosterone on androgen and oestrogen α receptors in mouse sebaceous glands, 21

BABILAS, P., KOHL, E., MAISCH, T., BÄCKER, H., GROß, B., BRANZAN, A.L., BÄumlER, W., LANDTHALER, M., KARRER, S. & SZEIMIES, R-M. *In vitro* and *in vivo* comparison of two different light sources for topical photodynamic therapy, 712
BACHMEYER, C., ORLANDINI, V. & ARACTINGI, S. Topical mechlorethamine and clobetasol in multifocal primary cutaneous marginal zone-B cell lymphoma, 1207
BÄCKER, H. see BABILAS, P.
BAGOT, M. see BOUAZIZ, J-D.
BALA, M. see REICH, K.
BALME, B. see DALLE, S.
BANNERT, N. see GELDERBLOM, H.R.
BARAN, R. Is onychoblastoma really a new entity?, 384
BARBARESCHI, M. see GHISLANZONI, M.
BARKER, J.N.W.N. see CAMPALANI, E.
BARLETTA, E. see CAPRONI, M.
BARLOW, R. see SAHA, M.
BARNES, L. see KRAGBALLE, K.
BARNETSON, R.STc. see OOI, T.
BARON, S.E., MORRIS, P.K., DYE, L., FIELDING, D. & GOULDEN, V. The effect of dermatology consultations in secondary care on treatment outcome and quality of life in new adult patients with atopic dermatitis, 942
BARRA, L. see NETTIS, E.
BARRANCO, C. see GALLARDO, F.
BARRETT, A.W. see VILLARROEL DORREGO, M.
BARTUSEL, E. see KRÄMER, U.
BASDEW, V.R. see DE GRAAF, Y.G.L.
BASKETTER, D.A. see BUCKLEY, D.A.

BASSO, M. see DRAGO, F.
BASTUJI-GARIN, S. see BOUAZIZ, J-D.
BATCHELOR, R.J. & STABLES, G.I. An audit of the management of cutaneous squamous cell carcinoma according to the multiprofessional guidelines, 1202
BAUCHAU, V. see ANNESI-MAESANO, I.
BAUER, A. see ANGELOVA-FISCHER, I.
BAUER, J.W. see LAIMER, M.
BÄumlER, W. see BABILAS, P.
BECK, M.H. see WALKER, S.L.
BECKER, D. see HILLEN, U.
BECUWE, C. see DALLE, S.
BEGER, B., ROBERTSON, K., EVANS, A., GRANT, A. & BERG, J. Expression of endoglin and the activin receptor-like kinase 1 in skin suggests a role for these receptors in normal skin function and skin tumorigenesis, 379
BEHRENDT, H. see KRÄMER, U.
BEHRENDT, H. see MÖHRENSCHLAGER, M.
BELLOSILLO, B. see GALLARDO, F.
BEN OSMAN DHAHRI, A. see KALLEL SELLAMI, M.
BERG, D. see OTLEY, C.C.
BERG, J. see BEGER, B.
BERGMAN, R. see GUTTMAN-YASSKY, E.
BERTH-JONES, J. see SALIM, A.
BERTLEFF, M.J.O.E. see OSTERTAG, J.U.
BES, M. see DEL GIUDICE, P.
BESSIS, D. see DEREURE, O.
BEYER, A. see ANNESI-MAESANO, I.
BHARKHADA, J. see CAPON, F.
BHOGAL, B.S. see OYAMA, N.
BIANCHI, F. see GHISLANZONI, M.
BIANCHI, T. see LA PLACA, M.
BIBBY, A. see KRAGBALLE, K.
BINGHAM, E.A. see O'HAGAN, A.H.
BIRCH, M.P., LASHEN, H., AGARWAL, S. & MESSENGER, A.G. Female pattern hair loss, sebum excretion and the end-organ response to androgens, 85
BISSET, Y. see REES, J.L.
BISSONNETTE, R. see CATY, V.
BLACK, M.M. see CAPON, F.
BLACK, M.M. see CHAUDHRY, S.I.
BLACK, M.M. see OYAMA, N.
BLACK, M.M. see RUDOLPH, C.M.
BLACK, R.J. & GAVIN, A.T. Photocarcinogenic risk of narrowband ultraviolet B (TL-01) phototherapy: early follow-up data, 566
BLANC, V. see DEL GIUDICE, P.
BLOCH, W. see SCHNEIDER, L.A.
BLUM, A. see ZALAUDEK, I.
BLUMSOHN, A. see HARRISON, C.A.
BOAKYE, D. see HOGEWONING, A.A.
BÖER, A., HERDER, N., WINTER, K. & FALK, T. Herpes folliculitis: clinical, histopathological, and molecular pathologic observations, 743
BOLLAG, W.B. see RISTICH, V.L.
BONVICINI, F. see LA PLACA, M.
BORDEA, C. see LE MIRE, L.
BORK, K., GÜL, D. & DEWALD, G. Hereditary angio-oedema with normal C1 inhibitor in a family with affected women and men, 542
BOS, J.D. see DE VRIES, H.J.C.
BOTELLA-ESTRADA, R., NAGORE, E., SOPENA, J., CREMADES, A., ALFARO, A., SANMARTÍN, O., REQUENA, C., SERRA-GUILLÉN, C. & GUILLÉN, C. Clinical, dermoscopy and histological correlation study of melanotic pigmentations in excision scars of melanocytic tumours, 478
BOTELLA-ESTRADA, R. see PLANELLES, D.
BOUALI, B. see CATTAN, D.
BOUAZIZ, J-D., BASTUJI-GARIN, S., POSZEPCZYNSKA-GUIGNÉ, E., WECHSLER, J. & BAGOT, M. Relative frequency and survival of patients with primary cutaneous lymphomas: data from a single-centre study of 203 patients, 1206
BOUBOUKA, C. see PANAGIOTOPOULOS, A.
BOURKE, J.F. see LANGAN, S.M.
BOURKE, J.F. *EDF White Book: Skin Diseases in Europe*, 2nd Edn. Peter Fritsch and Walter Burgdorf (editors). Berlin: ABW Wissenschaftsverlag GmbH, 2005, 804
BOUWES BAVINCK, J.N. see DE GRAAF, Y.G.L.
BOUWES BAVINCK, J.N. see HOGEWONING, A.A.
BOVENSCHEN, H.J., TJIOE, M., VERMAAT, H., DE HOOP, D., WITTEMAN, B.M.J., JANSSENS, R.W.A., STOOF, T.J. & VAN DE KERKHOF, P.C.M. Induction of eruptive benign melanocytic naevi by immune suppressive agents, including biologicals, 880
BOWMAN, P.H. see RISTICH, V.L.
BRÅBÄCK, L. see LANDGREN, E.
BRADSHAW, J. see SKEVINGTON, S.M.
BRAIN, C. see FEWTRELL, M.S.
BRANDRUP, F. see OUSAGER, L.B.
BRANZAN, A.L. see BABILAS, P.
BRASCH, J. see HILLEN, U.
BRASCH-ANDERSEN, C. see OUSAGER, L.B.
BRASSINNE, M. see KRAGBALLE, K.
BRAUDE, P.R. see FASSIHI, H.
BRAUN, R.P. see ZALAUDEK, I.
BREUER, P. see STAUBACH, P.
BREUNINGER, H. see JAHN, V.
BREUNINGER, H. see MOEHRLE, M.
BROCCOLETTI, R. see CONROTTO, D.
BRUIJNZEEL-KOOMEN, C.A.F.M. see KOEK, M.B.G.
BUCKLEY, C. see CUSACK, C.
BUCKLEY, C. see O'HAGAN, A.H.
BUCKLEY, D.A., BASKETTER, D.A., SMITH PEASE, C.K., RYCROFT, R.J.G., WHITE, I.R. & MCFADDEN, J.P. Simultaneous sensitivity to fragrances, 885
BUGDAHL, R. see MIRASTSCHIJSKI, U.
BULLOCK, A.J. see HARRISON, C.A.
BUNKER, C.B. see SAHA, M.
BUNKER, C.B. see TOPHAM, E.J.
BURDEN, A.D. see CAMPALANI, E.
BURGE, S. see COLTART, L.
BURKHART, C.G., BURKHART, C.N. & ISHAM, N. Synergistic antimicrobial activity by combining an allylamine with benzoyl peroxide with expanded coverage against yeast and bacterial species, 341
BURKHART, C.N. see BURKHART, C.G.
BURRONI, M. see RUBEGNI, P.
BUSKENS, E. see KOEK, M.B.G.

CABO, H. see ZALAUDEK, I.
CAMACHO, F. see RUIZ-DE-CASAS, A.
CAMACHO-LOPEZ, M.A. see MOSELEY, H.
CAMBAZARD, F. see KRAGBALLE, K.
CAMILLERI, M.J. see DAVIS, M.D.P.
CAMPALANI, E., ALLEN, M.H., FAIRHURST, D., YOUNG, H.S., MENDONCA, C.O., BURDEN, A.D., GRIFFITHS, C.E.M., CROOK, M.A., BARKER, J.N.W.N. & SMITH, C.H. Apolipoprotein E gene polymorphisms are associated with psoriasis but do not determine disease response to acitretin, 345

CAPON, F., BHARKHADA, J., COCHRANE, N.E., MORTIMER, N.J., SETTERFIELD, J.F., REYNAERT, S., BLACK, M.M., VAUGHAN, R.W., TREMBATH, R.C. & HARMAN, K.E. Evidence of an association between desmoglein 3 haplotypes and pemphigus vulgaris, 67
CAPRONI, M., ANTIGA, E., PARODI, A., SCHENA, D., MARZANO, A., QUAGLINO, P., DE SIMONE, C., LA PLACA, M., VOLPI, W., DEL BIANCO, E. & FABBRI, P. Elevated circulating CD40 ligand in patients with erythema multiforme and Stevens–Johnson syndrome/toxic epidermal necrolysis spectrum, 1006
CAPRONI, M., TORCHIA, D., SCHINCAGLIA, E., VOLPI, W., FREZZOLINI, A., SCHENA, D., MARZANO, A., QUAGLINO, P., DE SIMONE, C., PARODI, A., BARLETTA, E. & FABBRI, P. The CD40/CD40 ligand system is expressed in the cutaneous lesions of erythema multiforme and Stevens–Johnson syndrome/toxic epidermal necrolysis spectrum, 319
CARBONE, M. see CONROTTO, D.
CAREY, N. see COURTENAY, M.
CARNEY, G. see AUADA, M.P.
CARR, R.A. see GACH, J.E.
CARRIZOSA-ESQUIVEL, A. see RUIZ-DE-CASAS, A.
CARROZZO, M. see CONROTTO, D.
CASSANO, N. see VENA, G.A.
CATTAN, D., BOUALI, B., CHASSAING, N., MARTINEZ, F., DUPONT, J.M., DODE, C. & MARTIN, L. Early and severe amyloidosis in a patient with concurrent familial Mediterranean fever and pseudoxanthoma elasticum, 1190
CATY, V., LIU, Y., VIAU, G. & BISSONNETTE, R. Multiple large surface photodynamic therapy sessions with topical methylaminolaevulinate in *PTCH* heterozygous mice, 740
CECCARELLI, C. see MISCALI, C.
CERRONI, L. see KERL, K.
CHALLACOMBE, S.J. see OYAMA, N.
CHAN, S.Y. see YOUSSEF, A.H.
CHAN, Y.C. see HO, J.C.C.
CHAN, Y-S. see JUAN, W-H.
CHANG, C-H. see LEE, C-H.
CHANG, Y.T., LIU, H.N., YU, C.W., LIN, M.W., HUANG, C.H., CHEN, C.C., LIU, M.T., LEE, D.D., WANG, W.J. & TSAI, S.F. Cytokine gene polymorphisms in bullous pemphigoid in a Chinese population, 79
CHARLES-HOLMES, R. see GACH, J.E.
CHASAPI, V. see GAITANIS, G.
CHASAPI, V. see PANAGIOTOPOULOS, A.
CHASSAING, N. see CATTAN, D.
CHAUDHRY, S.I. & BLACK, M.M. True transverse leuconychia with spontaneous resolution during pregnancy, 1212
CHAVAZ, P. see ABRAHAM, S.
CHAVE, T.A. see SLADDEN, M.J.
CHEN, C.C. see CHANG, Y.T.
CHEN, G-S., YU, H-S., LAN, C-C.E., CHOW, K-C., LIN, T-Y., KOK, L-F., LU, M-P., LIU, C-H. & WU, M-T. CXC chemokine receptor CXCR4 expression enhances tumorigenesis and angiogenesis of basal cell carcinoma, 910
CHEN, W-Y. see WANG, K-H.
CHERIF, F. see KALLEL SELLAMI, M.
CHEUNG, S.T. & TUCKER, W. Nonsedating antihistamines in the treatment of severe chronic idiopathic urticaria: are they used optimally?, 1012
CHEVALLIER, D. see TILLON, J.
CHIAVÉRINI, C., HAMEL-TEILLAC, D., GILBERT, D. & DE PROST, Y. Absence of anti-BP180 antibodies in mothers of infants with bullous pemphigoid , 839
CHILD, F. see MOORE, K.
CHILD, F.J. see PERERA, G.K.
CHIMENTI, S. see PAPOUTSAKI, M.
CHIU, H-C. see CHU, C-Y.
CHO, M.J. see LEE, Y.S.
CHO, S.H. see CHOI, H.J.
CHO, S.N. see KIM, M-H.
CHOI, D.K. see LEE, Y.S.
CHOI, H.J., KU, J.K., KIM, M.Y., KANG, H., CHO, S.H., KIM, H.O. & PARK, Y.M. Possible role of Fas/Fas ligand-mediated apoptosis in the pathogenesis of fixed drug eruption, 419
CHOI, H.Y. see KIM, M-H.
CHOI, Y.W. see KIM, M-H.
CHONG, A.H. see PAN, Y.
CHOONHAKARN, C. & MEESINGHA, A. Multiple hereditary infundibulocystic basal cell carcinomas: a distinctive genodermatosis, 1007
CHOW, K-C. see CHEN, G-S.
CHREN, M.M. see SAMPOGNA, F.
CHRISTENSON, L.J. see OTLEY, C.C.
CHU, C-Y., LIU, Y-L., CHIU, H-C. & JEE, S-H. Dopamine-induced apoptosis in human melanocytes involves generation of reactive oxygen species, 1071
CHUANG, H-Y. see LEE, C-H.
CHUNG, B.C. see RYU, H.K.
CIANFARANI, F., TOMMASI, R., FAILLA, C.M., VIVIANO, M.T., ANNESSI, G., PAPI, M., ZAMBRUNO, G. & ODORISIO, T. Granulocyte/macrophage colony-stimulating factor treatment of human chronic ulcers promotes angiogenesis associated with *de novo* vascular endothelial growth factor transcription in the ulcer bed, 34
CINTRA, M.L. see AUADA, M.P.
CLAES, A. see DE RAEVE, L.E.
CLARK, S.M. see CLAYTON, T.H.
CLAYTON, T.H., WILKINSON, S.M., RAWCLIFFE, C., POLLOCK, B. & CLARK, S.M. Allergic contact dermatitis in children: should pattern of dermatitis determine referral? A retrospective study of 500 children tested between 1995 and 2004 in one U.K. centre, 114
CLOT, J. see DEREURE, O.
COATES, M. see SHAH, M.
COCHRANE, N.E. see CAPON, F.
COHEN, A. see GUTTMAN-YASSKY, E.
COLANARDI, M.C. see NETTIS, E.
COLE, T. see LOFFELD, A.
COLLINS, P. see LANGAN, S.M.
COLLINS, S.M., DOMINGUEZ, M., ILMARINEN, T., COSTIGAN, C. & IRVINE, A.D. Dermatological manifestations of autoimmune polyendocrinopathy–candidiasis–ectodermal dystrophy syndrome, 1088
COLTART, L., LEWIS, G., TAYLOR, D. & BURGE, S. Let there be light! Lighting levels for dermatological examination, 781
COMBER, H. see MOLONEY, F.J.
CONLON, P.J. see MOLONEY, F.J.
CONROTTO, D., CARBONE, M., CARROZZO, M., ARDUINO, P., BROCCOLETTI, R., PENTENERO, M. & GANDOLFO, S. Ciclosporin vs. clobetasol in the topical management of atrophic and erosive oral lichen planus: a double-blind, randomized controlled trial, 139
CONSTANTINIDOU, C.V-V. see STEFANAKI, C.
COOKE, N. see JASIM, Z.F.
COOKE, N.S., TOLLAND, J.P. & DOLAN, O.M. Nicorandil-associated perianal ulceration: a case series of 10 patients, 199
COOPER, A. see LESLIE, K.S.
CORCORAN, S. see FRY, L.
CORNELISSEN, M. see DE VRIES, H.J.C.

CORONA, R. see ZALAUDEK, I.
COSTANZO, A. see PAPOUTSAKI, M.
COSTIGAN, C. see COLLINS, S.M.
COULSON, I.H. see EEDY, D.J.
COUNILLON, E. see DEL GIUDICE, P.
COURTENAY, M. & CAREY, N. Nurse-led care in dermatology: a review of the literature, 1
COWDEN, A.L. & KATZ, K.A. Food and Drug Administration surveillance of dermatology-related and nondermatology-related prescription drug advertising in the U.S.A., 2000–2003, 950
COZZANI, E., DAL BELLO, M.G., MASTROGIACOMO, A., DROSERA, M. & PARODI, A. Antidesmoplakin antibodies in pemphigus vulgaris, 624
CREMADES, A. see BOTELLA-ESTRADA, R.
CROOK, M.A. see CAMPALANI, E.
CUÉLLAR, F. see ZABALLOS, P.
CUÉTARA, M.S., ALHAMBRA, A., MORENO, J.M., POSTIGO, C., MORAGUES, M.D., PONTÒN, J. & DEL PALACIO, A. Invasive aspergillosis due to subungual onychomycosis during treatment for non-Hodgkin lymphoma, 1200
CUSACK, C. & BUCKLEY, C. Etanercept: effective in the management of hidradenitis suppurativa, 726

D'ARGENTO, V. see VENA, G.A.
DAL BELLO, M.G. see COZZANI, E.
DALLE, S., BECUWE, C., BALME, B. & THOMAS, L. Venlafaxine-associated psoriasiform palmoplantar keratoderma and subungual hyperkeratosis, 999
DALMAU, J., PERAMIQUEL, L., PUIG, L., FERNÀNDEZ-FIGUERAS, M.T., ROÉ, E. & ALOMAR, A. Imatinib-associated lichenoid eruption: acitretin treatment allows maintained antineoplastic effect, 1213
DARRAH, C. see LESLIE, K.S.
DAVID, T.J. see MOORE, K.
DAVIS, M.D.P., WEENIG, R.H. & CAMILLERI, M.J. Confluent and reticulate papillomatosis (Gougerot–Carteaud syndrome): a minocycline-responsive dermatosis without evidence for yeast in pathogenesis. A study of 39 patients and a proposal of diagnostic criteria, 287
DAWKES, K. see SKEVINGTON, S.M.
DE BENEDITTIS, M. see PASTORE, L.
DE HOOP, D. see BOVENSCHEN, H.J.
DE JONGH, C.M., JAKASA, I., VERBERK, M.M. & KEZIC, S. Variation in barrier impairment and inflammation of human skin as determined by sodium lauryl sulphate penetration rate, 651
DE RAEVE, L.E., CLAES, A., RUITER, D.J., VAN MUIJEN, G.N.P., ROSEEUW, D. & VAN KEMPEN, L.C.L.T. Distinct phenotypic changes between the superficial and deep component of giant congenital melanocytic naevi: a rationale for curettage, 485
DE SIMONE, C. see CAPRONI, M.
DE VRIES, H.J.C., VAN MARLE, J., TEUNISSEN, M.B.M., PICAVET, D., ZORGDRAGER, F., BOS, J.D., WEEL, J. & CORNELISSEN, M. Lichen planus is associated with human herpesvirus type 7 replication and infiltration of plasmacytoid dendritic cells, 361
DECHENE, M. see STAUBACH, P.
DEGUCHI, N., KAWAMURA, T., SHIMIZU, A., KITAMURA, R., YANAGI, M., SHIBAGAKI, N., MATSUE, H. & SHIMADA, S. Imatinib mesylate causes palmoplantar hyperkeratosis and nail dystrophy in three patients with chronic myeloid leukaemia, 1216
DEL BIANCO, E. see CAPRONI, M.
DEL GIUDICE, P., BLANC, V., DURUPT, F., BES, M., MARTINEZ, J-P., COUNILLON, E., LINA, G., VANDENESCH, F. & ETIENNE, J. Emergence of two populations of methicillin-resistant *Staphylococcus aureus* with distinct epidemiological, clinical and biological features, isolated from patients with community-acquired skin infections, 118
DEL PALACIO, A. see CUÉTARA, M.S.
DEMITSU, T. see YONEDA, K.
DENYER, J.E. see FASSIHI, H.
DEREURE, O., GUBLER, B., BESSIS, D., GUILLOT, B., GUILHOU, J-J., CLOT, J. & ELIAOU, J-F. The presence of dominant T-cell clones in peripheral blood of patients with collagen vascular disorders: a prospective study of 97 cases, 445
DETHE, G.R. see PALWADE, P.K.
DEVILLERS, A.C.A. & ORANJE, A.P. Efficacy and safety of 'wet-wrap' dressings as an intervention treatment in children with severe and/or refractory atopic dermatitis: a critical review of the literature, 579
DEWALD, G. see BORK, K.
DHURAT, R.S. see PALWADE, P.K.
DI STEFANI, A. see MASSONE, C.
DICKER, P. see MOLONEY, F.J.
DIEPGEN, T.L. see WANG, H.
DIETZ, K. see MOEHRLE, M.
DIFFEY, B. Do we need a revised public health policy on sun exposure?, 1046
DODD, M.E. see RISTICH, V.L.
DODE, C. see CATTAN, D.
DOLAN, O.M. see COOKE, N.S.
DOMINGUEZ, M. see COLLINS, S.M.
DONELL, S.T. see LESLIE, K.S.
DOOLEY, L.T. see REICH, K.
DOPPING-HEPENSTAL, P.J.C. see FASSIHI, H.
DOUGLAS, W.S. see MCLAUGHLIN, S.
DRAGO, F., BASSO, M. & REBORA, A. A distinctive erythematous macular exanthem of the adult: a new entity?, 735
DROSERA, M. see COZZANI, E.
DUIJVESTEIN, M. see HOGEWONING, A.A.
DUONG, H.S., ZHANG, Q-Z., LE, A.D., KELLY, A.P., KAMDAR, R. & MESSADI, D.V. Elevated prolidase activity in keloids: correlation with type I collagen turnover , 820
DUPONT, J.M. see CATTAN, D.
DURUPT, F. see DEL GIUDICE, P.
DYE, L. see BARON, S.E.

EAD, R.D. see WALKER, S.L.
EADY, R.A.J. see FASSIHI, H.
EBERLEIN-KÖNIG, B. see MÖHRENSCHLAGER, M.
ECKHARDT-HENN, A. see STAUBACH, P.
EDWARDS, C. see OTMAN, S.G.H.
EE, H.L., WONG, H.C., GOH, C.L. & ANG, P. Characteristics of Hori naevus: a prospective analysis, 50
EEDY, D.J., ENGLISH, J.S.C. & COULSON, I.H. Updates from the British Association of Dermatologists 85th annual meeting, 5–8 July 2005, Glasgow, U.K., 1028
EEDY, D.J. Dermatology issues in solid organ transplant recipients, 393
EISENDLE, K. see TOPAR, G.
EL-ALFY, M. see AZZI, L.
ELIAOU, J-F. see DEREURE, O.
ELSNER, P. see ANGELOVA-FISCHER, I.
ELSNER, P. see SANDER, C.S.
EMBERGER, M. see LAIMER, M.
ENDO, H., MOMOTA, Y., OIKAWA, A. & SHINKAI, H. Psoriatic skin expresses the transcription factor Gli1: possible contribution of decreased neurofibromin expression, 619
ENGLISH, J.S.C. see EEDY, D.J.
ENGLISH, J.S.C. see GAWKRODGER, D.J.

EPSTEIN, E. Twice daily vs. four times daily 5-fluorouracil therapy for actinic keratoses: a split face study, 794
ERICSON, M.B. see STENQUIST, B.
ERLENDSSON, A. see OUSAGER, L.B.
ESPAÑA, A., MARQUINA, M. & IDOATE, M.A. Extensive mucinous eccrine naevus following the lines of Blaschko: a new type of eccrine naevus, 1004
ESTANISLAO, R.B. see STAMATAS, G.N.
ETIENNE, J. see DEL GIUDICE, P.
EVANS, A. see BEGER, B.
EVANS, C.D. see MCLAUGHLIN, S.
EVANS, N. see STATON, I.
EVANS, R. see REICH, K.

FABBRI, P. see CAPRONI, M.
FAILLA, C.M. see CIANFARANI, F.
FAIRHURST, D. see CAMPALANI, E.
FALK, T. see BÖER, A.
FANTI, P.A. see MISCALI, C.
FARBROT, A. see GONZALEZ, H.
FARIAS, R. see POBLETE-GUTIÉRREZ, P.
FARNAGHI, F. see GHODSI, S.Z.
FASSIHI, H., EADY, R.A.J., MELLERIO, J.E., ASHTON, G.H.S., DOPPING-HEPENSTAL, P.J.C., DENYER, J.E., NICOLAIDES, K.H., RODECK, C.H. & MCGRATH, J.A. Prenatal diagnosis for severe inherited skin disorders: 25 years' experience, 106
FASSIHI, H., GRACE, J., LASHWOOD, A., WHITTOCK, N.V., BRAUDE, P.R., PICKERING, S.J. & MCGRATH, J.A. Preimplantation genetic diagnosis of skin fragility–ectodermal dysplasia syndrome, 546
FAY, M.P. see MCPHERSON, T.
FELDMEYER, L., MEVORAH, B., GRZESCHIK, K.H., HUBER, M. & HOHL, D. Clinical variation in X-linked dominant chondrodysplasia punctata (X-linked dominant ichthyosis), 766
FERGUSON, J. see MOSELEY, H.
FERNÁNDEZ-FIGUERAS, M.T. see DALMAU, J.
FERRANNINI, A. see NETTIS, E.
FERRARA, G. see ZALAUDEK, I.
FERRER, D. see GALLARDO, F.
FEWTRELL, M.S., ALLGROVE, J., GORDON, I., BRAIN, C., ATHERTON, D., HARPER, J., MELLERIO, J.E. & MARTINEZ, A.E. Bone mineralization in children with epidermolysis bullosa, 959
FIELDING, D. see BARON, S.E.
FIKA, Z., WILLIAMS, R.E.A. & WILLIAMSON, D.J. Fumaric acid esters in psoriasis, 567
FILIZ, N. see SEZER, E.
FINK-PUCHES, R. see ZALAUDEK, I.
FINLAY, A.Y. see KATUGAMPOLA, R.P.
FINLAY, A.Y. see KELLETT, N.
FINLAY, A.Y. see VARMA, K.
FIORE, J.R. see PASTORE, L.
FISCHER, B. see GEDICKE, M.M.
FISCHER, T.W. see ANGELOVA-FISCHER, I.
FLEMING, C. see KRAGBALLE, K.
FLUHR, J.W. see ANGELOVA-FISCHER, I.
FOK, T-F. see HON, K-L.E.
FORSCGNER, T. see NINDH, E.
FORSCHNER, K. see KIRSCHBAUM, J.
FRANCIS, N. see TOPHAM, E.J.
FRANK, J. see POBLETE-GUTIÉRREZ, P.
FRENCH, L.E. see KERL, K.
FREZZOLINI, A. see CAPRONI, M.
FRICKER, D. see LOFFELD, A.
FRITSCH, P. see TOPAR, G.
FROSCH, P.J. see HILLEN, U.
FROSTER, U.G. see HEINRITZ, W.
FRY, L., POWLES, A.V., CORCORAN, S., ROGERS, S., WARD, J. & UNSWORTH, D.J. HLA Cw*06 is not essential for streptococcal-induced psoriasis, 850
FUCHS, T. see HILLEN, U.
FUJISAWA, Y., UMEBAYASHI, Y. & OTSUKA, F. Metastatic extramammary Paget's disease successfully controlled with tumour dormancy therapy using docetaxel, 375
FULCHER, D. see JONES, G.
FURUE, M. see LIU, H.J.
FURUYA, K. see MASHIKO, M.

GABLER, G. see MASSONE, C.
GACH, J.E., CARR, R.A. & CHARLES-HOLMES, R. Nodal follicular dendritic cell sarcoma of the axilla presenting as cellulitis, 177
GAITANIS, G., VELEGRAKI, A., ALEXOPOULOS, E.C., CHASAPI, V., TSIGONIA, A. & KATSAMBAS, A. Distribution of *Malassezia* species in pityriasis versicolor and seborrhoeic dermatitis in Greece. Typing of the major pityriasis versicolor isolate *M. globosa*, 854
GALANOPOULOS, V.K. see KRÜGER-KRASAGAKIS, S.
GALLARDO, F., PUJOL, R.M., BELLOSILLO, B., FERRER, D., GARCÍA, M., BARRANCO, C., PLANAGUMÀ, M. & SERRANO, S. Primary cutaneous B-cell lymphoma (marginal zone) with prominent T-cell component and aberrant dual (T and B) genotype; diagnostic usefulness of laser-capture microdissection, 162
GAMBICHLER, T., TOMI, N.S. & KREUTER, A. Controlled clinical trials on balneophototherapy in psoriasis, 802
GAMBLES, B.J. see OTMAN, S.G.H.
GANDOLFO, S. see CONROTTO, D.
GARBE, C. see JAHN, V.
GARBE, C. see LASITHIOTAKIS, K.
GARBE, C. see MOEHRLE, M.
GARCES, J. see OTLEY, C.C.
GARCÍA, M. see GALLARDO, F.
GARCIA-ROBAINA, J.C. see MATHEU, V.
GARG, V.K. see SARDANA, K.
GARSIDE, R. see PITT, M.
GAUDY, C. see MONESTIER, S.
GAVIN, A.T. see BLACK, R.J.
GAWKRODGER, D.J. & ENGLISH, J.S.C. How safe is patch testing to PPD?, 1025
GAWKRODGER, D.J. see MCMULLEN, E.
GAWKRODGER, D.J. see STATON, I.
GEDICKE, M.M., TRAUPE, H., FISCHER, B., TINSCHERT, S. & HENNIES, H.C. Towards characterization of palmoplantar keratoderma caused by gain-of-function mutation in loricrin: analysis of a family and review of the literature, 167
GEIER, J. see HILLEN, U.
GELDERBLOM, H.R., BANNERT, N., MUSS, W. & MADELEY, C.R. Routine, rapid, noninvasive diagnosis of viral skin exanthems, 558
GHISLANZONI, M., BIANCHI, F., BARBARESCHI, M. & ALESSI, E. Cutaneous granulomatous reaction to injectable hyaluronic acid gel, 755
GHODSI, S.Z., RAZIEI, M., TAHERI, A., KARAMI, M., MANSOORI, P. & FARNAGHI, F. Comparison of cryotherapy and curettage for the treatment of pyogenic granuloma: a randomized trial, 671
GIAM, Y.C. see HO, J.C.C.
GIANNIKAKI, L. see KRÜGER-KRASAGAKIS, S.
GILBERT, D. see CHIAVÉRINI, C.
GILLIE, O. A new government policy is needed for sunlight and vitamin D, 1052

GIUSTI, F. see SEIDENARI, S.
GLANDER, H.J. see HEINRITZ, W.
GOH, C.L. see EE, H.L.
GONZALEZ, H., FARBROT, A., LARKÖ, O. & WENNBERG, A-M. Percutaneous absorption of the sunscreen benzophenone-3 after repeated whole-body applications, with and without ultraviolet irradiation, 337
GORDON, I. see FEWTRELL, M.S.
GOSSIEL, F. see HARRISON, C.A.
GOULDEN, V. see BARON, S.E.
GOUVERNET, J. see MONESTIER, S.
DE GRAAF, Y.G.L., BASDEW, V.R., VAN DER ZWAN-KRALT, N., WILLEMZE, R. & BOUWES BAVINCK, J.N. The occurrence of residual or recurrent squamous cell carcinomas in organ transplant recipients after curettage and electrodesiccation, 493
GRACE, J. see FASSIHI, H.
GRAMICCIA, T. see PAPOUTSAKI, M.
GRANT, A. see BEGER, B.
GRAY, D. see LE MIRE, L.
GREAVES, M.W. see SABROE, R.A.
GREEN, J. see PAN, Y.
GRIFFITHS, C.E.M. see CAMPALANI, E.
GRIFFITHS, C.E.M. see MENDONÇA, C.O.
GRIFFITHS, C.E.M. see REICH, K.
GRINSCHGL, S. see ZALAUDEK, I.
GROB, J.J. see MONESTIER, S.
GROß, B. see BABILAS, P.
GRUNEWALD, S. see HEINRITZ, W.
GRZESCHIK, K.H. see FELDMEYER, L.
GUBLER, B. see DEREURE, O.
GUERRINI, J.S., PRETET, J.L., MOUGIN, C. & AUBIN, F. Human papillomavirus in melanoma, 572
GUILHOU, J-J. see DEREURE, O.
GUILLÉN, C. see BOTELLA-ESTRADA, R.
GUILLÉN, C. see PLANELLES, D.
GUILLOT, B. see DEREURE, O.
GÜL, D. see BORK, K.
GUPTA, G. see MCLAUGHLIN, S.
GUTTMAN-YASSKY, E., KRA-OZ, Z., COHEN, A., SATTINGER, Y., ROT, T., SARID, R. & BERGMAN, R. Rapidly progressive classic Kaposi sarcoma in an adolescent: response to interferon alfa therapy and biological correlates, 555
GUZZO, C. see REICH, K.

HA, G.Y. see SUH, M.K.
HACKERT, I. see STEIN, A.
HAINZL, A. see SCHNEIDER, L.A.
HAJLAOUI, K. see KALLEL SELLAMI, M.
HALLIDAY, G.M. see OOI, T.
HAMADA, K. & RANDALL, V.A. Inhibitory autocrine factors produced by the mesenchyme-derived hair follicle dermal papilla may be a key to male pattern baldness, 609
HAMEL-TEILLAC, D. see CHIAVÉRINI, C.
HAMETNER, R. see LAIMER, M.
HARA, H. see SHINOJIMA, Y.
HARMAN, K.E. see CAPON, F.
HARPER, J. see FEWTRELL, M.S.
HARRISON, C.A., GOSSIEL, F., BULLOCK, A.J., SUN, T., BLUMSOHN, A. & MAC NEIL, S. Investigation of keratinocyte regulation of collagen I synthesis by dermal fibroblasts in a simple *in vitro* model, 401
HASH, K.S. see REKHTMAN, N.
HASHIMOTO, M. see OKA, H.
HASHIMOTO, T. see HENG, A.
HASHIMOTO, T. see WOZNIAK, K.
HASHIMOTO, Y., ARAI, I., TAKANO, N., TANAKA, M. & NAKAIKE, S. Induction of scratching behaviour and dermatitis in various strains of mice cohabiting with NC/Nga mice with chronic dermatitis, 28
HASHIZUME, H., YAGI, H., OHSHIMA, A., ITO, T., HORIBE, N., YOSHINARI, Y. & TAKIGAWA, M. Comparable risk of herpes simplex virus infection between topical treatments with tacrolimus and corticosteroids in adults with atopic dermatitis, 1204
HATAMOCHI, A. see HORIE, M.
HAY, R. see MCPHERSON, T.
HAY, R.J. see JASIM, Z.F.
HEATON, N. see PERERA, G.K.
HEDLIN, G. see LANDGREN, E.
HEIKKILÄ, H. see KRAGBALLE, K.
HEINRITZ, W., GRUNEWALD, S., STRENGE, S., SCHÜTZ, A., FROSTER, U.G., GLANDER, H.J., PAASCH, U. & SIMON, J.C. A case of Brooke–Spiegler syndrome with a new mutation in the CYLD gene, 992
HENG, A., NWANESHIUDU, A., HASHIMOTO, T., AMAGAI, M. & STANLEY, J.R. Intraepidermal neutrophilic IgA/IgG antidesmocollin 1 pemphigus, 1018
HENNIES, H.C. see GEDICKE, M.M.
HEPPLEWHITE, A. see SKEVINGTON, S.M.
HERDER, N. see BÖER, A.
HERRERA-SAVAL, A. see RUIZ-DE-CASAS, A.
HERVÉ, F. see TILLON, J.
HEUFT, G. see SCHNEIDER, G.
HIGGINS, E.M. see PERERA, G.K.
HILLEN, U., JAPPE, U., FROSCH, P.J., BECKER, D., BRASCH, J., LILIE, M., FUCHS, T., KREFT, B., PIRKER, C. & GEIER, J. Late reactions to the patch-test preparations para-phenylenediamine and epoxy resin: a prospective multicentre investigation of the German Contact Dermatitis Research Group, 665
HINTNER, H. see LAIMER, M.
HIPLER, U.C. see ANGELOVA-FISCHER, I.
HIPLER, U.C. see SANDER, C.S.
HJERN, A. see LANDGREN, E.
HO, J.C.C., CHAN, Y.C., GIAM, Y.C., ONG, B.H. & KUMARASINGHE, S.P.W. Flexural pigmentation with multiple lentigines: a new primary pigmentary disorder?, 382
HOCKMANN, J. see SCHNEIDER, G.
HOFER, A. see WACKERNAGEL, A.
HOFMANN-WELLENHOF, R. see MASSONE, C.
HOFMANN-WELLENHOF, R. see ZALAUDEK, I.
HOGAN, P. see JONES, G.
HOGEWONING, A.A., DUIJVESTEIN, M., BOAKYE, D., AMOAH, A.S., OBENG, B.B., VAN DER RAAIJ-HELMER, E.M.H., STAATS, C.C.G., BOUWES BAVINCK, J.N., YAZDANBAKHSH, M. & LAVRIJSEN, A.P.M. Prevalence of symptomatic tinea capitis and associated causative organisms in the Greater Accra Region, Ghana, 784
HOHL, D. see FELDMEYER, L.
HOLDEN, C.A. see HOQUE, S.R.
HOLDEN, C.A. see MARTYN-SIMMONS, C.L.
HOLLOWOOD, K. see LE MIRE, L.
HOLM, E.A., WULF, H.C., STEGMANN, H. & JEMEC, G.B.E. Life quality assessment among patients with atopic eczema, 719
HON, K-L.E., LAM, M-C.A., LEUNG, T-F., KAM, W-Y.C., LEE, K-C.K., LI, M-C.A., FOK, T-F. & NG, P-C. Nocturnal wrist movements are correlated with objective clinical scores and plasma chemokine levels in children with atopic dermatitis, 629
HONG, H-S. see JUAN, W-H.

HOQUE, S.R., AMEEN, M. & HOLDEN, C.A. Acquired reactive perforating collagenosis: four patients with a giant variant treated with allopurinol, 759
HORIBE, N. see HASHIZUME, H.
HORIE, M., HATAMOCHI, A., YAMAZAKI, S., IZUMI, M. & MUKAI, K. A case of cutaneous leiomyosarcoma with overexpression of KIT: do CD117 (KIT)-positive primary gastrointestinal stromal tumours of the skin exist?, 1013
HORNECK, G. see SCHNEIDER, L.A.
HOTTA, T. see NAKAMURA, Y.
HSU, S. see WU, J.J.
HU, C-H. see WANG, K-H.
HUANG, C.H. see CHANG, Y.T.
HUANG, C-C. see WANG, K-H.
HUANG, D.B. see WU, J.J.
HUBER, M. see FELDMEYER, L.
HUGHES, A.E. see O'HAGAN, A.H.
HUR, G.M. see LEE, Y.S.
HUSSEIN, M.R. see ADLY, M.A.
HUSS-MARP, J. see MÖHRENSCHLAGER, M.
HUTCHINSON, R.W. see STATON, I.
HWANG, J.S. see KANG, H.Y.

IBBOTSON, S. see MCKENNA, K.E.
IBBOTSON, S. see MOSELEY, H.
IDOATE, M.A. see ESPAÑA, A.
IHN, H. see KUBO, M.
ILCHYSHYN, A. see SALIM, A.
ILMARINEN, T. see COLLINS, S.M.
IM, M. see LEE, Y.S.
IMAFUKU, S. see LIU, H.J.
INAGAKI, N. see YONEDA, K.
INUI, S., AZUKIZAWA, H., ASADA, H. & ITAMI, S. Amicrobial pustulosis with antinuclear antibodies and rheumatoid factor, 568
IORIZZO, M. see MISCALI, C.
IRVINE, A.D. see COLLINS, S.M.
ISHAM, N. see BURKHART, C.G.
ISHIHARA, A. see KASHIMA, A.
ISHII, N. see WOZNIAK, K.
ITAMI, S. see INUI, S.
ITO, T. see HASHIZUME, H.
IWATSUKI, K. see ASAGOE, K.
IYATOMI, H. see OKA, H.
IZUMI, M. see HORIE, M.

JAHN, V., BREUNINGER, H., GARBE, C. & MOEHRLE, M. Melanoma of the ear: prognostic factors and surgical strategies, 310
JAIN, S. A new multiple site marking grid for botulinum toxin application in the treatment of axillary hyperhidrosis, 385
JAKASA, I. see DE JONGH, C.M.
JANG, J.Y. see LEE, Y.S.
JANG, N. see JONES, G.
JANSSENS, R.W.A. see BOVENSCHEN, H.J.
JAPPE, U. see HILLEN, U.
JASIM, Z.F., COOKE, N., SOMERVILLE, J.E. & HAY, R.J. Chronic lymphocytic leukaemia skin infiltrates affecting prominent parts of the face and the scalp, 981
JEE, S-H. see CHU, C-Y.
JEMEC, G.B.E. see HOLM, E.A.
JERAJANI, H.R. see PALWADE, P.K.
JIANG, L. see LIU, Q.
JOHANSSON, B.R. see MIRASTSCHIJSKI, U.
JOHNSTON, G.A. see SLADDEN, M.J.
JOLLIFFE, D. see KRAGBALLE, K.
JONES, A. see ABRAHAM, S.
JONES, G., WU, S., JANG, N., FULCHER, D., HOGAN, P. & STEWART, G. Polymorphisms within the *CTLA4* gene are associated with infant atopic dermatitis, 467
JONG, S-B. see LEE, C-H.
JUAN, W-H., CHAN, Y-S., LEE, J.C., YANG, L-C., HONG, H-S. & YANG, C-H. Livedoid vasculopathy: long-term follow-up results following hyperbaric oxygen therapy, 251

KALAYCIYAN, A. & KOTOGYAN, A. Psoriasis, enteropathy and antigliadin antibodies, 778
KALLEL SELLAMI, M., CHERIF, F., ZITOUNI, M., LAADHAR, L., MOKNI, M., HAJLAOUI, K., BEN OSMAN DHAHRI, A. & MAKNI, S. Subepidermal bullous dermatosis with IgA antibodies against 200- and 280-kDa epidermal antigens after initiation of ultraviolet B therapy for psoriasis, 193
KAM, W-Y.C. see HON, K-L.E.
KAMDAR, R. see DUONG, H.S.
KANEKO, F. see OYAMA, N.
KANG, H. see CHOI, H.J.
KANG, H.Y., HWANG, J.S., LEE, J.Y., AHN, J.H., KIM, J-Y., LEE, E-S. & KANG, W.H. The dermal stem cell factor and c-kit are overexpressed in melasma, 1094
KANG, W.H. see KANG, H.Y.
KANG, X-J. see LIU, Q.
KAPAS, S. see PLEGUEZUELOS, O.
KARAMI, M. see GHODSI, S.Z.
KARENTZOU, O. see STEFANAKI, C.
KARRER, S. see BABILAS, P.
KARUBE, K. see YAMAGUCHI, T.
KASHIMA, A., YAMASHITA, A., MORIGUCHI, S., MARUTSUKA, K., TSUMORI, S., YOSHIZATO, K., ISHIHARA, A., SETOYAMA, M. & ASADA, Y. Detection of *COL1A1–PDGFB* fusion transcripts and platelet-derived growth factor α and β receptors in giant cell fibroblastoma of the postsacrococcygeal region, 983
KATSAMBAS, A. see GAITANIS, G.
KATSAMBAS, A. see PANAGIOTOPOULOS, A.
KATSAMBAS, A. see STEFANAKI, C.
KATSUURA, J. see SADAHIRA, C.
KATSUURA, J. see YONEDA, K.
KATUGAMPOLA, R.P. & FINLAY, A.Y. Oral retinoid therapy for disorders of keratinization: single-centre retrospective 25 years' experience on 23 patients, 267
KATZ, K.A. see COWDEN, A.L.
KATZ, K.A. 'Biologics': a clinically meaningless term, 809
KAUR, M.R. see YOUSSEF, A.H.
KAWACHI, S. see TOKUDA, Y.
KAWAMURA, T. see DEGUCHI, N.
KAWANO, R. see YAMAGUCHI, T.
KELLETT, N., WEST, F. & FINLAY, A.Y. Conjoint analysis: a novel, rigorous tool for determining patient preferences for topical antibiotic treatment for acne. A randomised controlled trial, 524
KELLY, A.P. see DUONG, H.S.
KERCKHOFFS, F.E.M.J. see OSTERTAG, J.U.
KERL, H. see MASSONE, C.
KERL, H. see RUDOLPH, C.M.
KERL, H. see WACKERNAGEL, A.
KERL, H. see ZALAUDEK, I.
KERL, K., PRINS, C., CERRONI, L. & FRENCH, L.E. Regression of extranodal natural killer/T-cell lymphoma, nasal type with denileukin diftitox (Ontak®) and bexarotene (Targretin®): report of a case, 988

KERL-BULLANI, K. see ABRAHAM, S.
KEZIC, S. see DE JONGH, C.M.
KHAIAT, A. see STAMATAS, G.N.
KIKUCHI, M. see YAMAGUCHI, T.
KIM, C.D. see LEE, Y.S.
KIM, H. see SUH, M.K.
KIM, H.O. see CHOI, H.J.
KIM, J.R. see SUH, M.K.
KIM, J.W. see YOON, T.Y.
KIM, J-Y. see KANG, H.Y.
KIM, K.M. see RYU, H.K.
KIM, M.K. see YOON, T.Y.
KIM, M.Y. see CHOI, H.J.
KIM, M-H., CHOI, Y.W., CHOI, H.Y., MYUNG, K.B. & CHO, S.N. The expression of RAGE and EN-RAGE in leprosy, 594
KINDLER, H.L. see SUH, K-Y.
KIRSCHBAUM, J., FORSCHNER, K., RASCHE, C. & WORM, M. Modulation of lymphocyte phenotype and function by immunoglobulins, 225
KISHIMOTO, E. see TADA, Y.
KITAMURA, R. see DEGUCHI, N.
KLAUSEGGER, A. see LAIMER, M.
KOEHLER, A. see NINDL, I.
KOEK, M.B.G., BUSKENS, E., BRUIJNZEEL-KOOMEN, C.A.F.M. & SIGURDSSON, V. Home ultraviolet B phototherapy for psoriasis: discrepancy between literature, guidelines, general opinions and actual use. Results of a literature review, a web search, and a questionnaire among dermatologists, 701
KOGA, T. see LIU, H.J.
KOHL, E. see BABILAS, P.
KOK, L-F. see CHEN, G-S.
KOKUBA, H. see LIU, H.J.
KOLLER, J. see LAIMER, M.
KOLLIAS, N. see STAMATAS, G.N.
KOMINE, M. see TADA, Y.
KON, A. see YONEDA, K.
KONING, S., MOHAMMEDAMIN, R.S.A., VAN DER WOUDEN, J.C., VAN SUIJLEKOM-SMIT, L.W.A., SCHELLEVIS, F.G. & THOMAS, S. Impetigo: incidence and treatment in Dutch general practice in 1987 and 2001—results from two national surveys, 239
KOPF, A.W. see ZALAUDEK, I.
KOPP, K. see SCHNEIDER, L.A.
KOSEOGLU, R.D. see SEZER, E.
KOTOGYAN, A. see KALAYCIYAN, A.
KOWALEWSKI, C. see WOZNIAK, K.
KRAGBALLE, K., AUSTAD, J., BARNES, L., BIBBY, A., BRASSINNE, M., CAMBAZARD, F., FLEMING, C., HEIKKILÄ, H., JOLLIFFE, D., PEYRI, J., SVENSSON, Å., TOOLE, J. & WOZEL, G. A 52-week randomized safety study of a calcipotriol/betamethasone dipropionate two-compound product (Dovobet®/Daivobet®/Taclonex®) in the treatment of psoriasis vulgaris, 1155
KRÄMER, U., LEMMEN, C., BARTUSEL, E., LINK, E., RING, J. & BEHRENDT, H. Current eczema in children is related to Der f 1 exposure but not to Der p 1 exposure, 99
KRÄMER, U. see MÖHRENSCHLAGER, M.
KRANKE, B. see ABERER, W.
KRA-OZ, Z. see GUTTMAN-YASSKY, E.
KREFT, B. see HILLEN, U.
KREKELS, G.A.M. see OSTERTAG, J.U.
KREUTER, A. see GAMBICHLER, T.
KROGSTAD, A.L., MORK, C. & PIECHNIK, S.K. Daily pattern of sweating and response to stress and exercise in patients with palmar hyperhidrosis, 1118
KRÜGER-KRASAGAKIS, S., GALANOPOULOS, V.K., GIANNIKAKI, L., STEFANIDOU, M. & TOSCA, A.D. Programmed cell death of keratinocytes in infliximab-treated plaque-type psoriasis, 460
KRÜGER-KRASAGAKIS, S. see LASITHIOTAKIS, K.
KU, J.K. see CHOI, H.J.
KUBO, M., IHN, H., YAMANE, K. & TAMAKI, K. The expression levels and the differential expression of transforming growth factor-β receptors in dermatofibroma and dermatofibrosarcoma protuberans, 919
KUBOTA, Y. see SADAHIRA, C.
KUBOTA, Y. see YONEDA, K.
KUMARASINGHE, S.P.W. see HO, J.C.C.
KURACHI, M. see TAKANO, N.
KUROKAWA, C.S. see PARISE-FORTES, M.R.

LA PLACA, M., AMBRETTI, S., BONVICINI, F., VENTUROLI, S., BIANCHI, T., VAROTTI, C., ZERBINI, M. & MUSIANI, M. Human papillomavirus in melanoma: reply from authors, 573
LA PLACA, M. see CAPRONI, M.
LAADHAR, L. see KALLEL SELLAMI, M.
LABRIE, F. see AZZI, L.
LACOUTURE, M. see SUH, K-Y.
LAFFITTE, E. Thalidomide, semen distribution, teratogenicity... and cost, 563
LAI, R-S. see TAN, C.
LAIMER, M., BAUER, J.W., KLAUSEGGER, A., KOLLER, J., POHLAGUBO, G., MUSS, W., SADLER, E., EMBERGER, M., LANSCHUETZER, C.M., HAMETNER, R., WALLY, V., OENDER, K. & HINTNER, H. Skin grafting as a therapeutic approach in pretibially restricted junctional epidermolysis bullosa, 185
LAM, M-C.A. see HON, K-L.E.
LAN, C-C.E. see CHEN, G-S.
LANDGREN, E., BRÅBÄCK, L., HEDLIN, G., HJERN, A. & RASMUSSEN, F. Psoriasis in Swedish conscripts: time trend and association with T-helper 2-mediated disorders, 332
LANDTHALER, M. see BABILAS, P.
LANGAN, S.M. & COLLINS, P. Randomized, double-blind, placebo-controlled prospective study of the efficacy of topical anaesthesia with a eutetic mixture of lignocaine 2·5% and prilocaine 2·5% for topical 5-aminolaevulinic acid–photodynamic therapy for extensive scalp actinic keratoses, 146
LANGAN, S.M., BOURKE, J.F., SILCOCKS, P. & WILLIAMS, H.C. An exploratory prospective observational study of environmental factors exacerbating atopic eczema in children, 979
LANGFORD, D. see ZALAUDEK, I.
LANIGAN, S.W. see TOMSON, N.
LANSCHUETZER, C.M. see LAIMER, M.
LARKÖ, O. see GONZALEZ, H.
LARKÖ, O. see STENQUIST, B.
LASHEN, H. see BIRCH, M.P.
LASHWOOD, A. see FASSIHI, H.
LASITHIOTAKIS, K., LEITER, U., KRÜGER-KRASAGAKIS, S., TOSCA, A. & GARBE, C. Comparative analysis of incidence and clinical features of cutaneous malignant melanoma in Crete (Greece) and southern Germany (central Baden-Württemberg), 1123
LATEO, S.A., TAYLOR, A.E.M. & MEGGITT, S.J. Raised limb bands developing in infancy, 791
LAVRIJSEN, A.P.M. see HOGEWONING, A.A.
LAWRENCE, C.M. see WEATHERHEAD, S.C.
LE MIRE, L., HOLLOWOOD, K., GRAY, D., BORDEA, C. & WOJNAROWSKA, F. Melanomas in renal transplant recipients, 472
LE, A.D. see DUONG, H.S.

LEE, C-H., CHUANG, H-Y., SHIH, C-C., JONG, S-B., CHANG, C-H. & YU, H-S. Transepidermal water loss, serum IgE and β-endorphin as important and independent biological markers for development of itch intensity in atopic dermatitis, 1100
LEE, D.D. see CHANG, Y.T.
LEE, D.Y. see PARK, G.T.
LEE, E-S. see KANG, H.Y.
LEE, J.C. see JUAN, W-H.
LEE, J.H. see LEE, Y.S.
LEE, J.H. see OOI, T.
LEE, J.Y. see KANG, H.Y.
LEE, K.M. see PARK, G.T.
LEE, K-C.K. see HON, K-L.E.
LEE, W-R. see WANG, K-H.
LEE, Y.H. see SUH, M.K.
LEE, Y.S., CHOI, D.K., KIM, C.D., IM, M., MOLLAH, M.L., JANG, J.Y., OH, T.J., AN, S., SEO, Y.J., HUR, G.M., CHO, M.J., PARK, J.K. & LEE, J.H. Expression profiling of radiation-induced genes in radiodermatitis of hairless mice, 829
LEGAT, F. see WACKERNAGEL, A.
LEITER, U. see LASITHIOTAKIS, K.
LEMMEN, C. see KRÄMER, U.
LEONARD, S. see MCLAUGHLIN, S.
LESAR, A. see MOSELEY, H.
LESLIE, K.S., SHAH, S.N., DARRAH, C., COOPER, A., VALENTIN-OPRAN, A., PATEL, A.D. & DONELL, S.T. Alopecia universalis treated with bone morphogenetic protein?, 190
LEUNG, T-F. see HON, K-L.E.
LEVESQUE, H. see TILLON, J.
LEWIS, G. see COLTART, L.
LI, J. see STAMATAS, G.N.
LI, M-C.A. see HON, K-L.E.
LI, S. see REICH, K.
LILIE, M. see HILLEN, U.
LIM, J.W. see SUH, M.K.
LIM, S.P.R. see TOMSON, N.
LIN, M.W. see CHANG, Y.T.
LIN, T-Y. see CHEN, G-S.
LINA, G. see DEL GIUDICE, P.
LINK, E. see KRÄMER, U.
LITJENS, N.H.R., RADEMAKER, M., RAVENSBERGEN, B., THIO, H.B., VAN DISSEL, J.T. & NIBBERING, P.H. Effects of monomethylfumarate on dendritic cell differentiation, 211
LIU, C-H. see CHEN, G-S.
LIU, H.J., MOROI, Y., MASUDA, T., YASUMOTO, S., KOKUBA, H., IMAFUKU, S., KOGA, T., TETSUYA, T., TU, Y.T., ABURATANI, H., FURUE, M. & URABE, K. Expression of phosphorylated Stat3, cyclin D_1 and Bcl-xL in extramammary Paget disease, 926
LIU, H.N. see CHANG, Y.T.
LIU, H-N. see WANG, K-H.
LIU, M.T. see CHANG, Y.T.
LIU, Q., JIANG, L., LIU, W-L., KANG, X-J., AO, Y., SUN, M., LUO, Y., SONG, Y., LO, W.H.Y. & ZHANG, X. Two novel mutations and evidence for haploinsufficiency of the *ADAR* gene in dyschromatosis symmetrica hereditaria, 636
LIU, W-L. see LIU, Q.
LIU, Y. see CATY, V.
LIU, Y-L. see CHU, C-Y.
LLAMBRICH, Å. see ZABALLOS, P.
LLOYD, J. see MCKENNA, K.E.
LO, W.H.Y. see LIU, Q.
LOFFELD, A., MCLELLAN, N.J., COLE, T., PAYNE, S.J., FRICKER, D. & MOSS, C. Epidermal naevus in Proteus syndrome showing loss of heterozygosity for an inherited *PTEN* mutation, 1194
LONGO, C. see SEIDENARI, S.
LOSS JR, G.E. see OTLEY, C.C.
LOVELL, C.R. see SKEVINGTON, S.M.
LOZZI, G.P. see MASSONE, C.
LU, M-P. see CHEN, G-S.
LUGER, T.A. see SCHNEIDER, G.
LUO, Y. see LIU, Q.

MA, R. see STATON, I.
MAC NEIL, S. see HARRISON, C.A.
MCEWAN, R. see MCLAUGHLIN, S.
MCFADDEN, J.P. see BUCKLEY, D.A.
MCGIBBON, D. see O'HAGAN, A.H.
MCGILL, D.J. & MACKAY, I.R. The effect of ambient temperature on capillary vascular malformations, 896
MCGRATH, J.A. see FASSIHI, H.
MCKANE, S. see OOI, T.
MACKAY, I.R. see MCGILL, D.J.
MCKENNA, K.E., WHITTAKER, S., RHODES, L.E., TAYLOR, P., LLOYD, J., IBBOTSON, S. & RUSSELL-JONES, R. Evidence-based practice of photopheresis 1987–2001: a report of a workshop of the British Photodermatology Group and the U.K. Skin Lymphoma Group, 7
MCKENNA, K.E. see O'HAGAN, A.H.
MCLAUGHLIN, S., TOBIN, R.J., LEONARD, S., MCEWAN, R., EVANS, C.D., DOUGLAS, W.S. & GUPTA, G. The role of digital photography and electronic referral in the triage of patients with suspected skin cancer, 188
MCLELLAN, N.J. see LOFFELD, A.
MCLEOD, C.W. see STATON, I.
MCMULLEN, E. & GAWKRODGER, D.J. Physical friction is underrecognized as an irritant that can cause or contribute to contact dermatitis, 154
MCNEILL, A. see MOSELEY, H.
MCPHERSON, T., PERSAUD, S., SINGH, S., FAY, M.P., ADDISS, D., NUTMAN, T.B. & HAY, R. Interdigital lesions and frequency of acute dermatolymphangioadenitis in lymphoedema in a filariasis-endemic area, 933
MADELEY, C.R. see GELDERBLOM, H.R.
MAGERL, M. see STAUBACH, P.
MAISCH, T. see BABILAS, P.
MAJMUDAR, V.B. see ORPIN, S.D.
MAK, R.K.H. & WAKELIN, S.H. Shiitake dermatitis: the first case reported from a European country, 800
MAKNI, S. see KALLEL SELLAMI, M.
MALONEY, F. see O'HAGAN, A.H.
MALVEHY, J. see ZABALLOS, P.
MANCHANDA, V. see SARDANA, K.
MANSOORI, P. see GHODSI, S.Z.
MARGHOOB, A.A. see ZALAUDEK, I.
MARIE, I. see TILLON, J.
MARMOUZ, F. see ANNESI-MAESANO, I.
MARQUES, M.E.A. see PARISE-FORTES, M.R.
MARQUES, S.A. see PARISE-FORTES, M.R.
MARQUINA, M. see ESPAÑA, A.
MARTIN, L. see CATTAN, D.
MARTINEZ, A.E. see FEWTRELL, M.S.
MARTINEZ, F. see CATTAN, D.
MARTINEZ, J-P. see DEL GIUDICE, P.

MARTYN-SIMMONS, C.L. & HOLDEN, C.A. Adult T-cell leukaemia/lymphoma masquerading as a hair dye allergy, 196
MARUTSUKA, K. see KASHIMA, A.
MARZANO, A. see CAPRONI, M.
MASHIKO, M., YOKOTA, K., YAMANAKA, Y. & FURUYA, K. A case of angiolymphoid hyperplasia with eosinophilia successfully treated with tacrolimus ointment, 803
MASSONE, C., LOZZI, G.P., WURM, E., HOFMANN-WELLENHOF, R., SCHOELLNAST, R., ZALAUDEK, I., GABLER, G., DI STEFANI, A., KERL, H. & SOYER, H.P. Personal digital assistants in teledermatology, 801
MASTALERZ, L., SETKOWICZ, M., SANAK, M., RYBARCZYK, H. & SZCZEKLIK, A. Familial aggregation of aspirin-induced urticaria and leukotriene C_4 synthase allelic variant, 256
MASTROGIACOMO, A. see COZZANI, E.
MASUDA, T. see LIU, H.J.
MATHELIER-FUSADE, P. see ANNESI-MAESANO, I.
MATHEU, V., PEREZ-RODRIGUEZ, E., SANCHEZ-MACHIN, I., GARCIA-ROBAINA, J.C. & DE LA TORRE MORIN, F. Importance of repeat testing in the diagnosis of penicillin allergy, 198
MATSUE, H. see DEGUCHI, N.
MATSUOKA, Y. see YONEDA, K.
MAURER, M. see STAUBACH, P.
MAZZOTTA, A. see PAPOUTSAKI, M.
MEDENICA, M. see SUH, K-Y.
MEESINGHA, A. see CHOONHAKARN, C.
MEGGITT, S.J. see LATEO, S.A.
MEGGITT, S.J. see WAHIE, S.
MEIJER, C.J.L.M. see NINDL, I.
MELCHI, C.F. see SAMPOGNA, F.
MELLERIO, J.E. see FASSIHI, H.
MELLERIO, J.E. see FEWTRELL, M.S.
MENDONÇA, C.O. & GRIFFITHS, C.E.M. Clindamycin and rifampicin combination therapy for hidradenitis suppurativa, 977
MENDONCA, C.O. see CAMPALANI, E.
MENZIES, S.W. see ZALAUDEK, I.
MERREGAERT, J. see SANDER, C.S.
MESSADI, D.V. see DUONG, H.S.
MESSENGER, A.G. see BIRCH, M.P.
METZ, M. see STAUBACH, P.
MEURER, M. see STEIN, A.
MEVORAH, B. see FELDMEYER, L.
MEYER, T. see NINDL, I.
MILANI, M. see VENA, G.A.
MILNE, G. see SERGEANT, A.
MIRASTSCHIJSKI, U., BUGDAHL, R., ROLLMAN, O., JOHANSSON, B.R. & ÅGREN, M.S. Epithelial regeneration from bioengineered skin explants in culture, 42
MISCALI, C., IORIZZO, M., FANTI, P.A., PIRACCINI, B.M., CECCARELLI, C., SANTINI, D. & TOSTI, A. Is onychoblastoma really a new entity?: reply from authors, 385
MITCHELL, S.C. see STEVENTON, G.B.
MITSUI, H. see TADA, Y.
MIYAGAWA, S. see SAWAMURA, D.
MIYATAKE, H. see NAKAMURA, Y.
MOCHIDA, J. see NAKAMURA, Y.
MOEHRLE, M., DIETZ, K., GARBE, C. & BREUNINGER, H. Conventional histology vs. three-dimensional histology in lentigo maligna melanoma, 453
MOEHRLE, M. see JAHN, V.
MOHAMMEDAMIN, R.S.A. see KONING, S.
MÖHRENSCHLAGER, M., SCHÄFER, T., HUSS-MARP, J., EBERLEIN-KÖNIG, B., WEIDINGER, S., RING, J., BEHRENDT, H. & KRÄMER, U. The course of eczema in children aged 5–7 years and its relation to atopy: differences between boys and girls, 505
MOKNI, M. see KALLEL SELLAMI, M.
MOLLAH, M.L. see LEE, Y.S.
MÖLNE, L. see STENQUIST, B.
MOLONEY, F.J., COMBER, H., CONLON, P.J. & MURPHY, G.M. The role of immunosuppression in the pathogenesis of basal cell carcinoma, 790
MOLONEY, F.J., COMBER, H., O'LORCAIN, P., O'KELLY, P., CONLON, P.J. & MURPHY, G.M. A population-based study of skin cancer incidence and prevalence in renal transplant recipients, 498
MOLONEY, F.J., DICKER, P., CONLON, P.J., SHIELDS, D.C. & MURPHY, G.M. The frequency and significance of thiopurine S-methyltransferase gene polymorphisms in azathioprine-treated renal transplant recipients, 1199
MOMOTA, Y. see ENDO, H.
MONESTIER, S., GAUDY, C., GOUVERNET, J., RICHARD, M.A. & GROB, J.J. Multiple senile lentigos of the face, a skin ageing pattern resulting from a life excess of intermittent sun exposure in dark-skinned caucasians: a case–control study, 438
MONTORO, J.A. see PLANELLES, D.
MOORE, K., DAVID, T.J., MURRAY, C.S., CHILD, F. & ARKWRIGHT, P.D. Effect of childhood eczema and asthma on parental sleep and well-being: a prospective comparative study, 514
MORAGUES, M.D. see CUÉTARA, M.S.
MORENO, J.M. see CUÉTARA, M.S.
MORESI, J.M. see REKHTMAN, N.
MORET, A. see PLANELLES, D.
MORIGUCHI, S. see KASHIMA, A.
MORIUE, T. see SADAHIRA, C.
MORIUE, T. see YONEDA, K.
MORK, C. see KROGSTAD, A.L.
MOROI, Y. see LIU, H.J.
MORRIS, P.K. see BARON, S.E.
MORTIMER, N.J. see CAPON, F.
MORTIMER, N.J. see SLADDEN, M.J.
MORTIMER, P.S. see SOO, J.K.
MOSELEY, H., ALLEN, J.W., IBBOTSON, S., LESAR, A., MCNEILL, A., CAMACHO-LOPEZ, M.A., SAMUEL, I.D.W., SIBBETT, W. & FERGUSON, J. Ambulatory photodynamic therapy: a new concept in delivering photodynamic therapy, 747
MOSS, C. see LOFFELD, A.
MOUGIN, C. see GUERRINI, J.S.
MUGURUMA, Y. see NAKAMURA, Y.
MUIR, J-F. see TILLON, J.
MUKAI, K. see HORIE, M.
MÜLLEGGER, R.R. see RUDOLPH, C.M.
MURATA, H. see TOKUDA, Y.
MURPHY, G.M. see MOLONEY, F.J.
MURPHY, G.M. see OTLEY, C.C.
MURRAY, C.S. see MOORE, K.
MUSIANI, M. see LA PLACA, M.
MUSS, W. see GELDERBLOM, H.R.
MUSS, W. see LAIMER, M.
MYUNG, K.B. see KIM, M-H.

NAGORE, E. see BOTELLA-ESTRADA, R.
NAGORE, E. see PLANELLES, D.
NAKAIKE, S. see HASHIMOTO, Y.
NAKAMURA, Y., MUGURUMA, Y., YAHATA, T., MIYATAKE, H., SAKAI, D., MOCHIDA, J., HOTTA, T. & ANDO, K. Expression of CD90 on keratinocyte stem/progenitor cells, 1062
NAKAYAMA, J. see YAMAGUCHI, T.

NARBUTT, J. see WOZNIAK, K.
NESTLE, F.O. see REICH, K.
NETTIS, E., COLANARDI, M.C., BARRA, L., FERRANNINI, A., VACCA, A. & TURSI, A. Levocetirizine in the treatment of chronic idiopathic urticaria: a randomized, double-blind, placebo-controlled study, 533
NG, P-C. see HON, K-L.E.
NIBBERING, P.H. see LITJENS, N.H.R.
NICOLAIDES, K.H. see FASSIHI, H.
NIIZEKI, H. see SAWAMURA, D.
NIJSTEN, T., UNAEZE, J. & STERN, R.S. Refinement and reduction of the Impact of Psoriasis Questionnaire: Classical Test Theory vs. Rasch analysis, 692
NINDL, I., KOEHLER, A., MEYER, T., SCHMOOK, T., MEIJER, C.J.L.M., SNIJDERS, P.J.F., STERRY, W. & STOCKFLETH, E. Detection of human papillomavirus DNA in primary squamous cell carcinoma and metastases, 797
NISHIMURA, K. see SUH, M.K.
NODA, M. see YONEDA, K.
NUTMAN, T.B. see MCPHERSON, T.
NWANESHIUDU, A. see HENG, A.

O'GRADY, J. see PERERA, G.K.
O'HAGAN, A.H., MALONEY, F., BUCKLEY, C., BINGHAM, E.A., WALSH, M.Y., MCKENNA, K.E., MCGIBBON, D. & HUGHES, A.E. Mutation analysis in Irish families with glomuvenous malformations, 450
O'KELLY, P. see MOLONEY, F.J.
O'LORCAIN, P. see MOLONEY, F.J.
OBENG, B.B. see HOGEWONING, A.A.
ODORISIO, T. see CIANFARANI, F.
OENDER, K. see LAIMER, M.
OFUJI, R. see ASAGOE, K.
OH, T.J. see LEE, Y.S.
OHSHIMA, A. see HASHIZUME, H.
OHSHIMA, K. see YAMAGUCHI, T.
OIKAWA, A. see ENDO, H.
OJI, M.E. see OJI, V.
OJI, V., OJI, M.E., ADAMINI, N., WALKER, T., AUFENVENNE, K., RAGHUNATH, M. & TRAUPE, H. Plasminogen activator inhibitor-2 is expressed in different types of congenital ichthyosis: *in vivo* evidence for its cross-linking into the cornified cell envelope by transglutaminase-1, 860
OKA, H., IYATOMI, H., HASHIMOTO, M. & TANAKA, M. Reply to 'Digital dermoscopy analysis and internet-based program for discrimination of pigmented skin lesion dermoscopic images', 570
OLAZARÁN, Z. see ZABALLOS, P.
ONG, B.H. see HO, J.C.C.
OOI, T., BARNETSON, R.STc., ZHUANG, L., MCKANE, S., LEE, J.H., SLADE, H.B. & HALLIDAY, G.M. Imiquimod-induced regression of actinic keratosis is associated with infiltration by T lymphocytes and dendritic cells: a randomized controlled trial, 72
ORANJE, A.P. see DEVILLERS, A.C.A.
ORLANDINI, V. see BACHMEYER, C.
ORPIN, S.D., MAJMUDAR, V.B., SOON, C., AZAM, N.A. & SALIM, A. Adalimumab causing vasculitis, 998
ORPIN, S.D. see PRESTON, P.W.
ORTONNE, J-P. see REICH, K.
OSBORNE, J.E. see SLADDEN, M.J.
OSTERTAG, J.U., QUAEDVLIEG, P.J.F., KERCKHOFFS, F.E.M.J., VERMEULEN, A.H.M., BERTLEFF, M.J.O.E., VENEMA, A.W., VAN DER GEER, S. & KREKELS, G.A.M. Congenital naevi treated with erbium:YAG laser (Derma K) resurfacing in neonates: clinical results and review of the literature, 889
OTLEY, C.C., BERG, D., ULRICH, C., STASKO, T., MURPHY, G.M., SALASCHE, S.J., CHRISTENSON, L.J., SENGELMANN, R., LOSS JR, G.E. & GARCES, J. for the REDUCTION OF IMMUNOSUPPRESSION TASK FORCE OF THE INTERNATIONAL TRANSPLANT SKIN CANCER COLLABORATIVE AND THE SKIN CARE IN ORGAN TRANSPLANT PATIENTS EUROPE Reduction of immunosuppression for transplant-associated skin cancer: expert consensus survey, 395
OTMAN, S.G.H., EDWARDS, C., PEARSE, A.D., GAMBLES, B.J. & ANSTEY, A.V. Modulation of ultraviolet (UV) transmission by emollients: relevance to narrowband UVB phototherapy and psoralen plus UVA photochemotherapy, 963
OTSUKA, F. see FUJISAWA, Y.
OUSAGER, L.B., BRANDRUP, F., BRASCH-ANDERSEN, C. & ERLENDSSON, A. Skin manifestations in a case of trisomy 16 mosaicism, 172
OYAMA, N., SETTERFIELD, J.F., POWELL, A.M., SAKUMA-OYAMA, Y., ALBERT, S., BHOGAL, B.S., VAUGHAN, R.W., KANEKO, F., CHALLACOMBE, S.J. & BLACK, M.M. Bullous pemphigoid antigen II (BP180) and its soluble extracellular domains are major autoantigens in mucous membrane pemphigoid: the pathogenic relevance to HLA class II alleles and disease severity, 90

PAASCH, U. see HEINRITZ, W.
PALWADE, P.K., DHURAT, R.S., TENDOLKAR, U.M., DETHE, G.R. & JERAJANI, H.R. Chronic cutaneous disease caused by the rapid growers *Mycobacterium fortuitum* and *chelonae*, 774
PAN, Y., CHONG, A.H., WILLIAMS, R.A., GREEN, J. & SINCLAIR, R. Omeprazole-induced dermatomyositis, 557
PANAGIOTOPOULOS, A., ANYFANTAKIS, V., RALLIS, E., CHASAPI, V., STAVROPOULOS, P., BOUBOUKA, C. & KATSAMBAS, A. Assessment of the efficacy of cryosurgery in the treatment of granuloma faciale, 357
PAPI, M. see CIANFARANI, F.
PAPOUTSAKI, M., COSTANZO, A., MAZZOTTA, A., GRAMICCIA, T., SODA, R. & CHIMENTI, S. Etanercept for the treatment of severe childhood psoriasis, 181
PAPP, K. see REICH, K.
PARISE-FORTES, M.R., MARQUES, S.A., SOARES, A.M.V.C., KUROKAWA, C.S., MARQUES, M.E.A. & PERACOLI, M.T.S. Cytokines released from blood monocytes and expressed in mucocutaneous lesions of patients with paracoccidioidomycosis evaluated before and during trimethoprim–sulfamethoxazole treatment, 643
PARK, G.T., SEO, E.Y., LEE, K.M., LEE, D.Y. & YANG, J.M. Tob is a potential marker gene for the basal layer of the epidermis and is stably expressed in human primary keratinocytes, 411
PARK, J.K. see LEE, Y.S.
PARK, Y.M. see CHOI, H.J.
PARODI, A. see CAPRONI, M.
PARODI, A. see COZZANI, E.
PASQUINI, P. see SAMPOGNA, F.
PASTORE, L., DE BENEDITTIS, M., PETRUZZI, M., FIORE, J.R. & SERPICO, R. Efficacy of famciclovir in the treatment of oral hairy leukoplakia, 378
PATEL, A.D. see LESLIE, K.S.
PAYNE, S.J. see LOFFELD, A.
PEARSE, A.D. see OTMAN, S.G.H.
PELLACANI, G. see SEIDENARI, S.
PELLACANI, G. see ZALAUDEK, I.
PENTENERO, M. see CONROTTO, D.
PERACOLI, M.T.S. see PARISE-FORTES, M.R.
PERAMIQUEL, L. see DALMAU, J.

PERERA, G.K., CHILD, F.J., HEATON, N., O'GRADY, J. & HIGGINS, E.M. Skin lesions in adult liver transplant recipients: a study of 100 consecutive patients, 868
PEREZ-RODRIGUEZ, E. see MATHEU, V.
PERIS, K. see ZALAUDEK, I.
PERSAUD, S. see MCPHERSON, T.
PETRIKOS, G. see STEFANAKI, C.
PETRUZZI, M. see PASTORE, L.
PEYRI, J. see KRAGBALLE, K.
PHILIPSEN, P.A. see THIEDEN, E.
PICAVET, D. see DE VRIES, H.J.C.
PICKERING, S.J. see FASSIHI, H.
PIECHNIK, S.K. see KROGSTAD, A.L.
PIGUET, V. see ABRAHAM, S.
PIRACCINI, B.M. see MISCALI, C.
PIRKER, C. see HILLEN, U.
PITT, M., GARSIDE, R. & STEIN, K. A cost-utility analysis of pimecrolimus vs. topical corticosteroids and emollients for the treatment of mild and moderate atopic eczema, 1137
PLANAGUMÀ, M. see GALLARDO, F.
PLANELLES, D., NAGORE, E., MORET, A., BOTELLA-ESTRADA, R., VILA, E., GUILLÉN, C. & MONTORO, J.A. HLA class II polymorphisms in Spanish melanoma patients: homozygosity for HLA-DQA1 locus can be a potential melanoma risk factor, 261
PLEGUEZUELOS, O. & KAPAS, S. Differentiation of the HaCaT keratinocyte cell line: modulation by adrenomedullin, 602
POBLETE-GUTIÉRREZ, P., WOLFF, C., FARIAS, R. & FRANK, J. A Chilean boy with severe photosensitivity and finger shortening: the first case of homozygous variegate porphyria in South America, 368
POHLA-GUBO, G. see LAIMER, M.
POLLOCK, B. see CLAYTON, T.H.
PONTÓN, J. see CUÉTARA, M.S.
POSTIGO, C. see CUÉTARA, M.S.
POSZEPCZYNSKA-GUIGNÉ, E. see BOUAZIZ, J-D.
POWELL, A.M. see OYAMA, N.
POWLES, A.V. see FRY, L.
PRESTON, P.W., ORPIN, S.D. & ZAKI, I. Thin primary melanoma: are we all treating it the same?, 564
PRETET, J.L. see GUERRINI, J.S.
PRINS, C. see KERL, K.
DE PROST, Y. see CHIAVÉRINI, C.
PUIG, L. see DALMAU, J.
PUIG, S. see ZABALLOS, P.
PUJOL, R.M. see GALLARDO, F.
PUZZI, M.B. see AUADA, M.P.

QUAEDVLIEG, P.J.F. see OSTERTAG, J.U.
QUAGLINO, P. see CAPRONI, M.

RADEMAKER, M. see LITJENS, N.H.R.
RAGHUNATH, M. see OJI, V.
RAJPAL, M. see SARDANA, K.
RALLIS, E. see PANAGIOTOPOULOS, A.
RANDALL, V.A. see HAMADA, K.
RASCHE, C. see KIRSCHBAUM, J.
RASMUSSEN, F. see LANDGREN, E.
RAVENSBERGEN, B. see LITJENS, N.H.R.
RAWCLIFFE, C. see CLAYTON, T.H.
RAZIEI, M. see GHODSI, S.Z.
REBORA, A. see DRAGO, F.
REES, J.L. & BISSET, Y. Recent record of the U.K. to publication in top dermatology journals, 1016
REICH, K., NESTLE, F.O., PAPP, K., ORTONNE, J-P., WU, Y., BALA, M., EVANS, R., GUZZO, C., LI, S., DOOLEY, L.T. & GRIFFITHS, C.E.M. Improvement in quality of life with infliximab induction and maintenance therapy in patients with moderate-to-severe psoriasis: a randomized controlled trial, 1161
REKHTMAN, N., HASH, K.S. & MORESI, J.M. Mucocutaneous bullous amyloidosis with an unusual mixed protein composition of amyloid deposits, 751
REQUENA, C. see BOTELLA-ESTRADA, R.
RETTBERG, P. see SCHNEIDER, L.A.
REYNAERT, S. see CAPON, F.
REYNOLDS, N.J. see WAHIE, S.
RHODES, L.E. see MCKENNA, K.E.
RICHARD, M.A. see MONESTIER, S.
RICHTIG, E. see ZALAUDEK, I.
RING, J. see KRÄMER, U.
RING, J. see MÖHRENSCHLAGER, M.
RIOS-MARTÍN, J.J. see RUIZ-DE-CASAS, A.
RISTICH, V.L., BOWMAN, P.H., DODD, M.E. & BOLLAG, W.B. Protein kinase D distribution in normal human epidermis, basal cell carcinoma and psoriasis, 586
RISULO, M. see RUBEGNI, P.
RIVERA, Z.S. see STAMATAS, G.N.
RIZZO, W.B. see AUADA, M.P.
ROBERTSON, K. see BEGER, B.
RODECK, C.H. see FASSIHI, H.
ROÉ, E. see DALMAU, J.
ROGERS, S. see FRY, L.
ROGOZINSKI, T. see WOZNIAK, K.
ROLLMAN, O. see MIRASTSCHIJSKI, U.
ROSEEUW, D. see DE RAEVE, L.E.
ROSÉN, A. see STENQUIST, B.
ROT, T. see GUTTMAN-YASSKY, E.
RUBEGNI, P., RISULO, M. & BURRONI, M. Reply to 'Digital dermoscopy analysis and internet-based program for discrimination of pigmented skin lesion dermoscopic images': reply from authors, 571
RUDOLPH, C.M., AL-FARES, S., VAUGHAN-JONES, S.A., MÜLLEGGER, R.R., KERL, H. & BLACK, M.M. Polymorphic eruption of pregnancy: clinicopathology and potential trigger factors in 181 patients, 54
RUITER, D.J. see DE RAEVE, L.E.
RUIZ-DE-CASAS, A., CARRIZOSA-ESQUIVEL, A., HERRERA-SAVAL, A., RIOS-MARTÍN, J.J. & CAMACHO, F. Sézary syndrome associated with granulomatous lesions during treatment with bexarotene, 372
RUSSELL-JONES, R. see MCKENNA, K.E.
RYBARCZYK, H. see MASTALERZ, L.
RYCROFT, R.J.G. see BUCKLEY, D.A.
RYU, H.K., KIM, K.M., YOO, E.A., SIM, W.Y. & CHUNG, B.C. Evaluation of androgens in the scalp hair and plasma of patients with male-pattern baldness before and after finasteride administration, 730

SABROE, R.A. & GREAVES, M.W. Chronic idiopathic urticaria with functional autoantibodies: 12 years on, 813
SADAHIRA, C., YONEDA, K., MORIUE, T., KATSUURA, J. & KUBOTA, Y. Successful treatment of keratosis follicularis squamosa with topical tacalcitol, 1010
SADAHIRA, C. see YONEDA, K.
SADLER, E. see LAIMER, M.
SAEKI, H. see TADA, Y.
SAHA, M., BARLOW, R. & BUNKER, C.B. Angiokeratoma circumscriptum of the penis, 775
SAIDA, T. see TOKUDA, Y.
SAKAI, D. see NAKAMURA, Y.

SAKUMA-OYAMA, Y. see OYAMA, N.
SALASCHE, S.J. see OTLEY, C.C.
SALIM, A., TAN, E., ILCHYSHYN, A. & BERTH-JONES, J. Folic acid supplementation during treatment of psoriasis with methotrexate: a randomized, double-blind, placebo-controlled trial, 1169
SALIM, A. see ORPIN, S.D.
SAMPOGNA, F., CHREN, M.M., MELCHI, C.F., PASQUINI, P., TABOLLI, S., ABENI, D. & , the Italian Multipurpose Psoriasis Research on Vital Experiences (Improve) Study Group Age, gender, quality of life and psychological distress in patients hospitalized with psoriasis, 325
SAMPOGNA, F., TABOLLI, S., SÖDERFELDT, B., AXTELIUS, B., APARO, U., ABENI, D. & the IDI Multipurpose Psoriasis Research on Vital Experiences (IMPROVE) investigators Measuring quality of life of patients with different clinical types of psoriasis using the SF-36, 844
SAMUEL, I.D.W. see MOSELEY, H.
SANAK, M. see MASTALERZ, L.
SANCHEZ-MACHIN, I. see MATHEU, V.
SANDER, C.S., SERCU, S., ZIEMER, M., HIPLER, U.C., ELSNER, P., THIELE, J.J. & MERREGAERT, J. Expression of extracellular matrix protein 1 (ECM1) in human skin is decreased by age and increased upon ultraviolet exposure, 218
SANMARTÍN, O. see BOTELLA-ESTRADA, R.
SANTINI, D. see MISCALI, C.
SARDANA, K., GARG, V.K., MANCHANDA, V. & RAJPAL, M. Congenital candidal onychomycoses: effective cure with ciclopirox olamine 8% nail lacquer, 573
SARID, R. see GUTTMAN-YASSKY, E.
SARTORATO, E.L. see AUADA, M.P.
SATTINGER, Y. see GUTTMAN-YASSKY, E.
SAURAT, J-H. see ABRAHAM, S.
SAWAMURA, D., NIIZEKI, H., MIYAGAWA, S., SHINKUMA, S. & SHIMIZU, H. A novel indel *COL7A1* mutation 8068del17insGA causes dominant dystrophic epidermolysis bullosa, 995
SCHÄFER, T. see MÖHRENSCHLAGER, M.
SCHARFFETTER-KOCHANEK, K. see SCHNEIDER, L.A.
SCHELLEVIS, F.G. see KONING, S.
SCHENA, D. see CAPRONI, M.
SCHINCAGLIA, E. see CAPRONI, M.
SCHMOOK, T. see NINDL, I.
SCHNEIDER, G., HOCKMANN, J., STÄNDER, S., LUGER, T.A. & HEUFT, G. Psychological factors in prurigo nodularis in comparison with psoriasis vulgaris: results of a case–control study, 61
SCHNEIDER, L.A., BLOCH, W., KOPP, K., HAINZL, A., RETTBERG, P., WLASCHEK, M., HORNECK, G. & SCHARFFETTER-KOCHANEK, K. 8-Isoprostane is a dose-related biomarker for photo-oxidative ultraviolet (UV) B damage *in vivo*: a pilot study with personal UV dosimetry, 1147
SCHOELLNAST, R. see MASSONE, C.
SCHÜTZ, A. see HEINRITZ, W.
SCHWARTZ, R.A. see WOZNIAK, K.
SEBASTIAN, G. see STEIN, A.
SEIDENARI, S., LONGO, C., GIUSTI, F. & PELLACANI, G. Clinical selection of melanocytic lesions for dermoscopy decreases the identification of suspicious lesions in comparison with dermoscopy without clinical preselection, 873
SEIDENARI, S. see ZALAUDEK, I.
SENGELMANN, R. see OTLEY, C.C.
SEO, E.Y. see PARK, G.T.
SEO, Y.J. see LEE, Y.S.
SERA, F. see ZALAUDEK, I.
SERCU, S. see SANDER, C.S.
SERGEANT, A., MILNE, G. & SHAFFRALI, F. Lichenoid eruption associated with orlistat, 1020
SERPICO, R. see PASTORE, L.
SERRA-GUILLÉN, C. see BOTELLA-ESTRADA, R.
SERRANO, S. see GALLARDO, F.
SETKOWICZ, M. see MASTALERZ, L.
SETOYAMA, M. see KASHIMA, A.
SETTERFIELD, J.F. see CAPON, F.
SETTERFIELD, J.F. see OYAMA, N.
SEZER, E., KOSEOGLU, R.D. & FILIZ, N. Eccrine angiomatous hamartoma of the fingers with nail destruction, 1002
SHAFFRALI, F. see SERGEANT, A.
SHAH, M. & COATES, M. An assessment of the quality of life in older patients with skin disease, 150
SHAH, S.N. see LESLIE, K.S.
SHIBAGAKI, N. see DEGUCHI, N.
SHIELDS, D.C. see MOLONEY, F.J.
SHIH, C-C. see LEE, C-H.
SHIMADA, S. see DEGUCHI, N.
SHIMIZU, A. see DEGUCHI, N.
SHIMIZU, H. see SAWAMURA, D.
SHIMOJIMA, H. see SHINOJIMA, Y.
SHINKAI, H. see ENDO, H.
SHINKUMA, S. see SAWAMURA, D.
SHINOJIMA, Y., HARA, H., SHIMOJIMA, H. & TERUI, T. Cutaneous chondroma with overlying pigmentation clinically mimicking dermatofibroma, 178
SIBBETT, W. see MOSELEY, H.
SIGURDSSON, V. see KOEK, M.B.G.
SILCOCKS, P. see LANGAN, S.M.
SIM, W.Y. see RYU, H.K.
SIMON, J.C. see HEINRITZ, W.
SINCLAIR, R. see PAN, Y.
SINGH, S. see MCPHERSON, T.
SKEVINGTON, S.M., BRADSHAW, J., HEPPLEWHITE, A., DAWKES, K. & LOVELL, C.R. How does psoriasis affect quality of life? Assessing an Ingram-regimen outpatient programme and validating the WHOQOL-100, 680
SLADDEN, M.J. & JOHNSTON, G.A. Complete resolution of dermatitis herpetiformis with the Atkins' diet, 565
SLADDEN, M.J., MORTIMER, N.J., CHAVE, T.A. & OSBORNE, J.E. Melanoma in Leicestershire: effect of the 2-week wait system on presentation, 1017
SLADE, H.B. see OOI, T.
SLATER, D. *Pathology of the Skin with Clinical Correlations*. Third Edition. Volumes 1 & 2. Phillip H. McKee, J. Eduardo Calonje and Scott R. Granter. Elsevier Mosby, 2005, 388
SLATER, D. *Textbook of Dermatopathology*. Second Edition. Raymond L. Barnhill and A. Neil Crowson. McGraw-Hill, 2004, 387
SMITH PEASE, C.K. see BUCKLEY, D.A.
SMITH, C.H. see CAMPALANI, E.
SNIJDERS, P.J.F. see NINDL, I.
SOARES, A.M.V.C. see PARISE-FORTES, M.R.
SODA, R. see PAPOUTSAKI, M.
SÖDERFELDT, B. see SAMPOGNA, F.
SOMERVILLE, J.E. see JASIM, Z.F.
SONG, Y. see LIU, Q.
SOO, J.K. & MORTIMER, P.S. Eruptive angiomas associated with graft-versus-host disease, 376
SOON, C. see ORPIN, S.D.
SOPENA, J. see BOTELLA-ESTRADA, R.
SOYER, H.P. see MASSONE, C.
SOYER, H.P. see ZALAUDEK, I.

SPEIGHT, P.M. see VILLARROEL DORREGO, M.
STAATS, C.C.G. see HOGEWONING, A.A.
STABLES, G.I. see BATCHELOR, R.J.
STAMATAS, G.N., ESTANISLAO, R.B., SUERO, M., RIVERA, Z.S., LI, J., KHAIAT, A. & KOLLIAS, N. Facial skin fluorescence as a marker of the skin's response to chronic environmental insults and its dependence on age, 125
STÄNDER, S. see SCHNEIDER, G.
STANLEY, J.R. see HENG, A.
STASKO, T. see OTLEY, C.C.
STATON, I., MA, R., EVANS, N., HUTCHINSON, R.W., MCLEOD, C.W. & GAWKRODGER, D.J. Dermal nickel exposure associated with coin handling and in various occupational settings: assessment using a newly developed finger immersion method, 658
STAUBACH, P., ECKHARDT-HENN, A., DECHENE, M., VONEND, A., METZ, M., MAGERL, M., BREUER, P. & MAURER, M. Quality of life in patients with chronic urticaria is differentially impaired and determined by psychiatric comorbidity, 294
STAVROPOULOS, P. see PANAGIOTOPOULOS, A.
STEFANAKI, C., ANTONIOU, C., STEFANAKI, K., PETRIKOS, G., ARGYRAKOS, T., CONSTANTINIDOU, C.V-V., KARENTZOU, O., STRATIGOS, A. & KATSAMBAS, A. Bcl-2 and Bax in congenital naevi, 1175
STEFANAKI, K. see STEFANAKI, C.
STEFANIDOU, M. see KRÜGER-KRASAGAKIS, S.
STEGMANN, H. see HOLM, E.A.
STEIN, A., HACKERT, I., SEBASTIAN, G. & MEURER, M. Cutaneous malignant fibrous histiocytoma of the scalp in a renal transplant recipient, 183
STEIN, K. see PITT, M.
STEINER, C.E. see AUADA, M.P.
STENQUIST, B., ERICSON, M.B., STRANDEBERG, C., MÖLNE, L., ROSÉN, A., LARKÖ, O. & WENNBERG, A.M. Bispectral fluorescence imaging of aggressive basal cell carcinoma combined with histopathological mapping: a preliminary study indicating a possible adjunct to Mohs micrographic surgery, 305
STERN, R.S. see NIJSTEN, T.
STERRY, W. see NINDL, I.
STEVENTON, G.B. & MITCHELL, S.C. Thiodiglycolic acid and dermatological reactions following S-carboxymethyl-l-cysteine administration, 386
STEWART, G. see JONES, G.
STOCKFLETH, E. see NINDL, I.
STOOF, T.J. see BOVENSCHEN, H.J.
STRANDEBERG, C. see STENQUIST, B.
STRATIGOS, A. see STEFANAKI, C.
STRENGE, S. see HEINRITZ, W.
SUERO, M. see STAMATAS, G.N.
SUH, K-Y., KINDLER, H.L., MEDENICA, M. & LACOUTURE, M. Doxycycline for the treatment of paronychia induced by the epidermal growth factor receptor inhibitor cetuximab, 191
SUH, M.K., LIM, J.W., LEE, Y.H., HA, G.Y., KIM, H., KIM, J.R., YAGUCHI, T. & NISHIMURA, K. Subcutaneous hyalohyphomycosis due to *Cephalotheca foveolata* in an immunocompetent host, 1184
SUN, M. see LIU, Q.
SUN, T. see HARRISON, C.A.
SUZUMIYA, J. see YAMAGUCHI, T.
SVENSSON, Å. see KRAGBALLE, K.
SWARTLING, C. & VAHLQUIST, A. Treatment of pachyonychia congenita with plantar injections of botulinum toxin, 763
SZCZEKLIK, A. see MASTALERZ, L.
SZEIMIES, R-M. see BABILAS, P.
TABOLLI, S. see SAMPOGNA, F.
TADA, Y., ASAHINA, A., TAKEKOSHI, T., KISHIMOTO, E., MITSUI, H., SAEKI, H., KOMINE, M. & TAMAKI, K. Interleukin 12 production by monocytes from patients with psoriasis and its inhibition by ciclosporin A, 1180
TAHERI, A. see GHODSI, S.Z.
TAKAI, I. see YONEDA, K.
TAKANO, N., ARAI, I. & KURACHI, M. A method to induce stable atopic dermatitis-like symptoms in NC/Nga mice housed with skin-lesioned mice, 426
TAKANO, N. see HASHIMOTO, Y.
TAKEKOSHI, T. see TADA, Y.
TAKIGAWA, M. see HASHIZUME, H.
TAMAKI, K. see KUBO, M.
TAMAKI, K. see TADA, Y.
TAN, C., ZHU, W-Y. & LAI, R-S. Eruptive recurrent pigmented telangiectasia: a new clinical entity?, 777
TAN, E. see SALIM, A.
TANAKA, M. see HASHIMOTO, Y.
TANAKA, M. see OKA, H.
TAYLOR, A.E.M. see LATEO, S.A.
TAYLOR, D. see COLTART, L.
TAYLOR, P. see MCKENNA, K.E.
TENDOLKAR, U.M. see PALWADE, P.K.
TERUI, T. see SHINOJIMA, Y.
TETSUYA, T. see LIU, H.J.
TEUNISSEN, M.B.M. see DE VRIES, H.J.C.
THE DERMOSCOPY WORKING GROUP see ZALAUDEK, I.
the IDI Multipurpose Psoriasis Research on Vital Experiences (IMPROVE) investigators see SAMPOGNA, F.
THIEDEN, E., PHILIPSEN, P.A. & WULF, H.C. Ultraviolet radiation exposure pattern in winter compared with summer based on time-stamped personal dosimeter readings, 133
THIELE, J.J. see SANDER, C.S.
THIO, H.B. see LITJENS, N.H.R.
THOMAS, L. see DALLE, S.
THOMAS, S. see KONING, S.
TILLON, J., HERVÉ, F., CHEVALLIER, D., MUIR, J-F., LEVESQUE, H. & MARIE, I. Successful treatment of systemic sclerosis-related digital ulcers and sarcoidosis with endothelin receptor antagonist (bosentan) therapy, 1000
TINSCHERT, S. see GEDICKE, M.M.
TJIOE, M. see BOVENSCHEN, H.J.
TOBIN, R.J. see MCLAUGHLIN, S.
TOKUDA, Y., KAWACHI, S., MURATA, H. & SAIDA, T. Chronic obesity lymphoedematous mucinosis: three cases of pretibial mucinosis in obese patients with pitting oedema, 157
TOLLAND, J.P. see COOKE, N.S.
TOMI, N.S. see GAMBICHLER, T.
TOMMASI, R. see CIANFARANI, F.
TOMSON, N., LIM, S.P.R., ABDULLAH, A. & LANIGAN, S.W. The treatment of port-wine stains with the pulsed-dye laser at 2-week and 6-week intervals: a comparative study, 676
TOOLE, J. see KRAGBALLE, K.
TOPAR, G., EISENDLE, K., ZELGER, B. & FRITSCH, P. Sentinel lymph node status in melanoma: a valuable prognostic factor?, 1080
TOPHAM, E.J., FRANCIS, N. & BUNKER, C.B. Medulloblastoma metastasizing to the skin, 554
TORCHIA, D. see CAPRONI, M.
TORIGOE, R. see ASAGOE, K.
DE LA TORRE MORIN, F. see MATHEU, V.
TORZECKA, J.D. see WOZNIAK, K.

TOSCA, A. see LASITHIOTAKIS, K.
TOSCA, A.D. see KRÜGER-KRASAGAKIS, S.
TOSTI, A. see MISCALI, C.
TOUTOUS-TRELLU, L. see ABRAHAM, S.
TRAUPE, H. see GEDICKE, M.M.
TRAUPE, H. see OJI, V.
TREMBATH, R.C. see CAPON, F.
TSAI, S.F. see CHANG, Y.T.
TSANKOV, N. see ANGELOVA-FISCHER, I.
TSIGONIA, A. see GAITANIS, G.
TSUMORI, S. see KASHIMA, A.
TU, Y.T. see LIU, H.J.
TUCKER, W. see CHEUNG, S.T.
TURSI, A. see NETTIS, E.
TYRING, S.K. see WU, J.J.

ULRICH, C. see OTLEY, C.C.
UMEBAYASHI, Y. see FUJISAWA, Y.
UNAEZE, J. see NIJSTEN, T.
UNSWORTH, D.J. see FRY, L.
URABE, K. see LIU, H.J.

VACCA, A. see NETTIS, E.
VAHLQUIST, A. see SWARTLING, C.
VALENTIN-OPRAN, A. see LESLIE, K.S.
VANDENESCH, F. see DEL GIUDICE, P.
VAN DE KERKHOF, P.C.M. see BOVENSCHEN, H.J.
VAN DER GEER, S. see OSTERTAG, J.U.
VAN DER RAAIJ-HELMER, E.M.H. see HOGEWONING, A.A.
VAN DER WOUDEN, J.C. see KONING, S.
VAN DER ZWAN-KRALT, N. see DE GRAAF, Y.G.L.
VAN DISSEL, J.T. see LITJENS, N.H.R.
VAN KEMPEN, L.C.L.T. see DE RAEVE, L.E.
VAN MARLE, J. see DE VRIES, H.J.C.
VAN MUIJEN, G.N.P. see DE RAEVE, L.E.
VAN SUIJLEKOM-SMIT, L.W.A. see KONING, S.
VARMA, K. & FINLAY, A.Y. Exacerbation of psoriasis by thalidomide in a patient with erythema multiforme, 789
VAROTTI, C. see LA PLACA, M.
VAUGHAN, R.W. see CAPON, F.
VAUGHAN, R.W. see OYAMA, N.
VAUGHAN-JONES, S.A. see RUDOLPH, C.M.
VELEGRAKI, A. see GAITANIS, G.
VENA, G.A., CASSANO, N., D'ARGENTO, V. & MILANI, M. Clobetasol propionate 0·05% in a novel foam formulation is safe and effective in the short-term treatment of patients with delayed pressure urticaria: a randomized, double-blind, placebo-controlled trial, 353
VENEMA, A.W. see OSTERTAG, J.U.
VENTUROLI, S. see LA PLACA, M.
VERBERK, M.M. see DE JONGH, C.M.
VERMAAT, H. see BOVENSCHEN, H.J.
VERMEULEN, A.H.M. see OSTERTAG, J.U.
VERVLOET, D. see ANNESI-MAESANO, I.
VIAU, G. see CATY, V.
VILA, E. see PLANELLES, D.
VILLARROEL DORREGO, M., WHAWELL, S.A., SPEIGHT, P.M. & BARRETT, A.W. Transfection of CD40 in a human oral squamous cell carcinoma keratinocyte line upregulates immune potency and costimulatory molecules, 231
VIVIANO, M.T. see CIANFARANI, F.
VOLPI, W. see CAPRONI, M.
VONEND, A. see STAUBACH, P.

WACKERNAGEL, A., HOFER, A., LEGAT, F., KERL, H. & WOLF, P. Efficacy of 8-methoxypsoralen vs. 5-methoxypsoralen plus ultraviolet A therapy in patients with mycosis fungoides, 519
WAHIE, S., ALEXANDROFF, A., REYNOLDS, N.J. & MEGGITT, S.J. Psoriasis occurring after myeloablative therapy and autologous stem cell transplantation, 194
WAKELIN, S.H. see MAK, R.K.H.
WALKER, S.L., EAD, R.D. & BECK, M.H. Occupational photoallergic contact dermatitis in a pharmaceutical worker manufacturing carprofen, a canine nonsteroidal anti-inflammatory drug, 569
WALKER, T. see OJI, V.
WALLY, V. see LAIMER, M.
WALSH, M.Y. see O'HAGAN, A.H.
WANG, H. & DIEPGEN, T.L. Atopic dermatitis and cancer risk, 205
WANG, K-H., CHEN, W-Y., LIU, H-N., HUANG, C-C., LEE, W-R. & HU, C-H. Cutaneous Rosai–Dorfman disease: clinicopathological profiles, spectrum and evolution of 21 lesions in six patients, 277
WANG, W.J. see CHANG, Y.T.
WARD, J. see FRY, L.
WASZCZYKOWSKA, E. see WOZNIAK, K.
WEATHERHEAD, S.C. & LAWRENCE, C.M. Melanoma screening clinics: are we detecting more melanomas or reassuring the worried well?, 539
WECHSLER, J. see BOUAZIZ, J-D.
WEEL, J. see DE VRIES, H.J.C.
WEENIG, R.H. see DAVIS, M.D.P.
WEIDINGER, S. see MÖHRENSCHLAGER, M.
WENNBERG, A.M. see STENQUIST, B.
WENNBERG, A-M. see GONZALEZ, H.
WEST, F. see KELLETT, N.
WHAWELL, S.A. see VILLARROEL DORREGO, M.
WHITE, I.R. see BUCKLEY, D.A.
WHITTAKER, S. see MCKENNA, K.E.
WHITTOCK, N.V. see FASSIHI, H.
WIEGELL, S.R. & WULF, H.C. Photodynamic therapy of acne vulgaris using methyl aminolaevulinate: a blinded, randomized, controlled trial, 969
WILKINSON, S.M. see CLAYTON, T.H.
WILLEMZE, R. see DE GRAAF, Y.G.L.
WILLIAMS, H.C. see LANGAN, S.M.
WILLIAMS, R.A. see PAN, Y.
WILLIAMS, R.E.A. see FIKA, Z.
WILLIAMSON, D.J. see FIKA, Z.
WINTER, K. see BÖER, A.
WITTEMAN, B.M.J. see BOVENSCHEN, H.J.
WLASCHEK, M. see SCHNEIDER, L.A.
WOJNAROWSKA, F. see LE MIRE, L.
WOLF, I.H. see ZALAUDEK, I.
WOLF, P. see WACKERNAGEL, A.
WOLFF, C. see POBLETE-GUTIÉRREZ, P.
WONG, H.C. see EE, H.L.
WORM, M. see KIRSCHBAUM, J.
WOZEL, G. see KRAGBALLE, K.
WOZNIAK, K., WASZCZYKOWSKA, E., HASHIMOTO, T., ISHII, N., TORZECKA, J.D., NARBUTT, J., ROGOZINSKI, T., SCHWARTZ, R.A. & KOWALEWSKI, C. Anti-epiligrin cicatricial pemphigoid initially limited to the upper respiratory tract, 779
WU, J.J., HUANG, D.B., HSU, S. & TYRING, S.K. Thalidomide, semen distribution, teratogenicity… and cost: reply from authors, 563
WU, M-T. see CHEN, G-S.
WU, S. see JONES, G.

WU, Y. see REICH, K.
WULF, H.C. see HOLM, E.A.
WULF, H.C. see THIEDEN, E.
WULF, H.C. see WIEGELL, S.R.
WURM, E. see MASSONE, C.

YAGI, H. see HASHIZUME, H.
YAGUCHI, T. see SUH, M.K.
YAHATA, T. see NAKAMURA, Y.
YAMAGUCHI, T., OHSHIMA, K., KARUBE, K., KAWANO, R., NAKAYAMA, J., SUZUMIYA, J. & KIKUCHI, M. Expression of chemokines and chemokine receptors in cutaneous CD30+ lymphoproliferative disorders, 904
YAMANAKA, Y. see MASHIKO, M.
YAMANE, K. see KUBO, M.
YAMASHITA, A. see KASHIMA, A.
YAMAZAKI, S. see HORIE, M.
YANAGI, M. see DEGUCHI, N.
YANG, C-H. see JUAN, W-H.
YANG, J.M. see PARK, G.T.
YANG, L-C. see JUAN, W-H.
YASUMOTO, S. see LIU, H.J.
YAZDANBAKHSH, M. see HOGEWONING, A.A.
YOKOTA, K. see MASHIKO, M.
YONEDA, K., DEMITSU, T., KON, A., SADAHIRA, C., MORIUE, T., KATSUURA, J., MATSUOKA, Y., TAKAI, I., NODA, M., INAGAKI, N. & KUBOTA, Y. Ubiquitination of molluscum body and its implications for pathophysiology, 786
YONEDA, K. see SADAHIRA, C.
YOO, E.A. see RYU, H.K.
YOON, T.Y., KIM, J.W. & KIM, M.K. Successful treatment of Darier disease with topical 5-fluorouracil, 1210
YOSHINARI, Y. see HASHIZUME, H.
YOSHIZATO, K. see KASHIMA, A.
YOUNG, H.S. see CAMPALANI, E.
YOUSSEF, A.H., ZANETTO, U., KAUR, M.R. & CHAN, S.Y. Granulocytic sarcoma (leukaemia cutis) in association with basal cell carcinoma, 201
YU, C.W. see CHANG, Y.T.
YU, H-S. see CHEN, G-S.
YU, H-S. see LEE, C-H.

ZABALLOS, P., LLAMBRICH, Á., ARA, M., OLAZARÁN, Z., MALVEHY, J. & PUIG, S. Dermoscopic findings of haemosiderotic and aneurysmal dermatofibroma: report of six patients, 244
ZABALLOS, P., LLAMBRICH, Á., CUÉLLAR, F., PUIG, S. & MALVEHY, J. Dermoscopic findings in pyogenic granuloma, 1108
ZAKI, I. see PRESTON, P.W.
ZALAUDEK, I., ARGENZIANO, G., SOYER, H.P., CORONA, R., SERA, F., BLUM, A., BRAUN, R.P., CABO, H., FERRARA, G., KOPF, A.W., LANGFORD, D., MENZIES, S.W., PELLACANI, G., PERIS, K. & SEIDENARI, S. ON BEHALF OF THE DERMOSCOPY WORKING GROUP Three-point checklist of dermoscopy: an open internet study, 431
ZALAUDEK, I., GRINSCHGL, S., ARGENZIANO, G., MARGHOOB, A.A., BLUM, A., RICHTIG, E., WOLF, I.H., FINK-PUCHES, R., KERL, H., SOYER, H.P. & HOFMANN-WELLENHOF, R. Age-related prevalence of dermoscopy patterns in acquired melanocytic naevi, 299
ZALAUDEK, I., HOFMANN-WELLENHOF, R., SOYER, H.P., FERRARA, G. & ARGENZIANO, G. Naevogenesis: new thoughts based on dermoscopy, 793
ZALAUDEK, I. see MASSONE, C.
ZAMBRUNO, G. see CIANFARANI, F.
ZANETTO, U. see YOUSSEF, A.H.
ZELGER, B. see TOPAR, G.
ZERBINI, M. see LA PLACA, M.
ZHANG, Q-Z. see DUONG, H.S.
ZHANG, X. see LIU, Q.
ZHU, W-Y. see TAN, C.
ZHUANG, L. see OOI, T.
ZIDARN, M. see ABERER, W.
ZIEMER, M. see SANDER, C.S.
ZITOUNI, M. see KALLEL SELLAMI, M.
ZORGDRAGER, F. see DE VRIES, H.J.C.

Subject index

acitretin treatment of imatinib-associated lichenoid eruption (Correspondence) 1213
acne 1039
antibiotic treatment, determination of patient preferences by conjoint analysis 524
photodynamic therapy with methyl aminolaevulinate 969
acquired melanocytic naevi, age-related prevalence of dermoscopy patterns 299
acquired reactive perforating collagenosis, giant variant treated with allopurinol (Case Report) 759
actinic keratosis
efficacy of topical anaesthesia with lignocaine and prilocaine for photodynamic therapy of the scalp 146
5-fluorouracil therapy twice daily vs. four times daily (Correspondence) 794
imiquimod-induced regression associated with infiltration by T cells and dendritic cells 72
activin receptor-like kinase-1 expression in skin and role in normal skin function and tumorigenesis (Correspondence) 379
adalimumab
in treatment of psoriasis P-80
vasculitis due to (Correspondence) 998
ADAR gene mutations and haploinsufficiency in dyschromatosis symmetrica hereditaria 636
adrenomedullin modulation of differentiation of HaCaT keratinocyte cell line 602
adult T-cell leukaemia/lymphoma, misdiagnosis as hair dye allergy (Correspondence) 196
age
effects on ECM-1 expression in human skin 218
and psoriasis 325
alcoholic liver disease and psoriasis P-65
ALDH3A2 gene mutation in Sjögren–Larsson syndrome in Brazil (Gene Corner) 770
alefacept
mechanism of action P-40
in psoriasis FC-22, P-47
allergic contact dermatitis in childhood 114
allergies and level of anxiety 1128
allopurinol treatment of giant variant of acquired reactive perforating collagenosis (Case Report) 759
allylamine in combination with benzoyl peroxide, synergistic antimicrobial activity with expanded coverage against yeast and bacterial species 341
alopecia universalis, treatment with bone morphogenetic protein (Correspondence) 190
amphiregulin in psoriasis FC-17
amyloidosis
with familial Mediterranean fever and pseudoxanthoma elasticum (Case Report) 1190
mucocutaneous bullous, with unusual mixed protein composition of amyloid deposits (Case Report) 751
androgen receptors in mouse sebaceous glands, gender differences and effects of sex steroids and dehydroepiandrosterone 21
androgens
end-organ response to in female pattern hair loss 85
evaluation in scalp hair and plasma before and after finasteride treatment of male pattern baldness 730
angiokeratoma circumscriptum of the penis (Correspondence) 775
angiolymphoid hyperplasia with eosinophilia, treatment with tacrolimus ointment (Correspondence) 803
antibiotics in acne, determination of patient preferences by conjoint analysis 524
antidesmoplakin antibodies in pemphigus vulgaris 624
anti-epiligrin cicatricial pemphigoid initially limited to upper respiratory tract (Correspondence) 779
antigliadin antibodies and enteropathy in psoriasis (Correspondence) 778
antihistamines, nonsedating, in treatment of severe chronic idiopathic urticaria (Correspondence) 1012
antimicrobial peptide expression modulation P-11
antimicrobial pustulosis with antinuclear antibodies and rheumatoid factor (Correspondence) 568
antinuclear antibodies in antimicrobial pustulosis (Correspondence) 568
anxiety levels and skin allergies 1128
apolipoprotein E gene polymorphisms associated with psoriasis 345
apoptosis
dopamine-induced in melanocytes 1071
Fas/Fas ligand-mediated, possible role in pathogenesis of fixed drug eruption 419
aspergillosis, invasive, due to subungual onychomycosis during treatment for non-Hodgkin lymphoma (Correspondence) 1200
aspirin-induced urticaria, familial aggregation with leukotriene C_4 synthase allelic variant 256
asthma in children, effect on parental sleep and well-being 514
Atkins' diet and complete resolution of dermatitis herpetiformis (Correspondence) 565
atopic dermatitis 1034
and cancer risk (Review) 205
in children
association with *CTLA4* gene polymorphisms 467
course and relation to atopy 505
effect on parental sleep and well-being 514
efficacy and safety of 'wet-wrap' dressings in severe and/or refractory disease (Review) 579

nocturnal wrist movements correlated with clinical scores and plasma chemokine levels 629
relation to Der f 1 exposure but not Der p 1 exposure 99
study of environmental factors exacerbating (Concise Communication) 979
comparable risk of herpes simplex infection with topical tacrolimus or corticosteroid treatment (Correspondence) 1204
cost-utility analysis of pimecrolimus vs. topical corticosteroids and emollients 1137
expression of antibiotic peptides FC-08
expression of keratinocyte antimicrobial proteins P-02
IL-16, macrophage-derived chemokine, eosinophil cationic protein and soluble E-selectin and disease activity 1112
induction of stable atopic dermatitis-like symptoms in NC/Nga mice housed with skin-lesioned mice 426
quality of life
assessment 719
effect of secondary care consultations 942
transepidermal water loss, serum IgE and â-endorphin as markers for development of itch intensity 1100
atopy and course of atopic dermatitis in children 505
autoimmunity, role of polymorphic transcription factors IL-06
autologous stem cell transplantation, psoriasis following (Correspondence) 194
axilla
hyperhidrosis, multiple site marking grid for botulinum toxin application (Correspondence) 385
nodal follicular dendritic cell sarcoma, presentation as cellulitis (Correspondence) 177

baldness, male pattern
evaluation of androgens in scalp hair and plasma before and after finasteride treatment 730
role of inhibitory autocrine factors produced by mesenchyme-derived hair follicle dermal papilla 609
balneophototherapy in psoriasis (Correspondence) 802
barrier impairment and sodium lauryl sulphate penetration rate 651
basal cell carcinoma
aggressive, bispectral fluorescence imaging with histopathological mapping 305
with granulocytic sarcoma (leukaemia cutis) (Correspondence) 201
multiple hereditary infundibulocystic (Correspondence) 1007
protein kinase D distribution 586
role of immunosuppression in pathogenesis (Correspondence) 790
Bax in congenital naevi (Concise Communication) 1175
Bcl-2 in congenital naevi (Concise Communication) 1175
Bcl-xL expression in extramammary pagenot's disease 926
benzophenone-3 sunscreen, percutaneous absorption 337
benzoyl peroxide in combination with allylamine, synergistic antimicrobial activity with expanded coverage against yeast and bacterial species 341
â-endorphin as marker for development of itch intensity in atopic dermatitis 1100
bexarotene
with denileukin diftitox in treatment of natural killer/T-cell lymphoma (Case Report) 988
granulomatous lesions with Sézary syndrome associated with treatment (Case Report) 372
bioengineered skin explants in culture and epithelial regeneration 42
biologics, meaningless terminology 809
bispectral fluorescence imaging of aggressive basal cell carcinoma 305
blistering diseases 1038
bone mineralization in childhood epidermolysis bullosa 959
bone morphogenetic protein
BMP-7 expression in human scalp skin and hair follicles (Correspondence) 551
in treatment of alopecia universalis (Correspondence) 190
botulinum toxin
multiple site marking grid for application in axillary hyperhidrosis (Correspondence) 385
plantar injections in treatment of pachyonychia congenita (Case Report) 763
BP180 as major autoantigen in mucous membrane pemphigoid 90
British Association of Dermatologists, 85th Annual Meeting 1028
brivudine treatment of herpes zoster superinfection of linear Darier disease (Case Report) 365
Brooke–Spiegler syndrome with new *CYLD* gene mutations (Gene Corner) 992
bullous pemphigoid
absence of anti-BP180 antibodies in mothers of infants with 839
cytokine gene polymorphisms in a Chinese population 79
bullous pemphigoid antigen II as major autoantigen in mucous membrane pemphigoid 90

c-kit overexpression in melasma 1094
calcipotriol, in plaque psoriasis P-26
calcipotriol/betamethasone dipropionate two-compound product, safety study in psoriasis 1155
cancer risk and atopic dermatitis (Review) 205
candidiasis *see* polyendocrinopathy–candidiasis–ectodermal dystrophy syndrome
capillary vascular malformations, effect of ambient temperature 896
carprofen, photoallergic contact dermatitis in workers manufacturing (Correspondence) 569
CD40
effect of transfection on immune potency and costimulatory molecules in human oral squamous cell carcinoma keratinocyte line 231
elevated circulating levels in erythema multiforme and Stevens–Johnson syndrome/toxic epidermal necrolysis spectrum (Correspondence) 1006

CD40/CD40 ligand system expression in erythema multiforme and Stevens–Johnson syndrome/toxic epidermal necrolysis spectrum 319
CD90 expression on keratinocyte stem/progenitor cells 1062
Cephalotheca foveolata, subcutaneous hyalohyphomycosis due to (Case Report) 1184
cetuximab-induced paronychia, treatment with doxycycline (Correspondence) 191
chemokine expression in cutaneous CD30+ lymphoproliferative disorders 904
chemokine receptors
CXCR4 expression and enhancement of tumorigenesis and angiogenesis 910
expression in cutaneous CD30+ lymphoproliferative disorders 904
childhood
allergic contact dermatitis 114
asthma, effect on parental sleep and well-being 514
atopic dermatitis
association with *CTLA4* gene polymorphisms 467
course and relation to atopy 505
effect on parental sleep and well-being 514
efficacy and safety of 'wet-wrap' dressings in severe and/or refractory disease (Review) 579
nocturnal wrist movements correlated with clinical scores and plasma chemokine levels 629
relation to Der f 1 exposure but not Der p 1 exposure 99
study of environmental factors exacerbating (Concise Communication) 979
severe psoriasis, etanercept treatment (Correspondence) 181
Chinese population, cytokine gene polymorphisms in bullous pemphigoid 79
chondrodysplasia punctata, X-linked dominant, clinical variation in (Gene Corner) 766
chondroma, cutaneous with overlying pigmentation, clinical mimicking of dermatofibroma (Correspondence) 178
chronic dermatitis, NC/Nga mice, induction of scratching behaviour and dermatitis in cohabiting mice 28
chronic lymphocytic leukaemia infiltrates affecting face and scalp (Case Report) 981
cicatricial pemphigoid, anti-epiligrin, initially limited to upper respiratory tract (Correspondence) 779
ciclopirox olamine nail lacquer in treatment of congenital candidal onychomycoses (Correspondence) 573
ciclosporin
comparison with clobetasol in management of atrophic and erosive oral lichen planus 139
in psoriasis FC-06
claudins, tight junction expression P-17
clindamycin with rifampicin as combination therapy in hidradenitis suppurativa (Concise Communication) 977
clobetasol
comparison with ciclosporin in management of atrophic and erosive oral lichen planus 139
foam formulation in short-term treatment of delayed pressure urticaria 353
in primary cutaneous marginal zone B-cell lymphoma (Correspondence) 1207
CNTO1275 P-54
coin handling and dermal nickel exposure 658
COL1A1-PDGFB fusion transcripts in postsacrococcygeal giant cell fibroblastoma (Case Report) 983
COL7A1 gene mutation in dominant dystrophic epidermolysis bullosa (Gene Corner) 995
collagen I
keratinocyte regulation of synthesis by dermal fibroblasts in *in vitro* model 401
turnover and prolidase activity in keloids 820
collagen vascular disorders, dominant T-cell clones in peripheral blood of patients 445
community-acquired skin infections, emergence of two populations of MRSA with distinct features 118
confluent and reticulate papillomatosis, minocycline-responsive dermatosis without evidence of yeast in pathogenesis 287
congenital naevi
Bcl-2 and Bax in (Concise Communication) 1175
laser resurfacing in neonates 889
conjoint analysis, determination of patient preferences for topical antibiotic treatment in acne 524
contact dermatitis 1036
role of physical friction (Concise Communication) 154
coronary artery disease and psoriasis P-68
corticotropin-releasing hormone in psoriasis P-01, P-03
corticotropin-releasing hormone receptor in psoriasis P-03
Crete, comparative analysis of incidence and clinical features of melanoma in Crete and southern Germany 1123
cryotherapy
assessment of efficacy in granuloma faciale (Concise Communication) 357
comparison with curettage in treatment of pyogenic granuloma 671
CTLA4 gene polymorphisms associated with childhood atopic dermatitis 467
curettage compared with cryotherapy in treatment of pyogenic granuloma 671
cutaneous CD30+ lymphoproliferative disorders, chemokines and chemokine receptor expression 904
CX3CL1-CX3CR1 system in psoriasis P-04
CXCR4 expression and enhancement of tumorigenesis and angiogenesis 910
cyclin D_1 expression in extramammary pagenot's disease 926
CYLD gene mutations in Brooke–Spiegler syndrome (Gene Corner) 992
cytokines
gene polymorphisms in bullous pemphigoid in a Chinese population 79
release from blood monocytes and expression in mucocutaneous lesions in paracoccidioidomycosis, evaluation before and during trimethoprim–sulfamethoxazole treatment, 643

Darier disease
linear with herpes zoster superinfection, brivudine treatment (Case Report) 365
treatment with topical 5-fluorouracil (Correspondence) 1210
dendritic cells
effects of monomethylfumarate on differentiation 211
HHV-7 replication and infiltration in lichen planus (Concise Communication) 361
in imiquimod-induced regression of actinic keratosis 72
in psoriasis P-22
denileukin diftitox with bexarotene in treatment of natural killer/T-cell lymphoma (Case Report) 988
depressive disorders with psoriasis P-72, P-78
Der f 1 exposure and childhood atopic dermatitis 99
dermal fibroblasts, keratinocyte regulation of collagen I synthesis by in *in vitro* model 401
dermal stem cell factor overexpression in melasma 1094
dermatitis, induction in mice cohabiting with NC/Nga mice with chronic dermatitis 28
dermatitis herpetiformis, complete resolution with Atkins' diet (Correspondence) 565
dermatofibroma
haemosiderotic and aneurysmal 244
TGF-â receptor expression 919
dermatofibrosarcoma protuberans, TGF-â receptor expression 919
dermatological examination, lighting levels (Correspondence) 781
dermatological surgery 1031
dermatology education 1035
dermatology journals, statistics of UK publication (Correspondence) 1016
dermatolymphangioadenitis, acute, frequency in lymphoedema in filariasis-endemic area 933
dermatomyositis
omeprazole-induced (Correspondence) 557
and psoriasis P-70
dermatopathology 1030
dermoscopy
age-related prevalence of patterns in acquired melanocytic naevi 299
clinical selection of melanocytic lesions and identification of suspicious lesions 873
digital analysis (Correspondence) 570, (Correspondence) 571
haemosiderotic and aneurysmal dermatofibroma 244
internet-based program for discrimination of pigmented skin lesion images (Correspondence) 570, (Correspondence) 571
and naevogenesis (Correspondence) 793
pyogenic granuloma 1108
three-point checklist, open internet study 431
desmoglein 3 haplotypes, evidence of association with pemphigus vulgaris 67
digital photography in triage of suspected skin cancer (Correspondence) 188
digital ulcers associated with systemic sclerosis, bosentan therapy (Correspondence) 1000
dimethyl fumarate
and T-cell adhesion to selectins P-36
in treatment of psoriasis FC-18, P-35
docetaxel, tumour dormancy therapy in metastatic extramammary pagenot's disease (Correspondence) 375
dopamine-induced apoptosis of melanocytes 1071
doxycycline in treatment of cetuximab-induced paronychia (Correspondence) 191
drug eruptions 1040
dyschromatosis symmetrica hereditaria, *ADAR* gene mutations and haploinsufficiency 636
dystrophic epidermolysis bullosa caused by novel *COL7A1* mutation (Gene Corner) 995

E-selectin and disease activity in atopic dermatitis 1112
ear melanoma, prognostic factors and surgical strategies 310
eccrine angiomatous hamartoma of the fingers (Correspondence) 1002
eccrine naevus, mucinous, following lines of Blaschko (Correspondence) 1004
ECM-1, effects of age and UV exposure on expression in human skin 218
ectodermal dystrophy *see* polyendocrinopathy–candidiasis–ectodermal dystrophy syndrome
efalizumab in therapy of psoriasis P-41, P-42, P-43
emollient modulation of UVR transmission 963
EN-RAGE expression in leprosy 594
endoglin expression in skin and role in normal skin function and tumorigenesis (Correspondence) 379
enteropathy and antigliadin antibodies in psoriasis (Correspondence) 778
eosinophil cationic protein and disease activity in atopic dermatitis 1112
epidermal naevus in Proteus syndrome with loss of heterozygosity for an inherited PTEN mutation (Case Report) 1194
epidermolysis bullosa and bone mineralization 959
epithelial regeneration from bioengineered skin explants in culture 42
epoxy resin, late reactions to 665
eruptive angiomas associated with graft-versus-host disease (Correspondence) 376
eruptive benign melanocytic naevi induced by immunosuppression 880
eruptive recurrent pigmented telangiectasia (Correspondence) 777
erythema multiforme
CD40/CD40 ligand system expression 319
elevated circulating CD40 ligand (Correspondence) 1006
erythematous macular exanthem (Concise Communication) 735
etanercept
effectiveness in management of hidradenitis suppurativa 726
in treatment of psoriasis FC-20, P-44, P-45, P-46, P-48, P-49, P-56, P-58

in treatment of severe childhood psoriasis (Correspondence) 181
exercise, response to in palmar hyperhidrosis 1118
extracellular matrix protein-1, effects of age and UV exposure on expression in human skin 218
extracorporeal photochemotherapy *see* photopheresis

facial multiple senile lentigines resulting from life excess of intermittent sun exposure in dark-skinned caucasians 438
facial skin fluorescence as marker of skin's response to chronic environmental insults and age-dependence 125
famciclovir, efficacy of treatment in oral hairy leukoplakia (Correspondence) 378
familial Mediterranean fever with pseudoxanthoma elasticum and amyloidosis (Case Report) 1190
Fas/Fas ligand-mediated apoptosis, possible role in pathogenesis of fixed drug eruption 419
Fas signalling in psoriasis P-82
female pattern hair loss, sebum excretion and end-organ response to androgens 85
fibrous histiocytoma, cutaneous malignant of the scalp in renal transplant patient (Correspondence) 183
finasteride, evaluation of androgens in scalp hair and plasma before and after treatment of male pattern baldness 730
fingers
 eccrine angiomatous hamartoma (Correspondence) 1002
 shortening, and photosensitivity (Case Report) 368
fixed drug eruption, possible role of Fas/Fas ligand-mediated apoptosis in pathogenesis 419
5-fluorouracil
 therapy of actinic keratosis twice daily vs. four times daily (Correspondence) 794
 therapy of Darier disease (Correspondence) 1210
folic acid supplementation during methotrexate treatment of psoriasis 1169
Food and Drug Administration, prescription drug advertising surveillance in USA 950
fragrances, simultaneous sensitivity to 885
fumaric acid esters in psoriasis P-34, (Correspondence) 567

gender and psoriasis 325
Germany, comparative analysis of incidence and clinical features of melanoma in Crete and southern Germany 1123
Ghana, prevalence of tinea capitis and causative organisms in Greater Accra Region (Correspondence) 784
giant cell fibroblastoma, postsacrococcygeal, detection of *COL1A1-PDGFB* fusion transcripts and PDGF receptors (Case Report) 983
giant congenital melanocytic naevi, phenotypic changes between superficial and deep components 485
Gli1 expression in psoriatic skin, role of decreased neurofibromin expression 619
glomuvenous malformations, mutation analysis in Irish families 450
GM-CSF treatment of chronic ulcers, promotion of angiogenesis associated with VEGF transcription in ulcer bed 34
Gougerot–Carteaud syndrome, minocycline-responsive dermatosis without evidence of yeast in pathogenesis 287
graft-versus-host disease, eruptive angiomas associated (Correspondence) 376
granulocyte/macrophage colony-stimulating factor treatment of chronic ulcers, promotion of angiogenesis associated with VEGF transcription in ulcer bed 34
granulocytic sarcoma with basal cell carcinoma (Correspondence) 201
granuloma faciale, assessment of efficacy of cryosurgery (Concise Communication) 357
granulomatous lesions with Sézary syndrome during bexarotene treatment (Case Report) 372

hair 1039
hair follicles, role of inhibitory autocrine factors produced by mesenchyme-derived hair follicle dermal papilla in male pattern baldness 609
hairless mice, radiodermatitis, expression profiling of radiation-induced genes 829
health services research 1035
hereditary angio-oedema with normal C1 inhibitor in a family with affected women and men (Case Report) 542
herpes folliculitis (Concise Communication) 743
herpes simplex infection, comparable risk in atopic dermatitis with topical tacrolimus or corticosteroid treatment (Correspondence) 1204
herpes zoster superinfection of linear Darier disease, brivudine treatment (Case Report) 365
hidradenitis suppurativa 1039
 clindamycin and rifampicin combination therapy (Concise Communication) 977
 effectiveness of etanercept treatment 726
histiocytosis, reactive intravascular, associated with tonsillitis (Correspondence) 560
HLA antigens
 class II polymorphism in Spanish melanoma patients 261
 in psoriasis P-06, P-20, 850
Holland, incidence and treatment of impetigo in general practice 239
homocysteine in psoriasis P-77
Hori naevus, characteristics 50
human herpesvirus-7, replication and infiltration of plasmacytoid dendritic cells in lichen planus (Concise Communication) 361
human papillomavirus
 detection of DNA in primary squamous cell carcinoma and metastases (Correspondence) 797
 and melanoma (Correspondence) 572, (Correspondence) 573
hyalohyphomycosis, subcutaneous, due to *Cephalotheca foveolata* (Case Report) 1184
hyaluronic acid gel, injectable, cutaneous granulomatous reaction to (Case Report) 755
hyperbaric oxygen therapy, long-term follow-up in livedoid vasculopathy 251

hyperhidrosis
axillary, multiple site marking grid for botulinum toxin application (Correspondence) 385
palmar, daily pattern of sweating and response to stress and exercise 1118

ichthyosis, congenital, plasminogen activator inhibitor-2 expression 860
imatinib
lichenoid eruption associated, acitretin treatment (Correspondence) 1213
palmoplantar hyperkeratosis and nail dystrophy caused by in patients with chronic myeloid leukaemia (Correspondence) 1216
imiquimod, actinic keratosis regression induced by associated with infiltration by T cells and dendritic cells 72
immunoglobulins
modulation of lymphocyte phenotype and function 225
serum IgE as marker for development of itch intensity in atopic dermatitis 1100
immunosuppression
and induction of eruptive benign melanocytic naevi 880
reduction for transplant-associated skin cancer (Review) 395
role in pathogenesis of basal cell carcinoma (Correspondence) 790
Impact of Psoriasis Questionnaire, refinement and reduction 692
impetigo, incidence and treatment in Dutch general practice 239
infections 1040
infestations 1040
inflammation and sodium lauryl sulphate penetration rate 651
inflammatory disease therapies, appraisal of clinical and cost effectiveness IL-05
infliximab
effect of therapy on quality of life in psoriasis 1161
programmed cell death of keratinocytes in infliximab-treated plaque-type psoriasis 460
in treatment of psoriasis FC-19, P-50, P-81, 1161
inherited skin disorders, prenatal diagnosis 106
interdigital lesions in lymphoedema in filariasis-endemic area 933
interferon-ã and keratinocyte differentiation P-05
interleukins
IL-12 production by monocytes in psoriasis and inhibition by ciclosporin (Concise Communication) 1180
IL-16 and disease activity in atopic dermatitis 1112
IL-20
in human skin organ culture FC-15
in psoriasis P-12, P-13
IL-22 in keratinocytes P-14
IL-23 expression by keratinocytes P-16
in skin inflammation P-15
8-isoprostane as dose-related biomarker for photo-oxidative UVB damage 1147
itch, transepidermal water loss, serum IgE and â-endorphin as markers for development of intensity in atopic dermatitis 1100

junctional epidermolysis bullosa, pretibial, skin grafting as a therapeutic approach (Correspondence) 185

Kaposi sarcoma, classic, rapidly progressive in an adolescent (Correspondence) 555
keloids, elevated prolidase activity and collagen type I turnover 820
keratinization disorders, oral retinoid therapy 267
keratinocytes
differentiation of HaCaT cell line, modulation by adrenomedullin 602
differentiation and interferon-ã P-05
expression of CD90 on stem/progenitor cells 1062
human oral squamous cell carcinoma line, effect of CD40 transfection on immune potency and costimulatory molecules 231
programmed cell death in infliximab-treated plaque-type psoriasis 460
regulation of collagen I synthesis by dermal fibroblasts in *in vitro* model 401
keratosis follicularis squamosa treated with topical tacalcitol (Correspondence) 1010
KIT overexpression in cutaneous leiomyosarcoma (Correspondence) 1013

laser therapy
compared with phototherapy in plaque psoriasis P-30
port-wine stains 676
resurfacing of congenital naevi in neonates 889
leiomyosarcoma, cutaneous, with KIT overexpression (Correspondence) 1013
lentigines, multiple, with flexural pigmentation (Correspondence) 382
lentigo maligna melanoma, conventional vs. three-dimensional histology 453
leprosy, RAGE and EN-RAGE expression 594
leuconychia, true transverse, with spontaneous resolution during pregnancy (Correspondence) 1212
leukaemia cutis with basal cell carcinoma (Correspondence) 201
leukotriene C_4 synthase allelic variant and aspirin-induced urticaria 256
levocetirizine in treatment of chronic idiopathic urticaria 533
lichen planus
association with HHV-7 replication and infiltration of plasmacytoid dendritic cells (Concise Communication) 361
oral atrophic and erosive, ciclosporin vs. clobetasol in management 139
lichen sclerosus 1039
lichenoid eruption
associated with imatinib, acitretin treatment (Correspondence) 1213

associated with Orlistat (Correspondence) 1020
lighting levels for dermatological examination (Correspondence) 781
lithium and psoriasis P-64
livedoid vasculopathy, long-term follow-up after hyperbaric oxygen therapy 251
liver transplant recipients, skin lesions in 868
loricrin gain-of-function mutation, palmoplantar keratoderma due to, family analysis and literature review (Case Report) 167
lymphocytes, modulation of phenotype and function by immunoglobulins 225
lymphoedema in filariasis-endemic area, interdigital lesions and frequency of acute dermatolymphangioadenitis 933

macrophage-derived chemokine and disease activity in atopic dermatitis 1112
Malassezia, distribution in pityriasis versicolor and seborrhoeic dermatitis in Greece 854
Malassezia globosa, typing 854
male pattern baldness
evaluation of androgens in scalp hair and plasma before and after finasteride treatment 730
role of inhibitory autocrine factors produced by mesenchyme-derived hair follicle dermal papilla 609
mechlorethamine, topical, in primary cutaneous marginal zone B-cell lymphoma (Correspondence) 1207
medulloblastoma metastasising to the skin (Correspondence) 554
melanocytes, dopamine-induced apoptosis 1071
melanocytic tumours, study of melanotic pigmentation in excision scars 478
melanoma
comparative analysis of incidence and clinical features in Crete and southern Germany 1123
of the ear, prognostic factors and surgical strategies 310
HLA class II polymorphism in Spanish patients 261
and human papillomavirus (Correspondence) 572, (Correspondence) 573
in Leicestershire, effect of 2-week wait on presentation (Correspondence) 1017
in renal transplant recipients 472
screening clinics (Concise Communication) 539
sentinel lymph node status as prognostic factor 1080
thin primary (Correspondence) 564
melanotic pigmentation in excision scars of melanocytic tumours 478
melasma, dermal stem cell factor and c-kit overexpression 1094
methicillin-resistant *Staphylococcus aureus*, two populations with distinct features from patients with community-acquired skin infections 118
methotrexate
folic acid supplementation during treatment of psoriasis 1169
in psoriasis FC-05
MICA gene in psoriasis and psoriatic arthritis FC-10
mitogen- and stress-activated protein kinase-1 in psoriasis FC-23
molluscum bodies, ubiquitination (Correspondence) 786
monomethylfumarate, effects on dendritic cell differentiation 211
morphoea 1039
mucinous eccrine naevus following lines of Blaschko (Correspondence) 1004
mucocutaneous bullous amyloidosis with unusual mixed protein composition of amyloid deposits (Case Report) 751
mucous membrane pemphigoid, bullous pemphigoid antigen II and its extracellular domains as major autoantigens 90
Mycobacterium chelonae, chronic cutaneous disease due to (Correspondence) 774
Mycobacterium fortuitum, chronic cutaneous disease due to (Correspondence) 774
mycosis fungoides, PUVA therapy 519
myeloablative therapy, psoriasis following (Correspondence) 194

naevogenesis and dermoscopy (Correspondence) 793
nails
destruction in eccrine angiomatous hamartoma of the fingers (Correspondence) 1002
dystrophy caused by imatinib in patients with chronic myeloid leukaemia (Correspondence) 1216
psoriasis, soft X-ray therapy P-37
naphthalene therapy of psoriasis P-38
natural killer receptors and psoriasis P-23
natural killer/T-cell lymphoma regression with denileukin diftitox and bexarotene (Case Report) 988
NC/Nga mice
induction of scratching behaviour and dermatitis in cohabiting mice 28
induction of stable atopic dermatitis-like symptoms when housed with skin-lesioned mice 426
neonates, laser resurfacing of congenital naevi 889
neurofibromin, decreased expression in Gli1 expression in psoriatic skin 619
neuropeptides in psoriasis P-25
nickel exposure associated with coin handling and occupation 658
nicorandil-associated perianal ulceration (Correspondence) 199
nodal follicular dendritic cell sarcoma, axilla, presentation as cellulitis (Correspondence) 177
nurse-led care in dermatology 1

obesity and lymphoedematous pretibial mucinosis (Case Report) 157
occupation and dermal nickel exposure 658
oestrogen-á receptors in mouse sebaceous glands, gender differences and effects of sex steroids and dehydroepiandrosterone 21

older patients, assessment of quality of life and skin disease (Concise Communication) 150
omeprazole-induced dermatomyositis (Correspondence) 557
onychoblastoma (Correspondence) 384, (Correspondence) 385
onychomycosis
 congenital candidal, treatment with ciclopirox olamine nail lacquer (Correspondence) 573
 subungual, during treatment for non-Hodgkin lymphoma, invasive aspergillosis associated (Correspondence) 1200
oral hairy leukoplakia, efficacy of famciclovir treatment (Correspondence) 378
oral lichen planus, atrophic and erosive, ciclosporin vs. clobetasol in management 139
organ transplant recipients
 dermatology issues 393
 residual or recurrent squamous cell carcinoma after curettage and electrodesiccation 493
Orlistat-associated lichenoid eruption (Correspondence) 1020

pachyonychia congenita, treatment with plantar injections of botulinum toxin (Case Report) 763
pagenot's disease, extramammary
 docetaxel therapy (Correspondence) 375
 expression of phosphorylated stat3, cyclin D_1 and Bcl-xL 926
palmar hyperhidrosis, daily pattern of sweating and response to stress and exercise 1118
palmoplantar hyperkeratosis caused by imatinib in patients with chronic myeloid leukaemia (Correspondence) 1216
palmoplantar keratoderma
 caused by gain-of-function loricrin mutation (Case Report) 167
 psoriasiform, associated with venlafaxine (Correspondence) 999
para-phenylenediamine (PPD)
 late reactions to 665
 safety of patch testing to 1025
paracoccidioidomycosis, cytokine release from blood monocytes and expression in mucocutaneous lesions, evaluation before and during trimethoprim–sulfamethoxazole treatment 643
parents, effects of asthma and atopic dermatitis in children on sleep and well-being 514
paronychia, cetuximab-induced, treatment with doxycycline (Correspondence) 191
patch testing, safety of testing to para-phenylenediamine 1025
pemphigus
 antidesmoplakin antibodies in 624
 evidence of association with desmoglein 3 haplotypes 67
 intradermal neutrophilic IgA/IgG antidesmocollin-1 (Correspondence) 1018
penicillin allergy
 IgE antibodies to as indication of (Correspondence) 1209
 importance of repeat testing in diagnosis (Correspondence) 198
penile angiokeratoma circumscriptum (Correspondence) 775
perianal ulceration, nicorandil-associated (Correspondence) 199
personal digital assistants in teledermatology (Correspondence) 801
photoallergic contact dermatitis and carprofen manufacture (Correspondence) 569
photocarcinogenic risk of narrowband UVB phototherapy (Correspondence) 566
photodynamic therapy
 acne, with methylaminolaevulinate 969
 ambulatory (Concise Communication) 747
 comparison of two different light sources 712
 scalp actinic keratosis, efficacy of topical anaesthesia with lignocaine and prilocaine 146
 sessions with topical methylaminolaevulinate in PTCH heterozygous mice (Concise Communication) 740
photopheresis, evidence-based practice, report of a workshop 7
photosensitivity and finger shortening (Case Report) 368
phototherapy 1032
 compared with laser therapy in plaque psoriasis P-30
 home, in psoriasis 701
 and modulation of ultraviolet radiation transmission by emollients 963
 narrowband UVB
  photocarcinogenic risk (Correspondence) 566
  in psoriasis P-27
 optimizing dose increments P-29
physical friction in contact dermatitis (Concise Communication) 154
pigmentation, flexural, with multiple lentigines (Correspondence) 382
pimecrolimus, cost-utility analysis of pimecrolimus vs. topical corticosteroids and emollients in mild to moderate atopic dermatitis 1137
pityriasis versicolor, distribution of *Malassezia* species in Greece 854
placental growth factor in inflammatory skin disease FC-04
plasminogen activator inhibitor-2 expression in congenital ichthyosis 860
platelet-derived growth factor receptor detection in postsacrococcygeal giant cell fibroblastoma (Case Report) 983
polyendocrinopathy–candidiasis–ectodermal dystrophy syndrome, dermatological manifestations 1088
polymorphic eruption of pregnancy, clinicopathology and potential trigger factors 54
polymorphic transcription factors in autoimmunity IL-06
porphyria, homozygous variegate (Case Report) 368
port-wine stains, laser therapy 676
PPD *see* para-phenylenediamine
pregnancy
 clinicopathology and potential trigger factors of polymorphic eruption 54
 spontaneous resolution of true transverse leuconychia (Correspondence) 1212

preimplantation genetic diagnosis of skin fragility–ectodermal dysplasia syndrome (Case Report) 546
prenatal diagnosis of severe inherited skin disorders 106
prescription drug advertising, FDA surveillance 950
pretibial junctional epidermolysis bullosa, skin grafting as a therapeutic approach (Correspondence) 185
pretibial mucinosis, lymphoedematous, and obesity (Case Report) 157
primary cutaneous B-cell lymphoma
marginal zone, topical mechlorethamine and clobetasol (Correspondence) 1207
with prominent T-cell component and aberrant genotype (Case Report) 162
primary cutaneous lymphoma, relative frequency and survival (Correspondence) 1206
PRINS gene FC-07
prohibitin expression in psoriasis P-76
prolidase activity and collagen type I turnover in keloids 820
protein kinase D distribution in normal human epidermis, basal cell carcinoma and psoriasis 586
Proteus syndrome, epidermal naevus with loss of heterozygosity for an inherited PTEN mutation (Case Report) 1194
prurigo nodularis, psychological factors in comparison with psoriasis vulgaris 61
pseudoxanthoma elasticum with amyloidosis and familial Mediterranean fever (Case Report) 1190
PSOR1 gene
comparison of HLA-Cw6 and CCHCR1 P-07
high-resolution haplotypic refinement FC-02
sequence analysis FC-01
PSOR5 gene, in psoriasis and psoriatic arthritis FC-11
psoriasis 1033
adalimumab therapy P-80
age, gender, quality of life and psychological distress 325
and alcoholic liver disease P-65
alefacept therapy FC-22, P-47
amphiregulin in FC-17
with anxiety and sleep disorders P-71
apolipoprotein E gene polymorphisms 345
balneophototherapy (Correspondence) 802
CD18 deficiency in T cells and development of psoriatic dermatitis FC-03
chronic plaque, reactivity to *Streptococcus pyogenes* proteins FC-13
ciclosporin in FC-06
classification P-75
clinical trials and biology IL-04
co-medication P-67
comparison of minimal erythema doses for narrowband vs. broadband UVB irradiation in healthy subjects and patients with psoriasis (Correspondence) 795
and coronary artery disease P-68
correlation of autoimmune phenomena P-18
CRH in P-01, P-03
CRH receptor in P-03
and CX3CL1-CX3CR1 system P-04
dendritic cells P-22
with depressive disorders P-72, P-78
and dermatomyositis P-70
desmocollin-3 precursor in P-69
dimethyl fumarate treatment FC-18, P-35
diseases associated P-66
early lesions P-24
efalizumab therapy P-41, P-42, P-43
enteropathy and antigliadin antibodies (Correspondence) 778
etanercept treatment FC-20, P-44, P-45, P-46, P-48, P-49, P-56, P-58
exacerbation by thalidomide in erythema multiforme (Correspondence) 789
expression of antibiotic peptides FC-08
expression of keratinocyte antimicrobial proteins P-02
Fas signalling P-82
folic acid supplementation during methotrexate treatment 1169
fumaric acid esters P-34, (Correspondence) 567
Gli1 expression in skin, role of decreased neurofibromin expression 619
and gluten sensitivity P-61
HLA antigens P-06, P-20, 850
home UVB phototherapy 701
homocysteine status P-77
IL-12 production by monocytes and inhibition by ciclosporin (Concise Communication) 1180
inflammation in P-21
infliximab therapy FC-19, P-50, P-81, 1161
inhibition P-55
keratinocyte proliferation regulation P-63
and lithium P-64
methotrexate in FC-05
MICA gene FC-10
nails, soft X-ray therapy P-37
naphthalene therapy P-38
narrowband UVB phototherapy P-27
and natural killer receptors P-23
neuropeptides in P-25
occurrence after myeloablative therapy and autologous stem cell transplantation (Correspondence) 194
plaque
comparison of calcipotriol and tazarotene P-26
laser therapy compared with phototherapy P-30
programmed cell death of keratinocytes after infliximab treatment 460
prohibitin expression P-76
protein kinase D distribution 586
pruritogenic factors P-79
and PSOR5 gene FC-11
psychological factors in comparison with prurigo nodularis 61
PUVA therapy P-31, P-32, P-33
quality of life P-73, P-74, 325, 680, 844, 1161

refinement and reduction of the Impact of Psoriasis Questionnaire 692
reverse transcriptase in lesions P-62
role of IL-20 P-12, P-13
role of mitogen- and stress-activated protein kinase-1 FC-23
routine administration of biologicals P-39
safety study of calcipotriol/betamethasone dipropionate two-compound product 1155
severe childhood, etanercept treatment (Correspondence) 181
STA-5326 therapy P-51, P-52, P-53
streptococcal-induced, and HLA Cw*06 850
subepidermal bullous dermatosis with IgA antibodies after initiation of UVB therapy (Correspondence) 193
susceptibility to phenotypic variations P-09
in Swedish conscripts 332
systemic therapy KL-03
T cells FC-14, FC-16, P-19
T-cell receptors FC-12
therapeutics P-59
TNF-á expression in skin FC-09
TNF-blocking drugs in FC-21
treatment with MAP kinase inhibitor P-57
value of isolated populations in gene probes P-08
psoriatic arthritis
and gluten sensitivity P-61
lymphocytes in duodenal mucosa P-60
MICA gene FC-10
and *PSOR5* gene FC-11
value of isolated populations in gene probes P-08
psychological distress, and psoriasis 325
psychological factors in prurigo nodularis and psoriasis vulgaris 61
PTCH heterozygous mice, photodynamic therapy sessions with topical methylaminolaevulinate (Concise Communication) 740
public health policy
on sun exposure 1046
on vitamin D and sunlight 1052
pustulosis, antimicrobial, with antinuclear antibodies and rheumatoid factor (Correspondence) 568
PUVA therapy
and modulation of ultraviolet radiation transmission by emollients 963
mycosis fungoides 519
psoriasis P-31, P-32, P-33
pyogenic granuloma
comparison of cryotherapy and curettage in treatment 671
dermoscopic findings 1108

quality of life
assessment in older patients with skin disease (Concise Communication) 150
in atopic dermatitis 719
effect of secondary care consultations on 942
in chronic urticaria with psychiatric comorbidity 294
in psoriasis P-73, P-74, 325, 680, 844, 1161

radiodermatitis, hairless mice, expression profiling of radiation-induced genes 829
RAGE expression in leprosy 594
raised limb band development in infancy (Correspondence) 791
reactive intravascular histiocytosis associated with tonsillitis (Correspondence) 560
renal transplant recipients
cutaneous malignant fibrous histiocytoma of the scalp (Correspondence) 183
melanoma 472
population-based study of skin cancer incidence and prevalence 498
thiopurine S-methyltransferase gene polymorphisms following azathioprine treatment (Correspondence) 1199
retinoid oral therapy for disorders of keratinization 267
rheumatoid factor in antimicrobial pustulosis (Correspondence) 568
rifampicin with clindamycin as combination therapy in hidradenitis suppurativa (Concise Communication) 977
Rosai–Dorfman cutaneous disease, clinicopathological profiles, spectrum and lesion evolution 277

S-carboxymethyl-L-cysteine, thiodiglycolic acid and dermatological reactions following administration (Correspondence) 386
sarcoidosis associated with systemic sclerosis, bosentan therapy (Correspondence) 1000
scalp
actinic keratosis, efficacy of topical anaesthesia with lignocaine and prilocaine for photodynamic therapy 146
bone morphogenetic protein-7 expression in human scalp skin and hair follicles (Correspondence) 551
malignant fibrous histiocytoma in renal transplant patient (Correspondence) 183
scars, melanotic pigmentation in excision scars of melanocytic tumours 478
scratching behaviour induced in mice cohabiting with NC/Nga mice with chronic dermatitis 28
screening clinics for melanoma (Concise Communication) 539
sebaceous glands, murine, gender differences and effects of sex steroids and dehydroepiandrosterone on androgen and oestrogen-á receptors 21
seborrhoeic dermatitis, distribution of *Malassezia* species in Greece 854
sebum excretion in female pattern hair loss 85
senile lentigo, multiple facial, resulting from life excess of intermittent sun exposure in dark-skinned caucasians 438
sentinel lymph node status in melanoma as prognostic factor 1080
severe inherited skin disorders, prenatal diagnosis 106

Sézary syndrome with granulomatous lesions during bexarotene treatment (Case Report) 372
SF-36, measurement of quality of life of patients with different clinical types of psoriasis 844
shiitake dermatitis (Correspondence) 800
Sjögren–Larsson syndrome in Brazil due to *ALDH3A2* gene mutation (Gene Corner) 770
skin cancer 1028
 population-based study of incidence and prevalence in renal transplant recipients 498
 suspected, digital photography and electronic referral in triage (Correspondence) 188
 in transplant recipients, and reduction of immunosuppression (Review) 395
skin explants, bioengineered in culture, and epithelial regeneration 42
skin fragility–ectodermal dysplasia syndrome, preimplantation genetic diagnosis (Case Report) 546
skin grafting as a therapeutic approach in pretibial junctional epidermolysis bullosa (Correspondence) 185
sodium lauryl sulphate penetration rate and variation in barrier impairment and skin inflammation 651
squamous cell carcinoma
 detection of human papillomavirus DNA in primary and metastatic (Correspondence) 797
 human oral keratinocyte line, effect of CD40 transfection on immune potency and costimulatory molecules 231
 management audit according to multiprofessional guidelines (Correspondence) 1202
 residual or recurrent in organ transplant recipients after curettage and electrodesiccation 493
STA-5326 in treatment of psoriasis P-51, P-52, P-53
Staphylococcus aureus, methicillin-resistant, emergence of two populations with distinct features from patients with community-acquired skin infections 118
stat3, phosphorylated, expression in extramammary pagenot's disease 926
Stevens–Johnson syndrome/toxic epidermal necrolysis spectrum
 CD40/CD40 ligand system expression 319
 elevated circulating CD40 ligand (Correspondence) 1006
streptococcal-induced psoriasis and HLA Cw*06 850
stress response in palmar hyperhidrosis 1118
subepidermal bullous dermatosis with IgA antibodies after initiation of UVB therapy for psoriasis (Correspondence) 193
subungual hyperkeratosis associated with venlafaxine (Correspondence) 999
sun exposure
 multiple facial senile lentigines resulting from life excess of intermittent sun exposure in dark-skinned caucasians 438
 need for revised public health policy 1046
sunlight and vitamin D, need for new government policy 1052
sunscreen, percutaneous absorption after repeated whole-body applications 337
Sweden, psoriasis in conscripts 332
systemic sclerosis, digital ulcers and sarcoidosis associated, bosentan therapy (Correspondence) 1000

T cells
 CD18 deficiency and development of psoriatic dermatitis FC-03
 dominant clones in peripheral blood of patients with collagen vascular disorders 445
 in imiquimod-induced regression of actinic keratosis 72
 immunosurveillance and skin disease KL-02
 in psoriasis FC-14, FC-16, P-19
T-cell receptors in psoriasis and streptococcal angina FC-12
tacalcitol, topical, in treatment of keratosis follicularis squamosa (Correspondence) 1010
tacrolimus in treatment of angiolymphoid hyperplasia with eosinophilia (Correspondence) 803
tazarotene in plaque psoriasis P-26
telangiectasia, eruptive recurrent pigmented (Correspondence) 777
teledermatology, personal digital assistants (Correspondence) 801
TGF-â receptor *see* transforming growth factor-â receptor
thalidomide
 exacerbation of psoriasis in patient with erythema multiforme (Correspondence) 789
 teratogenicity and distribution in semen (Correspondence) 563
thiopurine S-methyltransferase gene polymorphisms following azathioprine treatment in renal transplant recipients (Correspondence) 1199
tinea capitis, prevalence and causative organisms in Greater Accra Region Ghana (Correspondence) 784
TNF-â expression in psoriatic skin FC-09
Tob as potential marker for basal epidermal layer and expression in human primary keratinocytes 411
tonsillitis associated with reactive intravascular histiocytosis (Correspondence) 560
toxic epidermal necrolysis *see* Stevens–Johnson syndrome/toxic epidermal necrolysis spectrum
transepidermal water loss as marker for development of itch intensity in atopic dermatitis 1100
transforming growth factor-â receptor expression in dermatofibroma and dermatofibrosarcoma protuberans 919
transplant recipients
 liver, skin lesions 868
 organ
  dermatology issues 393
  residual or recurrent squamous cell carcinoma after curettage and electrodesiccation 493
 renal
  cutaneous malignant fibrous histiocytoma of the scalp (Correspondence) 183
  melanoma in 472
  population-based study of skin cancer incidence and prevalence 498

thiopurine S-methyltransferase gene polymorphisms following azathioprine treatment (Correspondence) 1199
skin cancer, and reduction of immunosuppression (Review) 395
trimethoprim–sulfamethoxazole in treatment of paracoccidioidomycosis, evaluation of cytokine release from blood monocytes and expression in mucocutaneous lesions before and during treatment 643
trisomy 16 mosaicism, skin manifestations (Gene Corner) 172
true transverse leuconychia with spontaneous resolution during pregnancy (Correspondence) 1212

ubiquitination of molluscum bodies (Correspondence) 786
ultraviolet radiation
comparison of minimal erythema doses for narrowband vs. broadband UVB irradiation in healthy subjects and patients with psoriasis (Correspondence) 795
effects on ECM-1 expression in human skin 218
erythema and pigmentation induced by P-28
exposure patterns in winter and summer 133
8-isoprostane as dose-related biomarker for photo-oxidative UVB damage 1147
modulation of transmission by emollients 963
subepidermal bullous dermatosis with IgA antibodies after initiation of UVB therapy for psoriasis (Correspondence) 193
urticaria
aspirin-induced, familial aggregation with leukotriene C_4 synthase allelic variant 256
chronic, quality of life and psychiatric comorbidity 294
chronic idiopathic
with functional autoantibodies (Review) 813
levocetirizine treatment 533
nonsedating antihistamine treatment (Correspondence) 1012
delayed pressure, clobetasol propionate in foam formulation in short-term treatment 353

vascular endothelial growth factor (VEGF)
in inflammatory skin disease FC-04
transcription in ulcer bed, GM-CSF promotion of angiogenesis associated 34
vasculitis due to adalimumab (Correspondence) 998
VEGF *see* vascular endothelial growth factor
venlafaxine associated with psoriasiform palmoplantar keratoderma and subungual hyperkeratosis (Correspondence) 999
viral skin exanthems, routine rapid noninvasive diagnosis (Correspondence) 558
vitamin D and sunlight, need for new government policy 1052

'wet-wrap' dressings, efficacy and safety in severe and/or refractory childhood atopic dermatitis (Review) 579

British Journal of Dermatology

Volume 154

January–June 2006

Blackwell Publishing

Published for the
British Association of Dermatologists
by Blackwell Publishing

British Journal of Dermatology

The *British Journal of Dermatology* is owned by and is the official organ of the British Association of Dermatologists.

EDITORS
DR D.J.EEDY
DR J.ENGLISH

© 2006 British Association of Dermatologists

Blackwell Publishing Ltd:
9600 Garsington Road, Oxford, OX4 2DQ, UK

Blackwell Publishing, Inc.:
Commerce Place, 350 Main Street, Malden, Massachusetts 02148-5018, USA

Blackwell Publishing Asia:
550 Swanston Street, Carlton South, Victoria 3053, Australia

Blackwell Verlag:
Kurfürstendamm 58, 10707 Berlin, Germany

Blackwell Munksgaard:
1 Rosenørns Allè, PO Box 227, DK-1502 Copenhagen V, Denmark

Blackwell Publishing Japan/Blackwell Publishing Asia, Tokyo Office:
5F, GS Chiyoda Building, 3-11-14 Iidabashi, Chiyoda-ku, Tokyo 102-0072, Japan

Blackwell Publishing Professional:
2121 State Avenue, Ames, IA 50014-8300, USA

Contents

Volume 154, Number 1, January

Snippets
Research Snippets
Clinical Snippets

Review
1 Nurse-led care in dermatology: a review of the literature
M.COURTENAY AND N.CAREY

Meeting report
7 Evidence-based practice of photopheresis 1987–2001: a report of a workshop of the British Photodermatology Group and the U.K. Skin Lymphoma Group
K.E.MCKENNA, S.WHITTAKER, L.E.RHODES, P.TAYLOR, J.LLOYD, S.IBBOTSON AND R.RUSSELL-JONES

Original articles
Cutaneous Biology
21 Gender differences and effects of sex steroids and dehydroepiandrosterone on androgen and oestrogen α receptors in mouse sebaceous glands
L.AZZI, M.EL-ALFY AND F.LABRIE
28 Induction of scratching behaviour and dermatitis in various strains of mice cohabiting with NC/Nga mice with chronic dermatitis
Y.HASHIMOTO, I.ARAI, N.TAKANO, M.TANAKA AND S.NAKAIKE
34 Granulocyte/macrophage colony-stimulating factor treatment of human chronic ulcers promotes angiogenesis associated with *de novo* vascular endothelial growth factor transcription in the ulcer bed
F.CIANFARANI, R.TOMMASI, C.M.FAILLA, M.T.VIVIANO, G.ANNESSI, M.PAPI, G.ZAMBRUNO AND T.ODORISIO
42 Epithelial regeneration from bioengineered skin explants in culture
U.MIRASTSCHIJSKI, R.BUGDAHL, O.ROLLMAN, B.R.JOHANSSON AND M.S.ÅGREN

Clinical and Laboratory Investigations
50 Characteristics of Hori naevus: a prospective analysis
H.L.EE, H.C.WONG, C.L.GOH AND P.ANG
54 Polymorphic eruption of pregnancy: clinicopathology and potential trigger factors in 181 patients
C.M.RUDOLPH, S.AL-FARES, S.A.VAUGHAN-JONES, R.R.MÜLLEGGER, H.KERL AND M.M.BLACK
61 Psychological factors in prurigo nodularis in comparison with psoriasis vulgaris: results of a case–control study
G.SCHNEIDER, J.HOCKMANN, S.STÄNDER, T.A.LUGER AND G.HEUFT
67 Evidence of an association between desmoglein 3 haplotypes and pemphigus vulgaris
F.CAPON, J.BHARKHADA, N.E.COCHRANE, N.J.MORTIMER, J.F.SETTERFIELD, S.REYNAERT, M.M.BLACK, R.W.VAUGHAN, R.C.TREMBATH AND K.E.HARMAN
72 Imiquimod-induced regression of actinic keratosis is associated with infiltration by T lymphocytes and dendritic cells: a randomized controlled trial
T.OOI, R.STC.BARNETSON, L.ZHUANG, S.MCKANE, J.H.LEE, H.B.SLADE AND G.M.HALLIDAY
79 Cytokine gene polymorphisms in bullous pemphigoid in a Chinese population
Y.T.CHANG, H.N.LIU, C.W.YU, M.W.LIN, C.H.HUANG, C.C.CHEN, M.T.LIU, D.D.LEE, W.J.WANG AND S.F.TSAI
85 Female pattern hair loss, sebum excretion and the end-organ response to androgens
M.P.BIRCH, H.LASHEN, S.AGARWAL AND A.G.MESSENGER
90 Bullous pemphigoid antigen II (BP180) and its soluble extracellular domains are major autoantigens in mucous membrane pemphigoid: the pathogenic relevance to HLA class II alleles and disease severity
N.OYAMA, J.F.SETTERFIELD, A.M.POWELL, Y.SAKUMA-OYAMA, S.ALBERT, B.S.BHOGAL, R.W.VAUGHAN, F.KANEKO, S.J.CHALLACOMBE AND M.M.BLACK
99 Current eczema in children is related to Der f 1 exposure but not to Der p 1 exposure
U.KRÄMER, C.LEMMEN, E.BARTUSEL, E.LINK, J.RING AND H.BEHRENDT
106 Prenatal diagnosis for severe inherited skin disorders: 25 years' experience
H.FASSIHI, R.A.J.EADY, J.E.MELLERIO, G.H.S.ASHTON, P.J.C.DOPPING-HEPENSTAL, J.E.DENYER, K.H.NICOLAIDES, C.H.RODECK AND J.A.MCGRATH

Contact Dermatitis and Allergy
114 Allergic contact dermatitis in children: should pattern of dermatitis determine referral? A retrospective study of 500 children tested between 1995 and 2004 in one U.K. centre
T.H.CLAYTON, S.M.WILKINSON, C.RAWCLIFFE, B.POLLOCK AND S.M.CLARK

Epidemiology and Health Services Research
118 Emergence of two populations of methicillin-resistant *Staphylococcus aureus* with distinct epidemiological, clinical and biological features, isolated from patients with community-acquired skin infections
P.DEL GIUDICE, V.BLANC, F.DURUPT, M.BES, J-P.MARTINEZ, E.COUNILLON, G.LINA, F.VANDENESCH AND J.ETIENNE

Photobiology
125 Facial skin fluorescence as a marker of the skin's response to chronic environmental insults and its dependence on age
G.N.STAMATAS, R.B.ESTANISLAO, M.SUERO, Z.S.RIVERA, J.LI, A.KHAIAT AND N.KOLLIAS
133 Ultraviolet radiation exposure pattern in winter compared with summer based on time-stamped personal dosimeter readings
E.THIEDEN, P.A.PHILIPSEN AND H.C.WULF

Therapeutics
139 Ciclosporin vs. clobetasol in the topical management of atrophic and erosive oral lichen planus: a double-blind, randomized controlled trial
D.CONROTTO, M.CARBONE, M.CARROZZO, P.ARDUINO, B.BROCCOLETTI, M.PENTENERO AND S.GANDOLFO
146 Randomized, double-blind, placebo-controlled prospective study of the efficacy of topical anaesthesia with a eutetic mixture of lignocaine 2·5% and prilocaine 2·5% for topical 5-aminolaevulinic acid–photodynamic therapy for extensive scalp actinic keratoses
S.M.LANGAN AND P.COLLINS

Concise communications
150 An assessment of the quality of life in older patients with skin disease
M.SHAH AND M.COATES

154 Physical friction is under-recognized as an irritant that can cause or contribute to contact dermatitis
E.MCMULLEN AND D.J.GAWKRODGER

Case reports

157 Chronic obesity lymphoedematous mucinosis: three cases of pretibial mucinosis in obese patients with pitting oedema
Y.TOKUDA, S.KAWACHI, H.MURATA AND T.SAIDA

162 Primary cutaneous B-cell lymphoma (marginal zone) with prominent T-cell component and aberrant dual (T and B) genotype; diagnostic usefulness of laser-capture microdissection
F.GALLARDO, R.M.PUJOL, B.BELLOSILLO, D.FERRER, M.GARCÍA, C.BARRANCO, M.PLANAGUMÀ AND S.SERRANO

167 Towards characterization of palmoplantar keratoderma caused by gain-of-function mutation in loricrin: analysis of a family and review of the literature
M.M.GEDICKE, H.TRAUPE, B.FISCHER, S.TINSCHERT AND H.C.HENNIES

Gene corner

172 Skin manifestations in a case of trisomy 16 mosaicism
L.B.OUSAGER, F.BRANDRUP, C.BRASCH-ANDERSEN AND A.ERLENDSSON

Correspondence

177 Nodal follicular dendritic cell sarcoma of the axilla presenting as cellulitis
J.E.GACH, R.A.CARR AND R.CHARLES-HOLMES

178 Cutaneous chondroma with overlying pigmentation clinically mimicking dermatofibroma
Y.SHINOJIMA, H.HARA, H.SHIMOJIMA AND T.TERUI

181 Etanercept for the treatment of severe childhood psoriasis
M.PAPOUTSAKI, A.COSTANZO, A.MAZZOTTA, T.GRAMICCIA, R.SODA AND S.CHIMENTI

183 Cutaneous malignant fibrous histiocytoma of the scalp in a renal transplant recipient
A.STEIN, I.HACKERT, G.SEBASTIAN AND M.MEURER

185 Skin grafting as a therapeutic approach in pretibially restricted junctional epidermolysis bullosa
M.LAIMER, J.W.BAUER, A.KLAUSEGGER, J.KOLLER, G.POHLA-GUBO, W.MUSS, E.SADLER, M.EMBERGER, C.M.LANSCHUETZER, R.HAMETNER, V.WALLY, K.OENDER AND H.HINTNER

188 The role of digital photography and electronic referral in the triage of patients with suspected skin cancer
S.MCLAUGHLIN, R.J.TOBIN, S.LEONARD, R.MCEWAN, C.D.EVANS, W.S.DOUGLAS AND G.GUPTA

190 Alopecia universalis treated with bone morphogenetic protein?
K.S.LESLIE, S.N.SHAH, C.DARRAH, A.COOPER, A.VALENTIN-OPRAN, A.D.PATEL AND S.T.DONELL

191 Doxycycline for the treatment of paronychia induced by the epidermal growth factor receptor inhibitor cetuximab
K-Y.SUH, H.L.KINDLER, M.MEDENICA AND M.LACOUTURE

193 Subepidermal bullous dermatosis with IgA antibodies against 200- and 280-kDa epidermal antigens after initiation of ultraviolet B therapy for psoriasis
M.KALLEL SELLAMI, F.CHERIF, M.ZITOUNI, L.LAADHAR, M.MOKNI, K.HAJLAOUI, A.BEN OSMAN DHAHRI AND S.MAKNI

194 Psoriasis occurring after myeloablative therapy and autologous stem cell transplantation
S.WAHIE, A.ALEXANDROFF, N.J.REYNOLDS AND S.J.MEGGITT

196 Adult T-cell leukaemia/lymphoma masquerading as a hair dye allergy
C.L.MARTYN-SIMMONS AND C.A.HOLDEN

198 Importance of repeat testing in the diagnosis of penicillin allergy
V.MATHEU, E.PEREZ-RODRIGUEZ, I.SANCHEZ-MACHIN, J.C.GARCIA-ROBAINA AND F.DE LA TORRE MORIN

199 Nicorandil-associated perianal ulceration: a case series of 10 patients
N.S.COOKE, J.P.TOLLAND AND O.M.DOLAN

201 Granulocytic sarcoma (leukaemia cutis) in association with basal cell carcinoma
A.H.YOUSSEF, U.ZANETTO, M.R.KAUR AND S.Y.CHAN

202 **News and Notices**

Abstracts

Volume 154, Number 2, February

Snippets
Research Snippets
Clinical Snippets

Review article

205 Atopic dermatitis and cancer risk
H.WANG AND T.L.DIEPGEN

Original articles

Cutaneous Biology

211 Effects of monomethylfumarate on dendritic cell differentiation
N.H.R.LITJENS, M.J.RADEMAKER, B.RAVENSBERGEN, H.B.THIO, J.T.VAN DISSEL AND P.H.NIBBERING

218 Expression of extracellular matrix protein 1 (ECM1) in human skin is decreased by age and increased upon ultraviolet exposure
C.S.SANDER, S.SERCU, M.ZIEMER, U.C.HIPLER, P.ELSNER, J.J.THIELE AND J.MERREGAERT

225 Modulation of lymphocyte phenotype and function by immunoglobulins
J.KIRSCHBAUM, K.FORSCHNER, C.RASCHE AND M.WORM

231 Transfection of CD40 in a human oral squamous cell carcinoma keratinocyte line upregulates immune potency and costimulatory molecules
M.VILLARROEL DORREGO, S.A.WHAWELL, P.M.SPEIGHT AND A.W.BARRETT

Clinical and Laboratory Investigations

239 Impetigo: incidence and treatment in Dutch general practice in 1987 and 2001—results from two national surveys
S.KONING, R.S.A.MOHAMMEDAMIN, J.C.VAN DER WOUDEN, L.W.A.VAN SUIJLEKOM-SMIT, F.G.SCHELLEVIS AND S.THOMAS

244 Dermoscopic findings of haemosiderotic and aneurysmal dermatofibroma: report of six patients
P.ZABALLOS, À.LLAMBRICH, M.ARA, Z.OLAZARÁN, J.MALVEHY AND S.PUIG

251 Livedoid vasculopathy: long-term follow-up results following hyperbaric oxygen therapy
W-H.JUAN, Y-S.CHAN, J.C.LEE, L-C.YANG, H-S.HONG AND C-H.YANG

256 Familial aggregation of aspirin-induced urticaria and leukotriene C_4 synthase allelic variant
I.MASTALERZ, M.SETKOWICZ, M.SANAK, H.RYBARCZYK AND A.SZCZEKLIK

261 HLA class II polymorphisms in Spanish melanoma patients: homozygosity for HLA-DQA1 locus can be a potential melanoma risk factor
D.PLANELLES, E.NAGORE, A.MORET, R.BOTELLA-ESTRADA, E.VILA, C.GUILLÉN AND J.A.MONTORO

267 Oral retinoid therapy for disorders of keratinization: single-centre retrospective 25 years' experience on 23 patients
R.P.KATUGAMPOLA AND A.Y.FINLAY

277 Cutaneous Rosai–Dorfman disease: clinicopathological profiles, spectrum and evolution of 21 lesions in six patients
K-F.WANG, W-Y.CHEN, H-N.LIU, C-C.HUANG, W-R.LEE AND C-H.HU

287 Confluent and reticulate papillomatosis (Gougerot–Carteaud syndrome): a minocycline-responsive dermatosis without evidence for yeast in pathogenesis. A study of 39 patients and a proposal of diagnostic criteria
M.D.P.DAVIS, R.H.WEENIG AND M.J.CAMILLERI

294 Quality of life in patients with chronic urticaria is differentially impaired and determined by psychiatric comorbidity
P.STAUBACH, A.ECKHARDT-HENN, M.DECHENE, A.VONEND, M.METZ, M.MAGERL, P.BREUER AND M.MAURER

299 Age-related prevalence of dermoscopy patterns in acquired melanocytic naevi
I.ZALAUDEK, S.GRINSCHGL, G.ARGENZIANO, A.A.MARGHOOB, A.BLUM, E.RICHTIG, I.H.WOLF, R.FINK-PUCHES, H.KERL, H.P.SOYER AND R.HOFMANN-WELLENHOF

Dermatological Surgery and Lasers

305 Bispectral fluorescence imaging of aggressive basal cell carcinoma combined with histopathological mapping: a preliminary study indicating a possible adjunct to Mohs micrographic surgery
B.STENQUIST, M.B.ERICSON, C.STRANDEBERG, L.MÖLNE, A.ROSÉN, O.LARKÖ AND A.M.WENNBERG

310 Melanoma of the ear: prognostic factors and surgical strategies
V.JAHN, H.BREUNINGER, C.GARBE AND M.MOEHRLE

Dermatopathology

319 The CD40/CD40 ligand system is expressed in the cutaneous lesions of erythema multiforme and Stevens–Johnson syndrome/toxic epidermal necrolysis spectrum
M.CAPRONI, D.TORCHIA, E.SCHINCAGLIA, W.VOLPI, A.FREZZOLINI, D.SCHENA, A.MARZANO, P.QUAGLINO, C.DE SIMONE, A.PARODI, E.BARLETTA AND P.FABBRI

Epidemiology and Health Services Research

325 Age, gender, quality of life and psychological distress in patients hospitalized with psoriasis
F.SAMPOGNA, M.M.CHREN, C.F.MELCHI, P.PASQUINI, S.TABOLLI, D. ABENI AND THE ITALIAN MULTIPURPOSE PSORIASIS RESEARCH ON VITAL EXPERIENCES (IMPROVE) STUDY GROUP

332 Psoriasis in Swedish conscripts: time trend and association with T-helper 2-mediated disorders
E.LANDGREN, L.BRÄBACK, G.HEDLIN, A.HJERN AND F.RASMUSSEN

Photobiology

337 Percutaneous absorption of the sunscreen benzophenone-3 after repeated whole-body applications, with and without ultraviolet irradiation
H.GONZALEZ, A.FARBROT, O.LARKÖ AND A-M.WENNBERG

Therapeutics

341 Synergistic antimicrobial activity by combining an allylamine with benzoyl peroxide with expanded coverage against yeast and bacterial species
C.G.BURKHART, C.N.BURKHART AND N.ISHAM

345 Apolipoprotein E gene polymorphisms are associated with psoriasis but do not determine disease response to acitretin
E.CAMPALANI, M.H.ALLEN, D.FAIRHURST, H.S.YOUNG, C.O.MENDONCA, A.D.BURDEN, C.E.M.GRIFFITHS, M.A.CROOK, J.N.W.N.BARKER AND C.H.SMITH

353 Clobetasol propionate 0·05% in a novel foam formulation is safe and effective in the short-term treatment of patients with delayed pressure urticaria: a randomized, double-blind, placebo-controlled trial
G.A.VENA, N.CASSANO, V.D'ARGENTO AND M.MILANI

Concise communications

357 Assessment of the efficacy of cryosurgery in the treatment of granuloma faciale
A.PANAGIOTOPOULOS, V.ANYFANTAKIS, E.RALLIS, V.CHASAPI, P.STAVROPOULOS, C.BOUBOUKA AND A.KATSAMBAS

361 Lichen planus is associated with human herpesvirus type 7 replication and infiltration of plasmacytoid dendritic cells
H.J.C.DE VRIES, J.VAN MARLE, M.B.M.TEUNISSEN, D.PICAVET, F.ZORGDRAGER, J.D.BOS, J.WEEL AND M.CORNELISSEN

Case reports

365 Linear Darier disease with herpes zoster superinfection treated successfully by brivudine
S.ABRAHAM, A.JONES, L.TOUTOUS-TRELLU, K.KERL-BULLANI, P.CHAVAZ, J-H.SAURAT AND V.PIGUET

368 A Chilean boy with severe photosensitivity and finger shortening: the first case of homozygous variegate porphyria in South America
P.POBLETE-GUTIÉRREZ, C.WOLFF, R.FARIAS AND J.FRANK

372 Sézary syndrome associated with granulomatous lesions during treatment with bexarotene
A.RUIZ-DE-CASAS, A.CARRIZOSA-ESQUIVEL, A.HERRERA-SAVAL, J.J.RIOS-MARTÍN AND F.CAMACHO

Correspondence

375 Metastatic extramammary Paget's disease successfully controlled with tumour dormancy therapy using docetaxel
Y.FUJISAWA, Y.UMEBAYASHI AND F.OTSUKA

376 Eruptive angiomas associated with graft-versus-host disease
J.K.SOO AND P.S.MORTIMER

378 Efficacy of famciclovir in the treatment of oral hairy leukoplakia
L.PASTORE, M.DE BENEDITTIS, M.PETRUZZI, J.R.FIORE AND R.SERPICO

379 Expression of endoglin and the activin receptor-like kinase 1 in skin suggests a role for these receptors in normal skin function and skin tumorigenesis
B.BEGER, K.ROBERTSON, A.EVANS, A.GRANT AND J.BERG

382 Flexural pigmentation with multiple lentigines: a new primary pigmentary disorder?
J.C.C.HO, Y.C.CHAN, Y.C.GIAM, B.H.ONG AND S.P.W.KUMARASINGHE

384 Is onychoblastoma really a new entity?
R.BARAN

385 Is onychoblastoma really a new entity?: reply from authors
C.MISCALI, M.IORIZZO, P.A.FANTI, B.M.PIRACCINI, C.CECCARELLI, D.SANTINI AND A.TOSTI

385 A new multiple site marking grid for botulinum toxin application in the treatment of axillary hyperhidrosis
S.JAIN

386 Thiodiglycolic acid and dermatological reactions following S-carboxymethyl-l-cysteine administration
G.B.STEVENTON AND S.C.MITCHELL

Book reviews

387 *Textbook of Dermatopathology*. Second Edition. Raymond L. Barnhill and A. Neil Crowson. McGraw-Hill, 2004
D.SLATER

388 *Pathology of the Skin with Clinical Correlations*. Third Edition. Volumes 1 & 2. Phillip H. McKee, J. Eduardo Calonje and Scott R. Granter. Elsevier Mosby, 2005
D.SLATER

389 **News and Notices**

392 Corrigendum

Volume 154, Number 3, March

Snippets
Research Snippets
Clinical Snippets

Editorial

393 Dermatology issues in solid organ transplant recipients
D.J.EEDY

Review article

395 Reduction of immunosuppression for transplant-associated skin cancer: expert consensus survey
C.C.OTLEY, D.BERG, C.ULRICH, T.STASKO, G.M.MURPHY, S.J.SALASCHE, L.J.CHRISTENSON, R.SENGELMANN, G.E.LOSS JR AND J.GARCES FOR THE REDUCTION OF IMMUNOSUPPRESSION TASK FORCE OF THE INTERNATIONAL TRANSPLANT SKIN CANCER COLLABORATIVE AND THE SKIN CARE IN ORGAN TRANSPLANT PATIENTS EUROPE

Original articles

Cutaneous Biology

401 Investigation of keratinocyte regulation of collagen I synthesis by dermal fibroblasts in a simple *in vitro* model
C.A.HARRISON, F.GOSSIEL, A.J.BULLOCK, T.SUN, A.BLUMSOHN AND S.MAC NEIL

411 Tob is a potential marker gene for the basal layer of the epidermis and is stably expressed in human primary keratinocytes
G.T.PARK, E.Y.SEO, K.M.LEE, D.Y.LEE AND J.M.YANG

419 Possible role of Fas/Fas ligand-mediated apoptosis in the pathogenesis of fixed drug eruption
H.J.CHOI, J.K.KU, M.Y.KIM, H.KANG, S.H.CHO, H.O.KIM AND Y.M.PARK

426 A method to induce stable atopic dermatitis-like symptoms in NC/Nga mice housed with skin-lesioned mice
N.TAKANO, I.ARAI AND M.KURACHI

Clinical and Laboratory Investigations

431 Three-point checklist of dermoscopy: an open internet study
I.ZALAUDEK, G.ARGENZIANO, H.P.SOYER, R.CORONA, F.SERA, A.BLUM, R.P.BRAUN, H.CABO, G.FERRARA, A.W.KOPF, D.LANGFORD, S.W.MENZIES, G.PELLACANI, K.PERIS AND S. SEIDENARI ON BEHALF OF THE DERMOSCOPY WORKING GROUP

438 Multiple senile lentigos of the face, a skin ageing pattern resulting from a life excess of intermittent sun exposure in dark-skinned caucasians: a case–control study
S.MONESTIER, C.GAUDY, J.GOUVERNET, M.A.RICHARD AND J.J.GROB

445 The presence of dominant T-cell clones in peripheral blood of patients with collagen vascular disorders: a prospective study of 97 cases
O.DEREURE, B.GUBLER, D.BESSIS, B.GUILLOT, J-J.GUILHOU, J.CLOT AND J-F.ELIAOU

450 Mutation analysis in Irish families with glomuvenous malformations
A.H.O'HAGAN, F.MALONEY, C.BUCKLEY, E.A.BINGHAM, M.Y.WALSH, K.E.MCKENNA, D.MCGIBBON AND A.E.HUGHES

453 Conventional histology vs. three-dimensional histology in lentigo maligna melanoma
M.MOEHRLE, K.DIETZ, C.GARBE AND H.BREUNINGER

460 Programmed cell death of keratinocytes in infliximab-treated plaque-type psoriasis
S.KRÜGER-KRASAGAKIS, V.K.GALANOPOULOS, L.GIANNIKAKI, M.STEFANIDOU AND A.D.TOSCA

467 Polymorphisms within the *CTLA4* gene are associated with infant atopic dermatitis
G.JONES, S.WU, N.JANG, D.FULCHER, P.HOGAN AND G.STEWART

472 Melanomas in renal transplant recipients
L.LE MIRE, K.HOLLOWOOD, D.GRAY, C.BORDEA AND F.WOJNAROWSKA

478 Clinical, dermoscopy and histological correlation study of melanotic pigmentations in excision scars of melanocytic tumours
R.BOTELLA-ESTRADA, E.NAGORE, J.SOPENA, A.CREMADES, A.ALFARO, O.SANMARTÍN, C.REQUENA, C.SERRA-GUILLÉN AND C.GUILLÉN

Dermatological Surgery and Lasers

485 Distinct phenotypic changes between the superficial and deep component of giant congenital melanocytic naevi: a rationale for curettage
L.E.DE RAEVE, A.CLAES, D.J.RUITER, G.N.P.VAN MUIJEN, D.ROSEEUW AND L.C.L.T.VAN KEMPEN

493 The occurrence of residual or recurrent squamous cell carcinomas in organ transplant recipients after curettage and electrodesiccation
Y.G.L.DE GRAAF, V.R.BASDEW, N.VAN DER ZWAN-KRALT, R.WILLEMZE AND J.N.BOUWES BAVINCK

Epidemiology and Health Services Research

498 A population-based study of skin cancer incidence and prevalence in renal transplant recipients
F.J.MOLONEY, H.COMBER, P.O'LORCAIN, P.O'KELLY, P.J.CONLON AND G.M.MURPHY

505 The course of eczema in children aged 5–7 years and its relation to atopy: differences between boys and girls
M.MOHRENSCHLAGER, T.SCHÄFER, J.HUSS-MARP, B.EBERLEIN-KÖNIG, S.WEIDINGER, J.RING, H.BEHRENDT AND U.KRÄMER

514 Effect of childhood eczema and asthma on parental sleep and well-being: a prospective comparative study
K.MOORE, T.J.DAVID, C.S.MURRAY, F.CHILD AND P.D.ARKWRIGHT

Photobiology

519 Efficacy of 8-methoxypsoralen vs. 5-methoxypsoralen plus ultraviolet A therapy in patients with mycosis fungoides
A.WACKERNAGEL, A.HOFER, F.LEGAT, H.KERL AND P.WOLF

Therapeutics

524 Conjoint analysis: a novel, rigorous tool for determining patient preferences for topical antibiotic treatment for acne. A randomised controlled trial
N.KELLETT, F.WEST AND A.Y.FINLAY

533 Levocetirizine in the treatment of chronic idiopathic urticaria: a randomized, double-blind, placebo-controlled study
E.NETTIS, M.C.COLANARDI, L.BARRA, A.FERRANNINI, A.VACCA AND A.TURSI

Concise communication

539 Melanoma screening clinics: are we detecting more melanomas or reassuring the worried well?
S.C.WEATHERHEAD AND C.M.LAWRENCE

Case reports

542 Hereditary angio-oedema with normal C1 inhibitor in a family with affected women and men
K.BORK, D.GUL AND G.DEWALD

546 Preimplantation genetic diagnosis of skin fragility–ectodermal dysplasia syndrome
H.FASSIHI, J.GRACE, A.LASHWOOD, N.V.WHITTOCK, P.R.BRAUDE, S.J.PICKERING AND J.A.MCGRATH

Correspondence

551 Expression of bone morphogenetic protein-7 in human scalp skin and hair follicles
M.A.ADLY, H.A.ASSAF AND M.R.HUSSEIN

554 Medulloblastoma metastasizing to the skin
E.J.TOPHAM, N.FRANCIS AND C.B.BUNKER

555 Rapidly progressive classic Kaposi sarcoma in an adolescent: response to interferon alfa therapy and biological correlates
E.GUTTMAN-YASSKY, Z.KRA-OZ, A.COHEN, Y.SATTINGER, T.ROT, R.SARID AND R.BERGMAN

557 Omeprazole-induced dermatomyositis
Y.PAN, A.H.CHONG, R.A.WILLIAMS, J.GREEN AND R.SINCLAIR

558 Routine, rapid, noninvasive diagnosis of viral skin exanthems
H.R.GELDERBLOM, N.BANNERT, W.MUSS AND C.R.MADELEY

560 Reactive intravascular histiocytosis associated with tonsillitis
K.ASAGOE, R.TORIGOE, R.OFUJI AND K.IWATSUKI

563 Thalidomide, semen distribution, teratogenicity… and cost
E.LAFFITTE

563 Thalidomide, semen distribution, teratogenicity… and cost: reply from authors
J.J.WU, D.B.HUANG, S.HSU AND S.K.TYRING

564 Thin primary melanoma: are we all treating it the same?
P.W.PRESTON, S.D.ORPIN AND I.ZAKI

565 Complete resolution of dermatitis herpetiformis with the Atkins' diet
M.J.SLADDEN AND G.A.JOHNSTON

566 Photocarcinogenic risk of narrowband ultraviolet B (TL-01) phototherapy: early follow-up data
R.J.BLACK AND A.T.GAVIN

567 Fumaric acid esters in psoriasis
Z.FIKA, R.E.A.WILLIAMS AND D.J.WILLIAMSON

568 Amicrobial pustulosis with antinuclear antibodies and rheumatoid factor
S.INUI, H.AZUKIZAWA, H.ASADA AND S.ITAMI

569 Occupational photoallergic contact dermatitis in a pharmaceutical worker manufacturing carprofen, a canine nonsteroidal anti-inflammatory drug
S.L.WALKER, R.D.EAD AND M.H.BECK

570 Reply to 'Digital dermoscopy analysis and internet-based program for discrimination of pigmented skin lesion dermoscopic images'
H.OKA, H.IYATOMI, M.HASHIMOTO AND M.TANAKA

571 Reply to 'Digital dermoscopy analysis and internet-based program for discrimination of pigmented skin lesion dermoscopic images': reply from authors
P.RUBEGNI, M.RISULO AND M.BURRONI

572 Human papillomavirus in melanoma
J.S.GUERRINI, J.L.PRETET, C.MOUGIN AND F.AUBIN

573 Human papillomavirus in melanoma: reply from authors
M.LA PLACA, S.AMBRETTI, F.BONVICINI, S.VENTUROLI, T.BIANCHI, C.VAROTTI, M.ZERBINI AND M.MUSIANI

573 Congenital candidal onychomycoses: effective cure with ciclopirox olamine 8% nail lacquer
K.SARDANA, V.K.GARG, V.MANCHANDA AND M.RAJPAL

575 **News and Notices**

Volume 154, Number 4, April

Snippets
Research Snippets
Clinical Snippets

Review article

579 Efficacy and safety of 'wet-wrap' dressings as an intervention treatment in children with severe and/or refractory atopic dermatitis: a critical review of the literature
A.C.A.DEVILLERS AND A.P.ORANJE

Original articles

Cutaneous Biology

586 Protein kinase D distribution in normal human epidermis, basal cell carcinoma and psoriasis
V.L.RISTICH, P.H.BOWMAN, M.E.DODD AND W.B.BOLLAG

594 The expression of RAGE and EN-RAGE in leprosy
M-H.KIM, Y.W.CHOI, H.Y.CHOI, K.B.MYUNG AND S.N.CHO

602 Differentiation of the HaCaT keratinocyte cell line: modulation by adrenomedullin
O.PLEGUEZUELOS AND S.KAPAS

609 Inhibitory autocrine factors produced by the mesenchyme-derived hair follicle dermal papilla may be a key to male pattern baldness
K.HAMADA AND V.A.RANDALL

Clinical and Laboratory Investigations

619 Psoriatic skin expresses the transcription factor Gli1: possible contribution of decreased neurofibromin expression
H.ENDO, Y.MOMOTA, A.OIKAWA AND H.SHINKAI

624 Antidesmoplakin antibodies in pemphigus vulgaris
E.COZZANI, M.G.DAL BELLO, A.MASTROGIACOMO, M.DROSERA AND A.PARODI

629 Nocturnal wrist movements are correlated with objective clinical scores and plasma chemokine levels in children with atopic dermatitis
K-L.E.HON, M-C.A.LAM, T-F.LEUNG, W-Y.C.KAM, K-C.K.LEE, M-C.A.LI, T-F.FOK AND P-C.NG

636 Two novel mutations and evidence for haploinsufficiency of the *ADAR* gene in dyschromatosis symmetrica hereditaria
Q.LIU, L.JIANG, W-L.LIU, X-J.KANG, Y.AO, M.SUN, Y.LUO, Y.SONG, W.H Y.LO AND X.ZHANG

643 Cytokines released from blood monocytes and expressed in mucocutaneous lesions of patients with paracoccidioidomycosis evaluated before and during trimethoprim–sulfamethoxazole treatment
M.R.PARISE-FORTES, S.A.MARQUES, A.M.V.C.SOARES, C.S.KUROKAWA, M.E.A.MARQUES AND M.T.S.PERACOLI

Contact Dermatitis and Allergy

651 Variation in barrier impairment and inflammation of human skin as determined by sodium lauryl sulphate penetration rate
C.M.DE JONGH, I.JAKASA, M.M.VERBERK AND S.KEZIC

658 Dermal nickel exposure associated with coin handling and in various occupational settings: assessment using a newly developed finger immersion method
I.STATON, R.MA, N.EVANS, R.W.HUTCHINSON, C.W.MCLEOD AND D.J.GAWKRODGER

665 Late reactions to the patch-test preparations para-phenylenediamine and epoxy resin: a prospective multicentre investigation of the German Contact Dermatitis Research Group
U.HILLEN, U.JAPPE, P.J.FROSCH, D.BECKER, J.BRASCH, M.LILIE, T.FUCHS, B.KREFT, C.PIRKER AND J.GEIER

Dermatological Surgery and Lasers

671 Comparison of cryotherapy and curettage for the treatment of pyogenic granuloma: a randomized trial
S.Z.GHODSI, M.RAZIEI, A.TAHERI, M.KARAMI, P.MANSOORI AND F.FARNAGHI

676 The treatment of port-wine stains with the pulsed-dye laser at 2-week and 6-week intervals: a comparative study
N.TOMSON, S.P.R.LIM, A.ABDULLAH AND S.W.LANIGAN

Epidemiology and Health Services Research

680 How does psoriasis affect quality of life? Assessing an Ingram-regimen outpatient programme and validating the WHOQOL-100
S.M.SKEVINGTON, J.BRADSHAW, A.HEPPLEWHITE, K.DAWKES AND C.R.LOVELL

692 Refinement and reduction of the Impact of Psoriasis Questionnaire: Classical Test Theory vs. Rasch analysis
T.NIJSTEN, J.UNAEZE AND R.S.STERN

Photobiology

701 Home ultraviolet B phototherapy for psoriasis: discrepancy between literature, guidelines, general opinions and actual use. Results of a literature review, a web search, and a questionnaire among dermatologists
M.B.G.KOEK, E.BUSKENS, C.A.F.M.BRUIJNZEEL-KOOMEN AND V.SIGURDSSON

Original articles

712 *In vitro* and *in vivo* comparison of two different light sources for topical photodynamic therapy
P.BABILAS, E.KOHL, T.MAISCH, H.BACKER, B.GROß, A.L.BRANZAN, W.BÄUMLER, M.LANDTHALER, S.KARRER AND R-M.SZEIMIES

Psychodermatology

719 Life quality assessment among patients with atopic eczema
E.A.HOLM, H.C.WULF, H.STEGMANN AND G.B.E.JEMEC

Therapeutics

726 Etanercept: effective in the management of hidradenitis suppurativa
C.CUSACK AND C.BUCKLEY

730 Evaluation of androgens in the scalp hair and plasma of patients with male-pattern baldness before and after finasteride administration
H.K.RYU, K.M.KIM, E.A.YOO, W.Y.SIM AND B.C.CHUNG

Concise communications

735 A distinctive erythematous macular exanthem of the adult: a new entity?
F.DRAGO, M.BASSO AND A.REBORA

740 Multiple large surface photodynamic therapy sessions with topical methylaminolaevulinate in *PTCH* heterozygous mice
V.CATY, Y.LIU, G.VIAU AND R.BISSONNETTE

743 Herpes folliculitis: clinical, histopathological, and molecular pathologic observations
A.BÖER, N.HERDER, K.WINTER AND T.FALK

747 Ambulatory photodynamic therapy: a new concept in delivering photodynamic therapy
H.MOSELEY, J.W.ALLEN, S.IBBOTSON, A.LESAR, A.MCNEILL, M.A.CAMACHO-LOPEZ, I.D.W.SAMUEL, W.SIBBETT AND J.FERGUSON

Case reports

751 Mucocutaneous bullous amyloidosis with an unusual mixed protein composition of amyloid deposits
N.REKHTMAN, K.S.HASH AND J.M.MORESI

755 Cutaneous granulomatous reaction to injectable hyaluronic acid gel
M.GHISLANZONI, F.BIANCHI, M.BARBARESCHI AND E.ALESSI

759 Acquired reactive perforating collagenosis: four patients with a giant variant treated with allopurinol
S.R.HOQUE, M.AMEEN AND C.A.HOLDEN

763 Treatment of pachyonychia congenita with plantar injections of botulinum toxin
C.SWARTLING AND A.VAHLQUIST

Gene corners

766 Clinical variation in X-linked dominant chondrodysplasia punctata (X-linked dominant ichthyosis)
I.FELDMEYER, B.MEVORAH, K.H.GRZESCHIK, M.HUBER AND D.HOHL

770 Sjögren–Larsson syndrome in Brazil is caused by a common c.1108-1G→C splice-site mutation in the *ALDH3A2* gene
M.P.AUADA, M.B.PUZZI, M.I.CINTRA, C.E.STEINER, F.ALEXANDRINO, E.L.SARTORATO, T.S.AGUIAR, R.D.AZULAY, G.CARNEY AND W.B.RIZZO

Correspondence

774 Chronic cutaneous disease caused by the rapid growers *Mycobacterium fortuitum* and *chelonae*
P.K.PALWADE, R.S.DHURAT, U.M.TENDOLKAR, G.R.DETHE AND H.R.JERAJANI

775 Angiokeratoma circumscriptum of the penis
M.SAHA, R.BARLOW AND C.B.BUNKER

777 Eruptive recurrent pigmented telangiectasia: a new clinical entity?
C.TAN, W.Y.ZHU AND R.S.LAI

778 Psoriasis, enteropathy and antigliadin antibodies
A.KALAYCIYAN AND A.KOTOGYAN

779 Anti-epiligrin cicatricial pemphigoid initially limited to the upper respiratory tract
K.WOZNIAK, E.WASZCZYKOWSKA, T.HASHIMOTO, N.ISHII, J.D.TORZECKA, J.NARBUTT, T.ROGOZINSKI, R.A.SCHWARTZ AND C.KOWALEWSKI

781 Let there be light! Lighting levels for dermatological examination
L.COLTART, G.LEWIS, D.TAYLOR AND S.BURGE

784 Prevalence of symptomatic tinea capitis and associated causative organisms in the Greater Accra Region, Ghana
A.A.HOGEWONING, M.DUIJVESTEIN, D.BOAKYE, A.S.AMOAH, B.B.OBENG, E.M.H.VAN DER RAAIJ-HELMER, C.C.G.STAATS, J.N.BOUWES BAVINCK, M.YAZDANBAKHSH AND A.P.M.LAVRIJSEN

786 Ubiquitination of molluscum body and its implications for pathophysiology
K.YONEDA, T.DEMITSU, A.KON, C.SADAHIRA, T.MORIUE, J.KATSUURA, Y.MATSUOKA, I.TAKAI, M.NODA, N.INAGAKI AND Y.KUBOTA

789 Exacerbation of psoriasis by thalidomide in a patient with erythema multiforme
K.VARMA AND A.Y.FINLAY

790 The role of immunosuppression in the pathogenesis of basal cell carcinoma
F.J.MOLONEY, H.COMBER, P.J.CONLON AND G.M.MURPHY

791 Raised limb bands developing in infancy
S.A.LATEO, A.E.M.TAYLOR AND S.J.MEGGITT

793 Naevogenesis: new thoughts based on dermoscopy
I.ZALAUDEK, R.HOFMANN-WELLENHOF, H.P.SOYER, G.FERRARA AND G.ARGENZIANO

794 Twice daily vs. four times daily 5-fluorouracil therapy for actinic keratoses: a split face study
E.EPSTEIN

795 A comparison of minimal erythema doses for narrowband vs. broadband ultraviolet B irradiation in darkly pigmented healthy subjects and in psoriatic patients in Kuwait
H.S.AL-AJMI

797 Detection of human papillomavirus DNA in primary squamous cell carcinoma and metastases
I.NINDL, A.KOEHLER, T.MEYER, T.SCHMOOK, C.J.L.M.MEIJER, P.J.F.SNIJDERS, W.STERRY AND E.STOCKFLETH

800 Shiitake dermatitis: the first case reported from a European country
R.K.H.MAK AND S.H.WAKELIN

801 Personal digital assistants in teledermatology
C.MASSONE, G.P.LOZZI, E.WURM, R.HOFMANN-WELLENHOF, R.SCHOELNAST, I.ZALAUDEK, G.GABLER, A.DI STEFANI, H.KERL AND H.P.SOYER

802 Controlled clinical trials on balneophototherapy in psoriasis
T.GAMBICHLER, N.S.TOMI AND A.KREUTER

803 A case of angiolymphoid hyperplasia with eosinophilia successfully treated with tacrolimus ointment
M.MASHIKO, K.YOKOTA, Y.YAMANAKA AND K.FURUYA

Book review

804 *EDF White Book: Skin Diseases in Europe*, 2nd Edn. Peter Fritsch and Walter Burgdorf (editors). Berlin: ABW Wissenschaftsverlag GmbH, 2005
J.F.BOURKE

805 **News and Notices**

807 Corrigenda

Volume 154, Number 5, May

Snippets
Research Snippets
Clinical Snippets

Editorial

809 'Biologics': a clinically meaningless term
K.A.KATZ

Review article

813 Chronic idiopathic urticaria with functional autoantibodies: 12 years on
R.A.SABROE AND M.W.GREAVES

Original articles

Cutaneous Biology

820 Elevated prolidase activity in keloids: correlation with type I collagen turnover
H.S.DUONG, Q-Z.ZHANG, A.D.LE, A.P.KELLY, R.KAMDAR AND D.V.MESSADI

829 Expression profiling of radiation-induced genes in radiodermatitis of hairless mice
Y.S.LEE, D.K.CHOI, C.D.KIM, M.IM, M.L.MOLLAH, J.Y.JANG, T.J.OH, S.AN, Y.J.SEO, G.M.HUR, M.J.CHO, J.K.PARK AND J.H.LEE

Clinical and Laboratory Investigations

839 Absence of anti-BP180 antibodies in mothers of infants with bullous pemphigoid
C.CHIAVERINI, D.HAMEL-TEILLAC, D.GILBERT AND Y.DE PROST

844 Measuring quality of life of patients with different clinical types of psoriasis using the SF-36
F.SAMPOGNA, S.TABOLLI, B.SODERFELDT, B.AXTELIUS, U.APARO, D.ABENI AND THE IDI MULTIPURPOSE PSORIASIS RESEARCH ON VITAL EXPERIENCES (IMPROVE) INVESTIGATORS

850 HLA Cw*06 is not essential for streptococcal-induced psoriasis
L.FRY, A.V.POWLES, S.CORCORAN, S.ROGERS, J.WARD AND D.J.UNSWORTH

854 Distribution of *Malassezia* species in pityriasis versicolor and seborrhoeic dermatitis in Greece. Typing of the major pityriasis versicolor isolate *M. globosa*
G.GAITANIS, A.VELEGRAKI, E.C.ALEXOPOULOS, V.CHASAPI, A.TSIGONIA AND A.KATSAMBAS

860 Plasminogen activator inhibitor-2 is expressed in different types of congenital ichthyosis: *in vivo* evidence for its cross-linking into the cornified cell envelope by transglutaminase-1
V.OJI, M.E.OJI, N.ADAMINI, T.WALKER, K.AUFENVENNE, M.RAGHUNATH AND H.TRAUPE

868 Skin lesions in adult liver transplant recipients: a study of 100 consecutive patients
G.K.PERERA, F.J.CHILD, N.HEATON, J.O'GRADY AND E.M.HIGGINS

873 Clinical selection of melanocytic lesions for dermoscopy decreases the identification of suspicious lesions in comparison with dermoscopy without clinical preselection
S.SEIDENARI, C.LONGO, F.GIUSTI AND G.PELLACANI

880 Induction of eruptive benign melanocytic naevi by immune suppressive agents, including biologicals
H.J.BOVENSCHEN, M.TJIOE, H.VERMAAT, D.DE HOOP, B.M.J.WITTEMAN, R.W.A.JANSSENS, T.J.STOOF AND P.C.M.VAN DE KERKHOF

Contact Dermatitis and Allergy

885 Simultaneous sensitivity to fragrances
D.A.BUCKLEY, D.A.BASKETTER, C.K.SMITH PEASE, R.J.G.RYCROFT, I.R.WHITE AND J.P.MCFADDEN

Dermatological Surgery and Lasers

889 Congenital naevi treated with erbium:YAG laser (Derma K) resurfacing in neonates: clinical results and review of the literature
J.U.OSTERTAG, P.J.F.QUAEDVLIEG, F.E.M.J.KERCKHOFFS, A.H.M.VERMEULEN, M.J.O.E.BERTLEFF, A.W.VENEMA, S.VAN DER GEER AND G.A.M.KREKELS

896 The effect of ambient temperature on capillary vascular malformations
D.J.MCGILL AND I.R.MACKAY

Dermatopathology

904 Expression of chemokines and chemokine receptors in cutaneous CD30+ lymphoproliferative disorders
T.YAMAGUCHI, K.OHSHIMA, K.KARUBE, R.KAWANO, J.NAKAYAMA, J.SUZUMIYA AND M.KIKUCHI

910 CXC chemokine receptor CXCR4 expression enhances tumorigenesis and angiogenesis of basal cell carcinoma
G-S.CHEN, H-S.YU, C-C.E.LAN, K-C.CHOW, T-Y.LIN, L-F.KOK, M-P.LU, C-H.LIU AND M-T.WU

919 The expression levels and the differential expression of transforming growth factor-β receptors in dermatofibroma and dermatofibrosarcoma protuberans
M.KUBO, H.IHN, K.YAMANE AND K.TAMAKI

926 Expression of phosphorylated Stat3, cyclin D_1 and Bcl-xL in extramammary Paget disease
H.J.LIU, Y.MOROI, T.MASUDA, S.YASUMOTO, H.KOKUBA, S.IMAFUKU, T.KOGA, T.TETSUYA, Y.T.TU, H.ABURATANI, M.FURUE AND K.URABE

Epidemiology and Health Services Research

933 Interdigital lesions and frequency of acute dermatolymphangioadenitis in lymphoedema in a filariasis-endemic area
T.MCPHERSON, S.PERSAUD, S.SINGH, M.P.FAY, D.ADDISS, T.B.NUTMAN AND R.HAY

942 The effect of dermatology consultations in secondary care on treatment outcome and quality of life in new adult patients with atopic dermatitis
S.E.BARON, P.K.MORRIS, L.DYE, D.FIELDING AND V.GOULDEN

950 Food and Drug Administration surveillance of dermatology-related and nondermatology-related prescription drug advertising in the U.S.A., 2000–2003
A.L.COWDEN AND K.A.KATZ

Paediatric Dermatology

959 Bone mineralization in children with epidermolysis bullosa
M.S.FEWTRELL, J.ALLGROVE, I.GORDON, C.BRAIN, D.ATHERTON, J.HARPER, J.E.MELLERIO AND A.E.MARTINEZ

Photobiology

963 Modulation of ultraviolet (UV) transmission by emollients: relevance to narrowband UVB phototherapy and psoralen plus UVA photochemotherapy
S.G.H.OTMAN, C.EDWARDS, A.D.PEARSE, B.J.GAMBLES AND A.V.ANSTEY

Therapeutics

969 Photodynamic therapy of acne vulgaris using methyl aminolaevulinate: a blinded, randomized, controlled trial
S.R.WIEGELL AND H.C.WULF

Concise communications

977 Clindamycin and rifampicin combination therapy for hidradenitis suppurativa
C.O.MENDONÇA AND C.E.M.GRIFFITHS

979 An exploratory prospective observational study of environmental factors exacerbating atopic eczema in children
S.M.LANGAN, J.F.BOURKE, P.SILCOCKS AND H.C.WILLIAMS

Case reports

981 Chronic lymphocytic leukaemia skin infiltrates affecting prominent parts of the face and the scalp
Z.F.JASIM, N.COOKE, J.E.SOMERVILLE AND R.J.HAY

983 Detection of COL1A1–PDGFB fusion transcripts and platelet-derived growth factor α and β receptors in giant cell fibroblastoma of the postsacrococcygeal region
A.KASHIMA, A.YAMASHITA, S.MORIGUCHI, K.MARUTSUKA, S.TSUMORI, K.YOSHIZATO, A.ISHIHARA, M.SETOYAMA AND Y.ASADA

988 Regression of extranodal natural killer/T-cell lymphoma, nasal type with denileukin diftitox (Ontak®) and bexarotene (Targretin®): report of a case
K.KERL, C.PRINS, L.CERRONI AND L.E.FRENCH

Gene corner

992 A case of Brooke–Spiegler syndrome with a new mutation in the *CYLD* gene
W.HEINRITZ, S.GRUNEWALD, S.STRENGE, A.SCHÜTZ, U.G.FROSTER, H.J.GLANDER, U.PAASCH AND J.C.SIMON

995 A novel indel *COL7A1* mutation 8068del17insGA causes dominant dystrophic epidermolysis bullosa
D.SAWAMURA, H.NIIZEKI, S.MIYAGAWA, S.SHINKUMA AND H.SHIMIZU

Correspondence

998 Adalimumab causing vasculitis
S.D.ORPIN, V.B.MAJMUDAR, C.SOON, N.A.AZAM AND A.SALIM

999 Venlafaxine-associated psoriasiform palmoplantar keratoderma and subungual hyperkeratosis
S.DALLE, C.BECUWE, B.BALME AND L.THOMAS

1000 Successful treatment of systemic sclerosis-related digital ulcers and sarcoidosis with endothelin receptor antagonist (bosentan) therapy
J.TILLON, F.HERVÉ, D.CHEVALLIER, J-F.MUIR, H.LEVESQUE AND I.MARIE

1002 Eccrine angiomatous hamartoma of the fingers with nail destruction
E.SEZER, R.D.KOSEOGLU AND N.FILIZ

1004 Extensive mucinous eccrine naevus following the lines of Blaschko: a new type of eccrine naevus
A.ESPAÑA, M.MARQUINA AND M.A.IDOATE

1006 Elevated circulating CD40 ligand in patients with erythema multiforme and Stevens–Johnson syndrome/toxic epidermal necrolysis spectrum
M.CAPRONI, E.ANTIGA, A.PARODI, D.SCHENA, A.MARZANO, P.QUAGLINO, C.DE SIMONE, M.LA PLACA, W.VOLPI, E.DEL BIANCO AND P.FABBRI

1007 Multiple hereditary infundibulocystic basal cell carcinomas: a distinctive genodermatosis
C.CHOONHAKARN AND A.MEESINGHA

1010 Successful treatment of keratosis follicularis squamosa with topical tacalcitol
C.SADAHIRA, K.YONEDA, T.MORIUE, J.KATSUURA AND Y.KUBOTA

1012 Nonsedating antihistamines in the treatment of severe chronic idiopathic urticaria: are they used optimally?
S.T.CHEUNG AND W.TUCKER

1013 A case of cutaneous leiomyosarcoma with overexpression of KIT: do CD117 (KIT)-positive primary gastrointestinal stromal tumours of the skin exist?
M.HORIE, A.HATAMOCHI, S.YAMAZAKI, M.IZUMI AND K.MUKAI

1016 Recent record of the U.K. to publication in top dermatology journals
J.L.REES AND Y.BISSET

1017 Melanoma in Leicestershire: effect of the 2-week wait system on presentation
M.J.SLADDEN, N.J.MORTIMER, T.A.CHAVE AND J.E.OSBORNE

1018 Intraepidermal neutrophilic IgA/IgG antidesmocollin 1 pemphigus
A.HENG, A.NWANESHIUDU, T.HASHIMOTO, M.AMAGAI AND J.R.STANLEY
1020 Lichenoid eruption associated with orlistat
A.SERGEANT, G.MILNE AND F.SHAFFRALI
1021 **News and Notices**

Volume 154, Number 6, June

Snippets
Research Snippets
Clinical Snippets

Editorial
1025 How safe is patch testing to PPD?
D.J.GAWKRODGER AND J.S.C.ENGLISH

Meeting report
1028 Updates from the British Association of Dermatologists 85th annual meeting, 5–8 July 2005, Glasgow, U.K.
D.J.EEDY, J.S.C.ENGLISH AND I.H.COULSON

Controversies in dermatology
1046 Do we need a revised public health policy on sun exposure?
B.DIFFEY
1052 A new government policy is needed for sunlight and vitamin D
O.GILLIE

Cutaneous biology
1062 Expression of CD90 on keratinocyte stem/progenitor cells
Y.NAKAMURA, Y.MUGURUMA, T.YAHATA, H.MIYATAKE, D.SAKAI, J.MOCHIDA, T.HOTTA AND K.ANDO
1071 Dopamine-induced apoptosis in human melanocytes involves generation of reactive oxygen species
C-Y.CHU, Y-L.LIU, H-C.CHIU AND S-H.JEE

Clinical and laboratory investigations
1080 Sentinel lymph node status in melanoma: a valuable prognostic factor?
G.TOPAR, K.EISENDLE, B.ZELGER AND P.FRITSCH
1088 Dermatological manifestations of autoimmune polyendocrinopathy–candidiasis–ectodermal dystrophy syndrome
S.M.COLLINS, M.DOMINGUEZ, T.ILMARINEN, C.COSTIGAN AND A.D.IRVINE
1094 The dermal stem cell factor and c-kit are overexpressed in melasma
H.Y.KANG, J.S.HWANG, J.Y.LEE, J.H.AHN, J-Y.KIM, E-S.LEE AND W.H.KANG
1100 Transepidermal water loss, serum IgE and β-endorphin as important and independent biological markers for development of itch intensity in atopic dermatitis
C-H.LEE, H-Y.CHUANG, C-C.SHIH, S-B.JONG, C-H.CHANG AND H-S.YU
1108 Dermoscopic findings in pyogenic granuloma
P.ZABALLOS, À.LLAMBRICH, F.CUELLAR, S.PUIG AND J.MALVEHY
1112 Significance of interleukin-16, macrophage-derived chemokine, eosinophil cationic protein and soluble E-selectin in reflecting disease activity of atopic dermatitis–from laboratory parameters to clinical scores
I.ANGELOVA-FISCHER, U.C.HIPLER, A.BAUER, J.W.FLUHR, N.TSANKOV, T.W.FISCHER AND P.ELSNER
1118 Daily pattern of sweating and response to stress and exercise in patients with palmar hyperhidrosis
A.L.KROGSTAD, C.MORK AND S.K.PIECHNIK

Epidemiology and health services research
1123 Comparative analysis of incidence and clinical features of cutaneous malignant melanoma in Crete (Greece) and southern Germany (central Baden-Württemberg)
K.LASITHIOTAKIS, U.LEITER, S.KRÜGER-KRASAGAKIS, A.TOSCA AND C.GARBE
1128 Do patients with skin allergies have higher levels of anxiety than patients with allergic respiratory diseases? Results of a large-scale cross-sectional study in a French population
I.ANNESI-MAESANO, A.BEYER, F.MARMOUZ, P.MATHELIER-FUSADE, D.VERVLOET AND V.BAUCHAU
1137 A cost-utility analysis of pimecrolimus vs. topical corticosteroids and emollients for the treatment of mild and moderate atopic eczema
M.PITT, R.GARSIDE AND K.STEIN

Photobiology
1147 8-Isoprostane is a dose-related biomarker for photo-oxidative ultraviolet (UV) B damage *in vivo*: a pilot study with personal UV dosimetry
I.A.SCHNEIDER, W.BLOCH, K.KOPP, A.HAINZL, P.RETTBERG, M.WLASCHEK, G.HORNECK AND K.SCHARFFETTER-KOCHANEK

Therapeutics
1155 A 52-week randomized safety study of a calcipotriol/betamethasone dipropionate two-compound product (Dovobet®/Daivobet®/Taclonex®) in the treatment of psoriasis vulgaris
K.KRAGBALLE, J.AUSTAD, L.BARNES, A.BIBBY, M.BRASSINNE, F.CAMBAZARD, C.FLEMING, H.HEIKKILA, D.JOLLIFFE, J.PEYRI, Å.SVENSSON, J.TOOLE AND G.WOZEL
1161 Improvement in quality of life with infliximab induction and maintenance therapy in patients with moderate-to-severe psoriasis: a randomized controlled trial
K.REICH, F.O.NESTLE, K.PAPP, J-P.ORTONNE, Y.WU, M.BALA, R.EVANS, C.GUZZO, S.LI, L.T.DOOLEY AND C.E.M.GRIFFITHS
1169 Folic acid supplementation during treatment of psoriasis with methotrexate: a randomized, double-blind, placebo-controlled trial
A.SALIM, E.TAN, A.ILCHYSHYN AND J.BERTH-JONES

Concise communications
1175 Bcl-2 and Bax in congenital naevi
C.STEFANAKI, C.ANTONIOU, K.STEFANAKI, G.PETRIKOS, T.ARGYRAKOS, C.V-V.CONSTANTINIDOU, O.KARENTZOU, A.STRATIGOS AND A.KATSAMBAS
1180 Interleukin 12 production by monocytes from patients with psoriasis and its inhibition by ciclosporin A
Y.TADA, A.ASAHINA, T.TAKEKOSHI, E.KISHIMOTO, H.MITSUI, H.SAEKI, M.KOMINE AND K.TAMAKI

Case reports
1184 Subcutaneous hyalohyphomycosis due to *Cephalotheca foveolata* in an immunocompetent host
M.K.SUH, J.W.LIM, Y.H.LEE, G.Y.HA, H.KIM, J.R.KIM, T.YAGUCHI AND K.NISHIMURA
1190 Early and severe amyloidosis in a patient with concurrent familial Mediterranean fever and pseudoxanthoma elasticum
D.CATTAN, B.BOUALI, N.CHASSAING, F.MARTINEZ, J.M.DUPONT, C.DODE AND L.MARTIN

1194 Epidermal naevus in Proteus syndrome showing loss of heterozygosity for an inherited PTEN mutation
A.LOFFELD, N.J.MCLELLAN, T.COLE, S.J.PAYNE, D.FRICKER AND C.MOSS

Correspondence

1199 The frequency and significance of thiopurine S-methyltransferase gene polymorphisms in azathioprine-treated renal transplant recipients
F.J.MOLONEY, P.DICKER, P.J.CONLON, D.C.SHIELDS AND G.M.MURPHY

1200 Invasive aspergillosis due to subungual onychomycosis during treatment for non-Hodgkin lymphoma
M.S.CUÉTARA, A.ALHAMBRA, J.M.MORENO, C.POSTIGO, M.D.MORAGUES, J.PONTÓN AND A.DEL PALACIO

1202 An audit of the management of cutaneous squamous cell carcinoma according to the multiprofessional guidelines
R.J.BATCHELOR AND G.I.STABLES

1204 Comparable risk of herpes simplex virus infection between topical treatments with tacrolimus and corticosteroids in adults with atopic dermatitis
H.HASHIZUME, H.YAGI, A.OHSHIMA, T.ITO, N.HORIBE, Y.YOSHINARI, M.TAKIGAWA AND THE SHIZUOKA TOPICAL IMMUNOMODULATOR STUDY GROUP

1206 Relative frequency and survival of patients with primary cutaneous lymphomas: data from a single-centre study of 203 patients
J-D.BOUAZIZ, S.BASTUJI-GARIN, E.POSZEPCZYNSKA-GUIGNÉ, J.WECHSLER AND M.BAGOT

1207 Topical mechlorethamine and clobetasol in multifocal primary cutaneous marginal zone-B cell lymphoma
C.BACHMEYER, V.ORLANDINI AND S.ARACTINGI

1209 IgE antibodies to penicillin are indicative for but not conclusive proof of penicillin allergy
W.ABERER, M.ZIDARN AND B.KRANKE

1210 Successful treatment of Darier disease with topical 5-fluorouracil
T.Y.YOON, J.W.KIM AND M.K.KIM

1212 True transverse leuconychia with spontaneous resolution during pregnancy
S.I.CHAUDHRY AND M.M.BLACK

1213 Imatinib-associated lichenoid eruption: acitretin treatment allows maintained antineoplastic effect
J.DALMAU, L.PERAMIQUEL, L.PUIG, M.T.FERNÁNDEZ-FIGUERAS, E.ROÉ AND A.ALOMAR

1216 Imatinib mesylate causes palmoplantar hyperkeratosis and nail dystrophy in three patients with chronic myeloid leukaemia
N.DEGUCHI, T.KAWAMURA, A.SHIMIZU, R.KITAMURA, M.YANAGI, N.SHIBAGAKI, H.MATSUE AND S.SHIMADA

1218 **News and Notices**

1220 **Errata**

1221 **Author index**

1237 **Subject index**